General Information

This index identifies all water bodies with one or more impairments. The index is divided into two main categories:

Impairments that are not suitable for a TMDL or for which a TMDL has already been Category 4

approved

Category 5 Impairments which may be suitable for development of a TMDL (303d List)

Explanation of Column Headings

SegID and Name: The unique identifier (SegID), segment name, and location of the water body. Items may be one of

> three types of numbers for SegID. The first type is a classified segment number (4 digits, e.g. 0218), as defined in the Texas Surface Water Quality Standards (TSWQS). The second type is an unclassified water body (e.g. 0218A), not defined in the Standards and associated with a classified water body because it is in the same watershed. The third type includes special Segments for Oyster Water Use (e.g. 2421OW) and Beach Watch Use (e.g. 2481CB) special areas. The segment

name and description follow SegID.

AU ID: Identifies the assessment unit (AU ID, six or seven digits, e.g., 0101A 01) and describes the

location of the specific area within a classified or unclassified water body for which one or more

water quality standards are not met.

Parameter(s): Pollutants or water quality conditions that assessment procedures indicate do not meet assigned

water quality standards.

Category: One of two categories assigned to each impaired parameter to provide information about water

> quality status and management activities on that water body. Both Category 4 and Category 5 are each divided into three subcategories; when a water body has parameters in multiple subcategories, its overall category is the highest category. The category and its subcategories

are defined below:

Category 4: Standard is not supported for one or more designated uses but does not require the

development of a TMDL.

Category 4a - All TMDLs have been completed and approved by EPA.

Category 4b - Other control requirements are reasonably expected to result in the attainment of all standards.

Category 4c - Nonattainment is shown to be caused by pollution, not by pollutants

and that the water quality conditions cannot be changed by the

allocation and control of pollutaints through the TMDL process.

Category 5: The water body does not meet applicable water quality standards for one or more

designated uses by one or more pollutants.

Category 5a - TMDLs are underway, scheduled, or will be scheduled for one or

more parameters.

Category 5b - A review of the standards for one or more parameters will be

conducted before a management strategy is selected, including a

possible revision to the TSWQSs.

Category 5c - Additional data or information will be collected and/or evaluated for

one or more parameters before a management strategy is selected.

Carryforward: Some previously listed impairments did not have adequate data to re-assess in 2014 and were carried forward from 2012 and remain impaired.

November 19, 2015 Page 1 of 130

SegID: 010	Canadian River Below Lake Meredith From the Oklahoma State Line in Hemphill County to Sanford Dam in Hutchins	on County	
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0101_03	From the confluence with White Deer Creek upstream to the confluence with Dixon Creek east of Borger	5c	No

SegID: 01	Dixon Creek Dixon Creek - intermittent stream with perennial pools from the confluence with Hutchinson County upstream to the confluence with the Middle, West, and East County		
Parameter(s		<u>Category</u>	<u>Carryforward</u>
bacteria			
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5b	No
Parameter(s	<u>:)</u>	<u>Category</u>	Carryforward
depressed dis	ssolved oxygen		
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	Yes
Parameter(s		<u>Category</u>	<u>Carryforward</u>
selenium in v	vater		
0101A_01	Dixon Creek an Appendix D Intermittent stream with perennial pools from the confluence with the Canadian River upstream to the confluence with the permitted outfall receiving waters tributary	5c	No

November 19, 2015 Page 2 of 130

C ID 0	102 I -l M 1:41		
SegID: 0	102 Lake Meredith Lake Moradith from Sonford Dom in Hutchingon County to a point immediate	alwaystraam of the	
	Lake Meredith - from Sanford Dam in Hutchinson County to a point immediate confluence of Camp Creek in Potter County, up to the normal pool elevation of	* *	
	Canadian River)	. 2930.3 feet (impounds	,
<u>Parameter</u>	,	<u>Category</u>	Carryforward
chloride	_		
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West	5c	No
_	Campground to green port marker 11 north of Fritch Canyon		
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West	5c	No
	Campground to green port marker 11 north of Fritch Canyon		
Parameter	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in	edible tissue		
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West	5c	Yes
_	Campground to green port marker 11 north of Fritch Canyon		
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West	5c	Yes
	Campground to green port marker 11 north of Fritch Canyon		
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate			
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West	5c	No
_	Campground to green port marker 11 north of Fritch Canyon		
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West	5c	No
	Campground to green port marker 11 north of Fritch Canyon		
Parameter		<u>Category</u>	<u>Carryforward</u>
total dissolv	ed solids		
0102_01	Lake Meredith downstream of a line from red starboard marker 14 at Blue West	5c	No
	Campground to green port marker 11 north of Fritch Canyon		
0102_02	Lake Meredith upstream of a line from red starboard marker 14 at Blue West	5c	No
	Campground to green port marker 11 north of Fritch Canyon		

SegID: 0	SegID: 0103 Canadian River Above Lake Meredith From a point immediately upstream of the confluence of Camp Creek in Potter County to the New Mexico State Line in Oldham County				
Parameter chloride	Parameter(s) <u>Category Carryforward</u>				
cinoride					
0103_01	From the headwaters of Lake Meredith upstream to the confluence with Sand Creek	5c	No		
0103_02	From the confluence with Sand Creek upstream to the confluence with Punta de Agua Creek	5c	No		
0103_03	From the confluence with Punta de Agua Creek upstream to the New Mexico State Line	5c	No		

November 19, 2015 Page 3 of 130

SegID: 01	Rita Blanca Lake Rita Blanca Lake - from Rita Blanca Dam in Hartley County up to the normal (impounds Rita Blanca Creek)	pool elevation of 3860 t	îeet
Parameter(s		<u>Category</u>	<u>Carryforward</u>
chloride			
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	5b	No
Parameter(s	<u>x)</u>	<u>Category</u>	<u>Carryforward</u>
pН			
0105_01	Rita Blanca Lake from Rita Blanca Dam up to the normal pool elevation of 3860 feet	5b	No

SegID: 02	Mud Creek Mud Creek - from the confluence of the Red River upstream to the headwater ne and Bowie CR 3403	ear the intersection of	US 82		
<u>Parameter(s</u>	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	5c	No		
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dis	depressed dissolved oxygen				
0201A_01	Mud Creek from the confluence of the Red River upstream to the headwater near the intersection of US 82 and Bowie CR 3403	5c	No		

SegID: 02	Choctaw Creek From the confluence with the Red River east of Denison to the upstream perenn intersection of SH 56 and SH 289 in Grayson County	ial portion near the				
Parameter(.	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria						
0202F_01	From the confluence with the Red River upstream to the confluence with Post Oak	5b	No			
	Creek					
0202F_02	From the confluence with Post Oak Creek upstream to the headwaters near the	5b	No			
	intersection of SH 56 and SH 289 in Grayson County					

SegID: 020	Smith Creek Smith Creek - from the confluence of Pine Creek upstream to the confluence of t of Loop 286 in Paris	wo unnamed streams	south
Parameter(s) bacteria		<u>Category</u>	Carryforward
0202G_01	Smith Creek from the confluence of Pine Creek upstream to the confluence of two unnamed streams south of Loop 286 in Paris	5b	No

November 19, 2015 Page 4 of 130

SegID: 02021 Little Pine Creek Little Pine Creek - from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX						
Parameter(Parameter(s) <u>Category</u> <u>Carryforward</u>					
depressed di	depressed dissolved oxygen					
0202I_01	Little Pine Creek from the confluence of Big Pine Creek upstream to the headwater north of Detroit, TX	5c	No			

SegID: 0202K Iron Ore Creek Iron Ore Creek - from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison					
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
0202K_01	Iron Ore Creek from the confluence of Choctaw Creek upstream to the headwater south of FM 120 east of Denison	5b	Yes		

SegID: 02	O6B South Groesbeck Creek South Groesbeck Creek - from the confluence of Groesbeck Creek and North C the headwater 12.6 km southwest of Childress	Groesbeck Creek upstre	am to
Parameter(s bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0206B_01	South Groesbeck Creek from the confluence of Groesbeck Creek and North Groesbeck Creek upstream to the headwater 12.6 km southwest of Childress	5b	Yes

SegID: 020	SegID: 0207 Lower Prairie Dog Town Fork Red River Lower Prairie Dog Town Fork Red River - from a point immediately upstream of the confluence of Buck Creek in Hardeman County to a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County				
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>		
0207_04	Lower Prairie Dog Town Fork Red River from the confluence of Battle Creek upstream to the confluence of Salt Fork Creek upstream of SH 207 south of Claude	5b	Yes		

November 19, 2015 Page 5 of 130

SegID: 0	Little Wichita River From the confluence with the Red River in Clay County to Lake Arrowhead Dar	m in Clay County		
Parameter chloride	<u></u>	<u>Category</u>	<u>Carryforward</u>	
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No	
	Parameter(s) depressed dissolved oxygen		<u>Carryforward</u>	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5c	No	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward	
sulfate				
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward	
total dissolved solids				
0211_01	From the confluence with the Red River upstream to the confluence with the East Fork Little Wichita River	5b	No	
0211_02	From the confluence with the East Fork Little Wichita River upstream to the Lake Arrowhead Dam	5b	No	

SegID: 02	Wichita River Below Diversion Lake Dam From the confluence with the Red River in Clay County to Diversion Dam in Ar	cher County	
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0214_05	From the confluence with Beaver Creek upstream to the Diversion Lake Dam	5c	No

SegID: 02	Beaver Creek From the confluence of the Wichita River west of Wichita Falls in Wichita Counheadwaters west of Crowell in Foard County	nty upstream to the			
Parameter(.	Parameter(s) <u>Category Carryforward</u>				
bacteria					
0214A_01	From the confluence with the Wichita River upstream to the confluence with Bull	5c	No		
	Creek				
0214A_02	From the confluence with Bull Creek upstream to the Santa Rosa Lake dam	5b	No		

November 19, 2015 Page 6 of 130

SegID: 02	Buffalo Creek Buffalo Creek - from the confluence of the Wichita River upstream to the heads	water east of Electra	
<u>Parameter(s</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
0214B_01	Buffalo Creek from the confluence of the Wichita River upstream to the headwater east of Electra	5b	No

SegID: 0219 Lake Wichita Lake Wichita - from Lake Wichita (impounds Holliday Creek)	ita Dam in Wichita County up to the normal pool elevation of 980.5	5 feet		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
chloride				
0219_01 Lake Wichita from the dam up to the norm	nal pool elevation of 980.5 feet 5c	No		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>		
sulfate				
0219_01 Lake Wichita from the dam up to the norm	nal pool elevation of 980.5 feet 5c	No		
Parameter(s)	<u>Category</u>	Carryforward		
total dissolved solids				
0219_01 Lake Wichita from the dam up to the norm	nal pool elevation of 980.5 feet 5c	No		

SegID: 02	SegID: 0222 Salt Fork Red River Salt Fork Red River - from the Oklahoma State Line in Collingsworth County to Greenbelt Dam in Donley County		
	Parameter(s) <u>Category</u> <u>Carryforward</u>		
bacteria			
0222_01	Salt Fork Red River from the Oklahoma State Line upstream to the confluence of Lake Creek	5c	No

SegID: 022	4A McClellan Creek McClellan Creek - from the confluence of the North Fork Red River upstream to CR 117 km east of Amarillo	the headwater near C	'arson
Parameter(s) <u>Category Carryforwar</u> bacteria			<u>Carryforward</u>
0224A_01	McClellan Creek from the confluence of the North Fork Red River upstream to the Lake McClellan dam	5b	No

SegID: 022	8 Mackenzie Reservoir Mackenzie Reservoir - from Mackenzie Dam in Briscoe County up to the norm (impounds Tule Creek)	al pool elevation of 31	00 feet
<u>Parameter(s)</u> total dissolved		<u>Category</u>	<u>Carryforward</u>
0228_01	Mackenzie Reservoir from the dam up to the normal pool elevation of 3100 feet	5c	No

November 19, 2015 Page 7 of 130

SegID: 02.	SegID: 0229 Upper Prairie Dog Town Fork Red River Upper Prairie Dog Town Fork Red River - from a point 100 meters (110 yards) upstream of the confluence of Salt Fork Creek in Armstrong County to Lake Tanglewood Dam in Randall County		
<u>Parameter(s</u> pH	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0229_02	Upper Prairie Dog Town Fork Red River from the Palo Duro Canyon State Park northern boundary upstream to Tanglewood Dam	5c	Yes

SegID: 023	Paradise Creek Paradise Creek - from the confluence of the Pease River east of Vernon upstream west of the intersection of US 70 and Foard CR 233	to the headwater 500)m
Parameter(s) <u>Category</u> <u>Carryforwar</u> bacteria			<u>Carryforward</u>
0230A_01	Paradise Creek from the confluence of the Pease River east of Vernon upstream to a point 400m upstream of the intersection of FM 433 and Wilbarger CR 97	5b	No

SegID:	Wright Patman Lake From Wright Patman Lake Dam in Bowie/Cass County to a poi Bassett Creek in Bowie/Cass County, up to the normal pool ele River)		
<u>Paramete</u>		<u>Category</u>	<u>Carryforward</u>
depressed	dissolved oxygen		
0302_02	300 acres at International Paper intake	5c	No
Paramete	er(s)	<u>Category</u>	Carryforward
pН			
0302_01	800 acres near dam	5b	No
0302_02	300 acres at International Paper intake	5b	No
0302_03	1600 acres southwest of dam	5b	No
0302_04	500 acres in the northeast corner of lake	5b	No
0302_05	200 acres in the northwestern tip of lake	5b	Yes
0302_06	Big Creek arm	5b	No
0302_07	4000 acres mid-lake	5b	Yes
0302_08	1600 acres in upper mid-lake	5b	Yes
Paramete	er(s)	<u>Category</u>	<u>Carryforward</u>
temperatu	ire		
0302_04	500 acres in the northeast corner of lake	5c	No

November 19, 2015 Page 8 of 130

SegID: 03	White Oak Creek From the confluence of the Sulphur River north of Naples in Morris County to portion of the stream east of Sulphur Springs in Hopkins County	the upstream perennial	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River	5b	No
	approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.		
0303B_04	Portion of White Oak Creek from the confluence with the Stouts Creek	5b	No
	approximately 46 km (28 mi) upstream to Midget Creek.		
Parameter((<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed di	ssolved oxygen		
0303B_01	Portion of White Oak Creek from the confluence with the South Sulphur River	5c	Yes
	approximately 40 km (25 mi) upstream to the confluence with Lacy Creek.		
$0303\mathrm{B}_02$	Portion of White Oak Creek from the confluence with the Lacy Creek	5c	Yes
	approximately 42 km (26 mi) upstream to the confluence with Ripley Creek.		
0303B_03	Portion of White Oak Creek from the confluence with the Ripley Creek	5c	Yes
	approximately 42 km (26 mi) upstream to Stouts Creek.		
0303B_04	Portion of White Oak Creek from the confluence with the Stouts Creek	5c	Yes
	approximately 46 km (28 mi) upstream to Midget Creek.		

SegID: 0	Upper South Sulphur River From a point 1.0 km (0.6 miles) upstream of SH 71 in Delta/Hopkins County to S	SH 78 in Fannin Cou	nty
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
pН			
0306_01	Portion of the Upper South Sulphur River from a point 1 km (.6 mi) upstream of SH 71 upstream approximately 10 km (6 mi) to Dunbar Creek.	5c	No
0306_02	Portion of the Upper South Sulphur River from the confluence with Dunbar Creek approximately 42 km (26 mi) to Hickory Creek	5c	No
0306_03	Portion of the Upper South Sulphur River from the confluence with Hickory Creek approximately 19 km (12 mi) to SH 71.	5c	Yes

SegID: 030	Jim L. Chapman Lake (formerly Cooper Lake) From Jim L. Chapman Dam to a point 1.0 kilometers (0.7 mile) upstream of SH 7 River arm and 300 meters (275 yards) below the confluence of Barnett Creek on arm, up to a conservation pool elevation of 440 fee	-			
Parameter(s)	Parameter(s) <u>Category Carryforward</u>				
pН					
0307_01	Lower 5000 acres near dam	5c	Yes		
0307_02	Lower 3000 acre Doctors Creek arm	5e	No		
0307_03	Middle 5000 acres	5e	Yes		
0307_04	Middle 2000 acre Johns Creek arm	5c	Yes		

November 19, 2015 Page 9 of 130

SegID: 0	401 Caddo Lake From the Louisiana State Line in Harrison/Marion County to 43 in Harrison/Marion County, up to pool elevation of 168.5		of SH
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed d	issolved oxygen		
0401_02	Harrison Bayou arm	5c	No
0401_03	Goose Prairie arm	5c	No
0401_05	Clinton Lake	5c	No
0401_07	Mid-lake near Uncertain	5c	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in	edible tissue		
0401_01	Lower 5000 acres	5c	No
0401_02	Harrison Bayou arm	5c	No
0401_03	Goose Prairie arm	5c	No
0401_05	Clinton Lake	5c	No
0401_07	Mid-lake near Uncertain	5c	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
pН			
0401_03	Goose Prairie arm	5c	Yes

SegID: 04	401A	Harrison Bayou From the confluence of Caddo Lake east of Karnack in Harrison County to the up the stream east of Marshall in Harrison County	ostream perennial por	rtion of	
	Parameter(s) Category Carryforward depressed dissolved oxygen				
0401A_01	From	Caddo Lake upstream 21.8 km (13.5 mi) to the confluence with NHD RC 306000177, an unnamed tributary approximately 2 km downstream from FM	5c	No	

SegID: 04	402 Big Cypress Creek Below Lake O' the Pines From a point 12.3 km (7.6 miles) downstream of SH 43 in Harrison/Marion Courin Marion County	nty to Ferrell's Bridge	: Dam
Parameter(.	<u></u>	<u>Category</u>	<u>Carryforward</u>
depressed di	ssolved oxygen		
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	Yes
Parameter(.	<u>8)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in e	edible tissue		
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	5c	No
0402_02	From the confluence with Haggerty Creek upstream 25 km (15.5 mi) to the confluence with Black Cypress Bayou.	5c	No
0402_03	From the confluence with Black Cypress Bayou upstream 23.8 km (14.7 mi) to French Creek.	5c	No
0402_04	From the confluence with French Creek upstream 13 km (8 mi) to Lake O' the Pines	5c	No
Parameter(.	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
0402_01	From the confluence with Caddo Lake upstream 15 km (9 mi) to Haggerty Creek	5c	No

November 19, 2015 Page 10 of 130

SegID: 04	Description De	7.5 miles above FM 2	250 in
Parameter(s	<u></u>	<u>Category</u>	<u>Carryforward</u>
copper in wa	ter		
0402A_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	5c	No
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No
Parameter(s	2	<u>Category</u>	Carryforward
depressed dis	ssolved oxygen		
0402A_01	From the confluence with Big Cypress Creek upstream 25 km (15.5 mi) to the confluence with White Oak Creek	5c	Yes
0402A_02	From the confluence with White Oak Creek upstream 31.3 km (19.4 mi) to Pruitt Lake	5c	Yes
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	Yes
0402A_05	An Appendix D intermittent stream with perennial pools from the confluence with	5c	Yes
	Kelly Creek upstream to FM 250 north of the City of Hughes Springs		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in e	dible tissue		
0402A_03	Pruitt Lake beginning near HWY 155, extending upstream 1.8 km (1.1 mi)	5c	No

SegID: 0403	Lake O' the Pines From Ferrell's Bridge Dam in Marion County to a point 1.0 km (0.6 miles) downs Morris/Upshur County, up to normal pool elevation of 228.5 feet (impounds Big O			
Parameter(s) Category Carryforward depressed dissolved oxygen				
	700 acres	4a	Yes	

SegID: 0	404 Big Cypress Creek Below Lake Bob Sandlin From a point 1.0 km (0.6 miles) downstream of US 259 in Morris/Upshur Cou Camp/Titus Counties	ınties to Fort Sherman D	am in
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5b	No
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate			
0404_01	From the confluence with Lake O' the Pines upstream 24 km (14.9 mi) to the confluence with an unnamed tributary NHD RC 11140305002717	5c	No
0404_02	From the confluence with an unnamed tributary NHD RC 11140305002717 upstream 37.2 km (23 mi) to Lake Bob Sandlin	5c	No

November 19, 2015 Page 11 of 130

SegID: 0404A	Ellison Creek Reservoir From the Morris County Dam up to normal pool elevation near Lone Star in Mo Ellison Creek)	rris County (impounds	S		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
PCBs in edible tissue	PCBs in edible tissue				
0404A_01 Entire w	vater body	5a	No		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>		
toxicity in sediment					
0404A_01 Entire w	vater body	5c	Yes		

SegID: 040	Tankersley Creek Perennial stream from the confluence with Big Cypress Creek upstream to the tributary 250 meters upstream of IH 30	confluence with an unn	amed		
Parameter(s) bacteria	Parameter(s) <u>Category Carryforward</u>				
0404B_01	From the confluence with Big Cypress Creek upstream 16.1 km (10 mi) to Tankersley Lake. WQS Appendix D portion of the creek.	5b	No		

SegID: 040	Hart Creek Perennial stream from the confluence with Big Cypress Creek upstream to 0.2 km	າ upstream of FM 140)2
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0404C_01	Entire water body and WQS Appendix D portion of the water body.	5b	No

SegID: 040	Lake Daingerfield Southeast of the City of Daingerfield in Daingerfield State Park in Morris County					
	Parameter(s) <u>Category</u> <u>Carryforward</u>					
mercury in edi	mercury in edible tissue					
0404N_01	Entire reservoir	5c	No			

SegID: 04	Lake Cypress Springs From Franklin County Dam in Franklin County up to the no Cypress Creek)	ormal pool elevation of 378 feet (impounds Big	
Parameter(s	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
pН			
0405_02	Upper 2600 acres	5c	No
0405_03	Panther Arm	5c	No

November 19, 2015 Page 12 of 130

SegID: 040	PSA Big Cypress Creek From the confluence with Lake Cypress springs in Franklin County, to approx HWY 37	cimately 5 miles west of	State
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen			
0405A_01	Entire water body	5c	No

SegID: 04	Black Bayou From the Louisiana State Line in Cass County to FM 96 in Cass County		
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC	5c	No
	11140304000881 near FM 96		
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed di	ssolved oxygen		
0406_01	Black Bayou from the LA state line upstream 19.1 km (11.8 mi) to the confluence	5c	No
	with Hurricane Creek		
0406_02	From the confluence with Hurricane Creek upstream 28.6 km (17.7 mi) to NHD RC	5c	No
	11140304000881 near FM 96		

SegID: 0	James' Bayou From the Louisiana State Line in Marion County to Club Lake Road northwest o	f Linden in Cass Cou	unty
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
bacteria			
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	Yes
Parameter		<u>Category</u>	<u>Carryforward</u>
depressed d	issolved oxygen		
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5c	No
0407_02	From the confluence with Bear Creek upstream 29.8 km (18.5 mi) to approximately 2 km north of HWY 11	5c	Yes
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
impaired fis	h community		
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5c	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
impaired ma	acrobenthic community		
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5c	No
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
0407_01	From the LA state line upstream 31.6 km (19.6 mi) to the confluence with Bear Creek.	5c	No

November 19, 2015 Page 13 of 130

SegID: 04	Little Cypress Bayou (Creek) From the confluence of Big Cypress Creek in Harrison/Marion County to a point upstream of FM 2088 in Wood County	nt 1.0 km (0.6 miles)			
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	No		
0409_04	0409_04 From the confluence with NHD RC 11140307001531 upstream 41.1 km (29.2 mi) 5c No to the headwaters at FM 2088		No		
Parameter(<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed di	ssolved oxygen				
0409_01	From the confluence with Big Cypress Creek upstream 41 km (25.4 mi) to the confluence with Lawrence Creek	5c	Yes		
0409_02	From the confluence with Lawrence Creek upstream 29.2 km (18.1 mi) to the confluence with NHD RC 11140307000368	5c	Yes		
0409_03	From the confluence with NHD RC 11140307000368 upstream 52.2 km (32.6 mi) to the confluence with Kelsey Creek	5c	Yes		

SegID: 040	South Lilly Creek From the confluence of Lilly Creek to approximately 2 miles west of FM 1647		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0409B_01	Entire water body	5c	No

SegID: 05	Sabine River Tidal Sabine River Tidal - from the confluence with Sabine Lake in Orange County to County	West Bluff in Orange	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	5c	No
0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	5c	No
Parameter(<u>(s)</u>	<u>Category</u>	Carryforward
PCBs in edib	ole tissue		
0501_01	Sabine River tidal from the confluence of Sabine Lake upstream to confluence of Adams Bayou Tidal	5c	Yes
0501_02	Sabine River tidal from the confluence of Adams Bayou Tidal upstream to the confluence of Little Cypress Bayou	5c	Yes
0501_03	Sabine River tidal from the confluence of Little Cypress Bayou upstream to the confluence of Old River at West Bluff	5c	Yes

November 19, 2015 Page 14 of 130

SegID: 05	Little Cypress Bayou Little Cypress Bayou - from the confluence of the Sabine River upstream to the h intersection of S Teal Rd and Dunromin Rd north of Orange	leadwater near the			
<u>Parameter(</u> bacteria	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 5b Yes 340m downstream of 16th St in Orange				
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5b	Yes		
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange	5b	Yes		
Parameter() depressed di	s) ssolved oxygen	<u>Category</u>	<u>Carryforward</u>		
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 5c Yes 340m downstream of 16th St in Orange				
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream 5c Yes to the confluence of an unnamed stream 100m downstream of Little Cypress Dr				
0501B_03	Little Cypress Bayou from the confluence of an unnamed stream 100m downstream 5c Yes of Little Cypress Dr upstream to the headwater near the intersection of S Teal Rd and Dunromin Rd north of Orange				
Parameter(s) h community	<u>Category</u>	<u>Carryforward</u>		
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream 5c No to the confluence of an unnamed stream 100m downstream of Little Cypress Dr		No		
Parameter() toxicity in w		<u>Category</u>	<u>Carryforward</u>		
0501B_01	Little Cypress Bayou from the confluence of the Sabine River upstream to a point 340m downstream of 16th St in Orange	5c	Yes		
0501B_02	Little Cypress Bayou from a point 340m downstream of 16th St in Orange upstream to the confluence of an unnamed stream 100m downstream of Little Cypress Dr	5c	Yes		
0501B_03	·				

SegID: 05	Nichols Creek Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville				
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at 5c Yes FM 1013 northwest of Kirbyville				
Parameter(s	<u>)</u>	<u>Category</u>	Carryforward		
depressed dis	solved oxygen				
0502A_01	Nichols Creek from the confluence of the Sabine River upstream to the headwater at FM 1013 northwest of Kirbyville	5c	Yes		

November 19, 2015 Page 15 of 130

SegID: 05	O2B Caney Creek Caney Creek - perennial stream from the Sabine River upstream to the confluence.	nce with Martin Branch	
Parameter (s bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0502B_02	Caney Creek an Appendix D perennial stream from the Davison St crossing in Newton upstream to the confluence of Martin Branch	5b	Yes

SegID: 050	2E Cypress Creek Cypress Creek - from the confluence of the Sabine River up to the headwater 50 Kirbyville	0m south of FM 82 ea	ast of	
	Parameter(s) <u>Category</u> <u>Carryforward</u>			
depressed diss	solved oxygen			
0502E_01	Cypress Creek from the confluence of the Sabine River up to the headwater 500m south of FM 82 east of Kirbyville	5b	Yes	

November 19, 2015 Page 16 of 130

SegID:	0504	Toledo Bend Reservoir
--------	------	-----------------------

0504E_01

Toledo Bend Reservoir - from Toledo Bend Dam in Newton County to a point immediately upstream of the confluence of Murvaul Creek in Panola County, up to the normal pool elevation of 172 feet (impounds Sabine River)

	Saume River)		
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in	edible tissue		
0504_01	Toledo Bend Reservoir from the dam up to a line from Louisiana State Park #15	5c	Yes
	(LA) west to near Pleasure Bend Rd (TX)		
0504_02	Toledo Bend Reservoir Six Mile Bay, including Sandy Creek arm, from near	5c	Yes
	Lakeview Rd on the northside peninsula to near Pleasure Bend Rd on the southside peninsula		
0504_03	Toledo Bend Reservoir Sunshine Bay arm, including Spring Hill Bay, from Alpine	5c	Yes
	Marina on the northside peninsula to New Haven Rd on the southside peninsula		
0504_04	Toledo Bend Reservoir from a line from Cypress Bend Golf Resort (LA) west to	5c	Yes
	Alpine Marina (TX) up to a line from North Toledo Bend State Park (LA)		
	southwest to Carter's Ferry Rd north of Patroon Bayou (TX)		
0504_05	Toledo Bend Reservoir Patroon Bayou arm from Carter's Ferry Rd on northside	5c	Yes
	peninsula to Elma Ln on southside peninsula		
0504_06	Toledo Bend Reservoir from a line from the confluence of Ten Acre Creek (LA)	5c	Yes
	west to Shelby CR 2000 near Huxley, TX up to a line from the confluence of Pen		
	Bayou (LA) west to the confluence of Tenaha Bayou (TX)	_	
0504_07	Toledo Bend Reservoir from a line from the confluence of Pen Bayou (LA) west to	5c	Yes
	the confluence of Tenaha Bayou (TX) up to a point immediately upstream of the		
0.504.00	confluence of Murvaul Creek, up to the normal pool elevation of 172 feet	_	
0504_08	Toledo Bend Reservoir Bayou Negreet (Louisiana) from Lake Vista Dr on the	5c	Yes
0504 00	northside peninsula to Laura Ln on the southside peninsula	<i>5</i> .	**
0504_09	Toledo Bend Reservoir Bayou San Miguel (Louisiana) from North Toledo Bend	5c	Yes
0504 10	State Park Rd on northside peninsula to Aspen St on southside peninsula	5c	Van
0504_10	Toledo Bend Reservoir Bayou San Patricio (Louisiana)		Yes
0504_11	Toledo Bend Reservoir from a line from North Toledo Bend State Park (LA)	5c	Yes
	southwest to Carter's Ferry Rd north of Patroon Bayou (TX) up to a line from the		
0504 12	confluence of Ten Acre Creek (LA) west to Shelby CR 2000 near Huxley, TX	50	V
0504_12	Toledo Bend Reservoir from a line from Louisiana State Park #15 (LA) west to Pleasure Bend Rd (TX) up to Cypress Bend Golf Resort (LA) west to Alpine	5c	Yes
	Marina (TX) up to Cypress Bend Golf Resort (LA) west to Alpine Marina (TX)		
0504 13	Toledo Bend reservoir Bayou La Nana (Louisiana) from Aspen St on the northside	5c	Yes
0304_13	peninsula to Jamie Ln near Merritt Mountain on the southside peninsula	30	res
	pennisura to Janne Lii near ivierritt iviountain on the southistic pennisura		

SegID: 0504E	Clear Lake - an oxbow lake 12 miles northwest of Logansport, LA		
Parameter(s) mercury in edible tis	sue	<u>Category</u>	<u>Carryforward</u>

5c

Yes

Clear Lake an oxbow lake 12 miles northwest of Logansport, LA

November 19, 2015 Page 17 of 130

SegID: 0	O5B Grace Creek Grace Creek - perennial stream from the confluence of the Sabine River upstr 1844	eam to the headwater at	FM		
Parameter	<u> </u>	<u>Category</u>	<u>Carryforward</u>		
bacteria	bacteria				
0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from	5b	No		
	Longview WWTP south of Loop 281 upstream to the headwater at FM 1844				
Parameter	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen					
0505B_02	Grace Creek an Appendix D perennial stream from an unnamed tributary from Longview WWTP south of Loop 281 upstream to the headwater at FM 1844	5c	Yes		

SegID: 05	Wards Creek Wards Creek - intermittent stream with perennial pools from the confluence of confluence of an unnamed second order tributary approximately 0.6 km upstr	-	n to the	
	Parameter(s) <u>Category</u> <u>Carryforward</u> depressed dissolved oxygen			
0505G_01	Wards Creek an Appendix D intermittent stream with perennial pools from the confluence of Sewell Creek upstream to the confluence of an unnamed second order tributary approximately 0.6 km upstream of US 80	5c	Yes	

SegID: 05	Hills Lake Hills Lake - an oxbow lake 13 miles east of Carthage				
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
mercury in e	mercury in edible tissue				
0505O_01	Hills Lake an oxbow lake 13 miles east of Carthage	5c	Yes		

SegID: 05	Harris Creek Harris Creek - from the confluence of the Sabine River 5.7 km north of Winona near SH 64 east of Tyler	upstream to the headv	vater		
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed dis	depressed dissolved oxygen				
0506A_01	Harris Creek from the confluence of the Sabine River 5.7 km north of Winona upstream to the headwater near SH 64 east of Tyler	5b	Yes		

SegID: 05	SegID: 0507 Lake Tawakoni Lake Tawakoni - from Iron Bridge Dam in Rains County up to the normal pool elevation of 437.5 feet (impounds Sabine River)		
Parameter(s		<u>Category</u>	<u>Carryforward</u>
рН 0507_04	Lake Tawakoni Cowleech Fork of Sabine River arm, including Pawnee Inlet, from a line from Thunder Point on the east side to Ice Point on the west side up to the confluence of the Cowleech Fork of the Sabine River at the normal pool elevation of 437.5	5c	Yes

November 19, 2015 Page 18 of 130

SegID: 050	South Fork of Sabine River South Fork of Sabine River - from the confluence of Lake Tawakoni upstream to and Sabine Creeks	the confluence of Pa	rker
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0507G_01	South Fork of Sabine River from the confluence of Lake Tawakoni upstream to the confluence of Parker and Sabine Creeks	5b	No

SegID: 0508 Adams Bayou Tidal From the confluence with the Sabine River in Orange County to a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County				
Parameter	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0508_01	Lower 3 miles of segment	4a	No	
0508_02	2 mile reach near Western Avenue	4a	Yes	
0508_03	1 mile reach near Green Avenue	4a	Yes	
0508_04	Upper 2 miles of segment	4a	Yes	
Parameter	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed d	ssolved oxygen			
0508_01	Lower 3 miles of segment	4a	Yes	
0508_02	2 mile reach near Western Avenue	4a	Yes	
0508_03	1 mile reach near Green Avenue	4a	Yes	
0508_04	Upper 2 miles of segment	4a	Yes	

SegID: 050	Adams Bayou Above Tidal From a point 1.1 km (0.7 miles) upstream of IH 10 in Orange County to the upst the stream northwest of Orange in Orange Count	tream perennial portion	n of	
	Parameter(s) Category Carryforward			
depressed dissolved oxygen				
0508A_01	Entire bayou above tidal	4a	Yes	

SegID: 0508B Gum Gully From the confluence of Adams Bayou to the upstream perennial portion of the stream northwest of Orange in Orange County				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria				
0508B_01 Entire cro	eek	4a	Yes	
Parameter(s)		<u>Category</u>	Carryforward	
depressed dissolved oxygen				
0508B_01 Entire cro	eek	4a	Yes	

November 19, 2015 Page 19 of 130

SegID: 0508C Hudson Gully From the confluence with Adams Bayou to the headwaters near US 890 in Pinehurst in Orange County				
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria				
0508C_01 Entire creek	4a	Yes		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen				
0508C_01 Entire creek	4a	Yes		

SegID: 05	Lake Cherokee Lake Cherokee - from Cherokee Dam in Gregg/Rusk County up to the normal j (impounds Cherokee Bayou)	pool elevation of 280 fo	eet
<u>Parameter(s</u> pH	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0510_02	Lake Cherokee from a line at the East Texas Regional Airport runway up to the normal pool elevation of 280 feet	5e	No

SegID: 0	Cow Bayou Tidal From the confluence with the Sabine River in Orange County to a point 4.8 km 10 in Orange County	(3.0 miles) upstream of	of IH		
Parameter	(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0511_01	Lower 5 miles	4a	No		
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes		
0511_04	Upper 4 miles	4a	Yes		
Parameter	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed d	ssolved oxygen				
0511_02	6 mile reach near FM 105	4a	Yes		
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes		
0511_04	Upper 4 miles	4a	Yes		
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
pН					
0511_03	5 mile reach near FM 1442 (north crossing)	4a	Yes		
0511_04	Upper 4 miles	4a	Yes		

SegID: 051	1A Cow Bayou Above Tidal From a point 4.8 km (3.0 miles) upstream of IH 10 in Orange County to the upstre the stream northeast of Vidor in Orange County	am perennial portion	n of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0511A_02	Upper 5.3 miles of above-tidal reach	4a	Yes	

November 19, 2015 Page 20 of 130

SegID: 0511B Coon Bayou From the confluence with Cow Bayou up to the extent of tidal limit in Orange O	County			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria				
0511B_01 Entire tidal reach	4a	Yes		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen				
0511B_01 Entire tidal reach	4a	Yes		

SegID: 051	11C Cole Creek From the confluence of Cow Bayou west of Orange in Orange County to the up the stream south of Mauriceville in Orange Count	stream perennial portion	on of	
Parameter(s)	-	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0511C_01	Entire tidal reach	4a	Yes	

SegID: 0511	E Terry Gully From the confluence with Cow Bayou in Orange County to the headwaters northe County	ast of Vidor in Oran	ge
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0511E_01	Entire creek	4a	Yes

SegID: 051	Running Creek Running Creek - from the confluence of Lake Fork at the Hopkins/Wood County headwater 400 m south of SH 11 southeast of Sulphur Springs	line upstream to the	
Parameter(s) bacteria		<u>Category</u>	<u>Carryforward</u>
0512A_01	Running Creek from the confluence of Lake Fork at the Hopkins/Wood County line upstream to the headwater 400 m south of SH 11 southeast of Sulphur Springs	5b	Yes

SegID: 0512B Elm Creek Elm Creek - from the confluence of Lake Fork 375 m downstream of FM 514 upstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs				
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>	
0512B_01 E	Elm Creek from the confluence of Lake Fork 375 m downstream of FM 514 apstream to the headwater at Hopkins CR 1110 southwest of Sulphur Springs	5b	Yes	

November 19, 2015 Page 21 of 130

SegID: 05	Big Sandy Creek Big Sandy Creek - from the confluence with the Sabine River in Upshur County (1.6 miles) upstream of SH 11 in Hopkins County	to a point 2.6 kilomet	ters
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0514_01	Big Sandy Creek from the confluence of the Sabine River southeast of Big Sandy	5c	No
	upstream to the confluence of Mill Creek near FM 49 north of Hawkins		
0514_02	Big Sandy Creek from the confluence of Mill Creek near FM 49 north of Hawkins	5c	Yes
	upstream to the headwater 2.6 km upstream of SH 11 northwest of Winnsboro		

SegID: 00	Neches River Tidal From the confluence with Sabine Lake in Orange County to the Neches River Sa a point 0.8 kilometers (0.5 miles) downstream of the confluence of Pine Island B		
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5c	No
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	No
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	No
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	No
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edil	ole tissue		
0601_01	Lower boundary to top of first oxbow, above Bird Island Bayou confluence at NHD RC 12020003000004	5c	No
0601_02	Top of first oxbow to top of U.S. Nat'l Defense Reserve Fleet Basin at top of NHD RC 12020003008459	5c	No
0601_03	Top of U.S. Nat'l Defense Reserve Fleet Basin to top of last oxbow below Kansas City Southern Railroad bridge 0.44km upstream of NHD RC 12020003000013	5c	No
0601_04	Top of last oxbow below Kansas City Southern Railroad bridge to saltwater barrier at NHD RC 12020003000017	5c	No

SegID: 060	1A Star Lake Canal North of Groves in Jefferson County		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0601A_01	Entire water body	5c	No

November 19, 2015 Page 22 of 130

SegID: 0	Neches River Below B. A. Steinhagen Lake From the Neches River Saltwater Barrier, which is at a point 0.8 kilometers (0.5 confluence of Pine Island Bayou, in Orange County to Town Bluff Dam in Jasper		f the
<u>Parameter</u>	<u></u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	No
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	No
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward
mercury in	edible tissue		
0602_01	From the saltwater barrier upstream to confluence with Village Creek 0608 at NHD RC 12020003000025	5c	No
0602_02	From the confluence with Village Creek 0608 upstream to the confluence with Black Branch NHD RC 12020003000695	5c	No
0602_03	From the confluence with Black Branch upstream to confluence with unnamed tributary at NHD RC 12020003000058	5c	No
0602_04	From the confluence with unnamed tributary at NHD RC 12020003000058 upstream to Town Bluff Dam	5c	No

SegID: 00	603 B. A. Steinhagen Lake From Town Bluff Dam in Jasper/Tyler County to a point immediately upstream Mill Creek on the Neches River Arm in Jasper/Tyler County and to a point imme confluence of Indian Creek on the Angelina River A		-
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	5c	No
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	No
Parameter mercury in	(S) edible tissue	<u>Category</u>	<u>Carryforward</u>
0603_01	Main pool by dam to include all the area below the US HWY 190 bridge	5c	No
0603_02	Area above the US HWY 190 bridge to the upper boundaries of the segment at points immediately upstream of confluences Hopson Mill Creek (Neches Arm) and Indian Creek (Angelina Arm)	5c	No

SegID: 06	O3A Sandy Creek in Jasper County From the confluence of B.A. Steinhagen Lake southwest of City of Jasper in Jasper confluence of Big and Little Sandy Creeks in City of Jasper in Jasper County	per County to the	
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0603A_01	From the confluence with B.A. Steinhagen Lake upstream to confluence with Little Sandy Creek about 0.5 km downstream of Hwy 776, per WQS App. D	5c	No

November 19, 2015 Page 23 of 130

SegID: 06	Wolf Creek From the confluence of B. A. Steinhagen Lake southeast of Colmesneil in perennial portion of the stream south of Colmesneil in Tyler County	Tyler County to the upstream	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0603B_01	From the confluence of B.A. Steinhagen Lake upstream to Lake Amanda Dam.	5c	No

SegID: 0	Neches River Below Lake Palestine From a point immediately upstream of the confluence of Hopson Mill Creek in J Blackburn Crossing Dam in Anderson/Cherokee County	asper/Tyler County to)
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	No
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	No
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	No
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in	edible tissue		
0604_01	Lower boundary to a point immediately upstream of confluence of Biloxi Creek 0604M at NHD RC 12020002001061	5c	No
0604_02	From the confluence of Biloxi Creek (0604M) upstream to the upper confluence of Old River at NHD RC 12020002000037	5c	No
0604_03	From the upper confluence of Old River upstream to the confluence with Cedar Creek in Cherokee County at NHD RC 12020002000085 near Hargrove Lake	5c	No

SegID: 06	604A Cedar Creek From the confluence of the Neches River southwest of Lufkin in Angelina portion of the stream in Lufkin in Angelina County	a County to the upstream per	ennial		
Parameter(s bacteria	Parameter(s) <u>Category Carryforward</u> bacteria				
0604A_02	From the confluence with Jack Creek (0604C) upstream to confluence with unnamed tributary adjacent to State Loop 287, per App. D in WQS, at NHD RC 12020002000436	5b	No		

SegID: 00	Hurricane Creek Perennial stream from the confluence with Cedar Creek to the confluence of meters upstream of SH Loop 287 in Lufkin	two unnamed tributaries	100	
Parameter(s) <u>Category Carryforward</u> bacteria				
0604B_01	From the confluence with Cedar Creek (0604A) upstream to confluence with unnamed tributary 100m above State Loop 287 in Lufkin, per WQS App. D, at NHD RC 12020002000043	5b	No	

November 19, 2015 Page 24 of 130

SegID: 06	From the confluence of the Neches River at the Polk/Tyler/Angelina Coun upstream perennial portion of the stream east of Crockett in Houston Coun	,				
	Parameter(s) <u>Category</u> <u>Carryforward</u>					
depressed di	depressed dissolved oxygen					
0604D_01	Middle portion of the stream from the confluence with Bear Creek (0604L) in Polk County upstream to the confluence with Caney Creek (0604O) in Trinity County at NHD RC 12020002000163.		No			

SegID: 06	D4M Biloxi Creek From the confluence with the Neches River southeast of Diboll to FM 325 east County	of Lufkin in Angelina			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5b	No		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dis	depressed dissolved oxygen				
0604M_03	From the confluence with One Eye Creek in Angelina County SE of Lufkin upstream to FM 325 east of Lufkin	5c	Yes		

SegID: 06	Lake Ratcliff Lake in Houston County 3.4 miles northeast of Kennard		
<u>Parameter(s</u> mercury in e		<u>Category</u>	<u>Carryforward</u>
0604T_01	Entire lake	5c	No

SegID: 0	SegID: 0605 Lake Palestine From Blackburn Crossing Dam in Anderson/Cherokee County to a point 6.7km (4.2 miles) downstream of FM 279 in Henderson/Smith County, up to normal pool elevation of 345 feet (impounds Neches River)				
<u>Parameter</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
pН					
0605_03	Upper mid-lake including Tyler Public Water Supply intake	5a	No		
0605_09	Flat Creek Arm	5a	No		
0605_10	Upper Lake	5a	No		
0605_11	From the SH 155 Bridge crossing to the Flat Creek Arm and across the main portion of the lake at the Flat Creek Arm	5a	No		

November 19, 2015 Page 25 of 130

SegID: 0605A Kickapoo Creek in Henderson County From the confluence of Lake Palestine east of Brownsboro in Henderson County to the upstream perennial portion of the stream northeast of Murchison in Henderson County				
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5b	No	
0605A_02	From the confluence with Slater Creek (0605E) upstream to confluence with unnamed tributary about 1.62 km north of FM 858 in Van Zandt County at NHD RC 12020001000161.	5b	No	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
0605A_01	From the confluence with Lake Palestine (0605) east of Brownsboro in Henderson County to the confluence with Slater Creek (0605E).	5c	No	

SegID: 0606 Neches River Above Lake Palestine From a point 6.7 kilometers (4.2 miles) downstream of FM 279 in Henderson/Smith County to Rhine Lake Dam in Van Zandt County before it was breached in 2001				
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0606_01	From a point approximately 0.06km (0.03 mi) south of St. Louis Southwestern Railroad upstream to the confluence with Prairie Creek (0606A).	5b	No	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dis	ssolved oxygen			
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	5b	Yes	
<u>Parameter(s</u> pH	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
0606_02	From the confluence with Prairie Creek (0606A) upstream to the Rhine Lake Dam	5b	Yes	

SegID: 06	Prairie Creek Perennial stream from the confluence with the Neches River to an unnamed tri downstream of the US 69 bridge crossing.	butary approximately 0	.6km
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0606A_01	From the confluence with Neches River (0606), per WQS App. D first entry for Prairie Creek at NHD RC 12020001000071 in Smith County upstream to the confluence with Black Fork Creek (0606D) at NHD RC 12020001000071.	5b	No
0606A_03	From the confluence with Caney Creek upstream to confluence with unnamed tributary appx. 0.6 km downstream of the US 69 bridge crossing, which is located appx. 0.6 km south of the City of Lindale, per App. D second line entry	5b	No

November 19, 2015 Page 26 of 130

SegID: 060	Black Fork Creek Perennial stream from the confluence with Prairie Creek to a point 0.4 km downs	stream of FM 14 in T	yler
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0606D_02	From the confluence with unnamed tributary at NHD RC 12020001000072 upstream to a point 0.4km downstream of FM 14 in Tyler, at the confluence with unnamed tributary at NHD RC 12020001000073, per WQS App. D second entry for Black Fork Creek.	5c	No

SegID: 00	From the confluence with the Neches River in Hardin/Jefferson County to FM 78	37 in Hardin County			
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5c	No		
Parameter(Parameter(s) <u>Category Carryforward</u>				
depressed di	ssolved oxygen				
0607_01	From the confluence with the Neches River upstream to unnamed tributary at NHD RC 12020007001215 that runs through Sherwood Drive in northern City of Beaumont.	5b	Yes		
0607_02	From the confluence with unnamed tributary that runs through Sherwood Drive in northern City of Beaumont upstream to the confluence with Black Creek	5b	Yes		
0607_03	From the confluence with Black Creek upstream to the confluence with Willow Creek (0607C)	5b	Yes		
0607_04	From the confluence with Willow Creek (0607C) upstream to the confluence with Mayhaw Slough near oil fields	5b	Yes		

SegID: 06	607A Boggy Creek From the confluence of Pine Island Bayou upstream to the confluence with downstream of the crossing of the Southern Pacific Railroad.	an unnamed tributary 4 km			
	Parameter(s) Category Carryforward depressed dissolved oxygen				
aepressea ais	issoived oxygen				
0607A_02	From the confluence with unnamed tributary 0.39 km downstream of CR 421 upstream to confluence with unnamed tributary 4 km downstream of the crossing of the Southern Pacific Railroad, per WQS App. D, at NHD RC 12020007003034.	5b	Yes		

SegID: 06	607B Little Pine Island Bayou From the confluence of Pine Island Bayou southwest of Lumberton in Hard- perennial portion of the stream west of Kountze in Hardin County	in County to the upstream				
Parameter(Parameter(s) <u>Category</u> <u>Carryforward</u>					
depressed di	depressed dissolved oxygen					
0607B_01	From the confluence with Pine Island Bayou (0607) at the Hardin/Jefferson	5b	No			
	Counties border upstream to unnamed tributary 1.1 km SE of intersection of FM					
	770 and FM 787 at NHD RC 12020007000021, same tributary as Big Thicket					
	National Park boundary.					

November 19, 2015 Page 27 of 130

SegID: 06	From the confluence of Pine Island Bayou north of Nome in Jefferson Couportion of the stream east of Devers in Liberty County	inty to the upstream perennial			
	Parameter(s) <u>Category Carryforward</u> depressed dissolved oxygen				
0607C_01 From the confluence with Pine Island Bayou (0607) at the State Hwy 326 bridge at NHD RC 12020007000258 upstream to headwaters NE of Devers in Liberty County at NHD RC 12020007000200.					

SegID: 0	Village Creek From the confluence with the Neches River in Hardin County to Lake Kimble D	am in Hardin County			
<u>Parameter</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
mercury in	mercury in edible tissue				
0608_01	From the confluence with Neches River (0602) upstream to confluence with	5c	No		
	Cypress Creek (0608C)				
0608_02	From the confluence with Cypress Creek (0608C) upstream to confluence with	5c	No		
	Beech Creek (0608A)				
0608_03	From the confluence with Beech Creek (0608A) upstream to confluence with Big	5c	No		
	Sandy Creek and Kimball Creek in Hardin County				

SegID: 06	From the confluence of Village Creek northeast of Kountze in Hardin County portion of the stream southeast of Woodville in Tyler County	to the upstream perenni	al		
	Parameter(s) <u>Category Carryforward</u> copper in water				
0608A_01	From the confluence with Village Creek (0608) at NHD RC 12020006000017 upstream to the confluence with Drakes Branch 0.35 km upstream of FM1943 RD E at NHD RC 12020006000025	5c	No		

SegID: 06	OSB Big Sandy Creek From the confluence of Village and Kimball Creeks in Hardin County upstream County	to headwaters in Polk	
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
0608B_04	From the confluence with Bear Creek in Polk County upstream to headwaters about 5 km SE of intersection of US Hwy 59 and FM 62 at NHD RC 12020006000133.	5b	No

SegID: 00	08C Cypress Creek From the confluence of Village Creek (0608) east of Kountze in Hardin County Luck Creek northwest of Kountze in Hardin County	to the confluence with	n Bad	
-	Parameter(s) Category Carryforward depressed dissolved oxygen			
0608C_01	Upper portion from the confluence with unnamed tributary upstream of Pea Monk Branch upstream to confluence with Bad Luck Creek, per WQS App. D, at NHD RC 12020006000148.	5b	Yes	

November 19, 2015 Page 28 of 130

SegID: 0608E	Mill Creek in Hardin County From the confluence of Village Creek (0608) west of Silsbee in Hardin County to northwest of Silsbee in Hardin County	pstream to headwater	S
<u>Parameter(s)</u>	Parameter(s) Category Carryforward depressed dissolved oxygen		
•	e water body	5c	Yes

SegID: 0	Turkey Creek Perennial stream from the confluence with Village Creek up to 1.6 km Woodville	n above U.S. 69 north of City of			
<u>Parameter</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
0608F_02	From the confluence with Big Cypress Creek in Tyler County upstream to confluence with unnamed tributary about 1.6 km above U.S. 69 north of City of Woodville, per WQS App. D, at NHD RC 12020006000057	5b	No		

SegID: 0608G Lake Kimball From Kimble Creek Dam northwest of Kountze in Hardin County to normal pool elevation in Tyler County (impounds Kimble and Village Creeks)			
Parameter(s) <u>Category Carryforward</u> mercury in edible tissue			
0608G_01 Entire		No	

From a poi	River Below Sam Rayburn Reservoir oint immediately upstream of the confluence of Indian Creek in Jasper County to sper County	o Sam Rayburn		
<u>Parameter(s)</u>	<u>Ca</u>	<u>ategory</u> <u>Car</u>	<u>rryforward</u>	
dioxin in edible tissue	dioxin in edible tissue			
0609_01 Entire Segment		5c	No	
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
mercury in edible tissue				
0609_01 Entire Segment		5c	No	

November 19, 2015 Page 29 of 130

SegID: 0	610 Sam Rayburn Reservoir		
	From Sam Rayburn Dam to a point 5.6 kilometers (3.5 miles) upstream of	Marion's Ferry on the Ange	elina
	River Arm and to a point 3.9 km (2.4 miles) downstream of Curry Creek of	n the Attoyac Bayou Arm,	up to
	the normal pool elevation of 164.4 feet (except on		
<u>Parameter(</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	No
0610_02	Sam Rayburn lower Angelina River arm	5c	No
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	No
0610_04	Sam Rayburn upper mid-Angelina River arm	5c	No
0610_05	Sam Rayburn lower Attoyac Bayou arm	5c	No
0610_06	Sam Rayburn upper Attoyac Bayou arm	5c	No
0610_07	Sam Rayburn upper Angelina arm	5c	No
0610_08	Sam Rayburn Bear Creek arm	5c	No
0610_09	Sam Rayburn lower Ayish Bayou arm	5c	No
0610_10	Sam Rayburn upper Ayish Bayou arm	5c	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
mercury in	edible tissue		
0610_01	Sam Rayburn main pool by the dam to the Bear Creek and Ayish Arms	5c	No
0610_02	Sam Rayburn lower Angelina River arm	5c	No
0610_03	Sam Rayburn mid-Angelina River arm (area around SH 147)	5c	No
0610_04	Sam Rayburn upper mid-Angelina River arm	5c	No
0610_05	Sam Rayburn lower Attoyac Bayou arm	5c	No
0610_06	Sam Rayburn upper Attoyac Bayou arm	5c	No
0610_07	Sam Rayburn upper Angelina arm	5c	No
0610_08	Sam Rayburn Bear Creek arm	5c	No
0610_09	Sam Rayburn lower Ayish Bayou arm	5c	No
0610_10	Sam Rayburn upper Ayish Bayou arm	5c	No

SegID: 06	Ayish Bayou Perennial stream from the headwaters of Sam Rayburn Reservoir to the dam imp approximately 0.1km upstream of FM 1279 near the City of San Augustine	ounding Bland Lake	
<u>Parameter(s</u>	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0610A_01	From the headwaters of Sam Rayburn Reservoir, per WQS App. D, about 2.4 km north of FM 83 upstream to confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad at NHD RC 12020005000036.	5b	No
0610A_02	From the confluence with unnamed tributary about 0.4 km SW of intersection of SH 147 and AT and SF Railroad in the City of San Augustine upstream to the Bland Lake dam, per WQS App. D.	5b	Yes

SegID: 0611	SegID: 0611 Angelina River Above Sam Rayburn Reservoir From the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek in Angelina/Nacogdoches County to the confluence of Barnhardt Creek and Mill Creek at FM 225 in Rusk County				
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>		
_	From a point immediately upstream of confluence with East Fork Angelina River (0611A) upstream to confluence with Barnhardt and Mill Creeks.	5c	No		

November 19, 2015 Page 30 of 130

SegID: 0611A East Fork Angelina River From the confluence of the Angelina River at the Rusk/Nacogdoches county line upstream to the confluence with Wooten Creek in Rusk County			
Parameter(s) <u>Category Carryforward</u> bacteria			
0611A_01	From the confluence with Angelina River (0611) at Rusk/Nacogdoches county line upstream to confluence with Beech Creek (0611J) in Rusk County	5b	No

SegID: 0	From the confluence of the Angelina River south of Nacogdoches in Nacogdoc perennial portion of the stream north of Nacogdoches in Nacogdoches County	hes County to the upsti	ream		
<u>Parameter</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
0611B_01	From the confluence with Angelina River (0611), per WQS App. D, upstream to	5b	No		
	State Loop 224 in City of Nacogdoches				
0611B_02	From the upstream side of State Loop 224 upstream to FM 1878 in City of	5b	No		
	Nacogdoches, per WQS App. D.				

SegID: 0611C Mud Creek Perennial stream from the confluence with the Angelina River upstream to a point immediately upstream of the confluence of Prairie Creek in Smith County				
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
0611C_01	From the confluence with Angelina River (0611), per WQS App. D, at the Cherokee and Nacogdoches county line south of City of Reklaw upstream to top of channelized/dredged portion about 2.3 km south of US hwy 79 at -95.150452N/31.956933W	5b	No	

SegID: 00	West Mud Creek Perennial stream from the confluence with Mud Creek in Cherokee County to the tributary 300 meters upstream of the most northern crossing of US 69 (approximation intersection of Loop 323) in the City of Tyle*		
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0611D_01	From the confluence with Mud Creek (0611C), per WQS App. D, upstream to confluence with unnamed tributary about 75 m north of WWTP in City of Tyler at NHD RC 12020004000212.	5b	No
0611D_02	From the confluence with unnamed tributary about 75 m north of WWTP in City of Tyler upstream to confluence of unnamed tributary about 300 meters upstream of the most northern crossing of US 69 in City of Tyler, per WQS App. D, at NHD RC 12020004000212.	5b	Yes

November 19, 2015 Page 31 of 130

SegID: 00	Attoyac Bayou From a point 3.9 km (2.4 miles) downstream of Curry Creek in Nacogdoches/S 95 in Rusk County	an Augustine County t	o FM
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0612_01	From the lower boundary approximately at confluence with Granberry Branch upstream to confluence with Polly Branch.	5b	No
0612_02	From a point immediately upstream of Polly Branch confluence upstream to confluence with Bear Bayou.	5b	No
0612_03	From a point immediately upstream of Bear Bayou upstream to upper boundary at FM 95.	5b	No

SegID: 0615 Angelina River/Sam Rayburn Reservoir The riverine portion of Sam Rayburn Reservoir from a point 5.6 kilometers (3.5 miles) upstream of Marion? s Ferry to the aqueduct crossing 1.0 kilometer (0.6 mile) upstream of the confluence of Paper Mill Creek					
Parameter(s)	<u>Category</u>	<u>Carryforward</u>			
depressed dissolved oxygen					
0615_01 Entire water body	5c	Yes			
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>				
dioxin in edible tissue					
0615_01 Entire water body	5c	No			
Parameter(s)	<u>Category</u>	<u>Carryforward</u>			
impaired fish community					
0615_01 Entire water body	5c	Yes			
Parameter(s)	<u>Category</u>	Carryforward			
mercury in edible tissue					
0615_01 Entire water body	5c	No			

SegID: 0615A Paper Mill Creek From the confluence with Angelina River/Sam Rayburn Reservoir (0615) upstream to confluence with Mill Creek (0615B)				
Parameter(s) Category Carryforward				
bacteria				
0615A_01	From the confluence of Angelina River/Sam Rayburn (0615) upstream to confluence with Mill Creek (0615B)	5b	No	

SegID: 0701 Taylor Bayou/North Fork Taylor Bayou Above Tidal From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson County to the Lower Neches Valley Authority Canal in Jefferson County				
<u>Parameter(</u>		<u>Category</u>	<u>Carryforward</u>	
depressed d	issolved oxygen			
0701_01	From the saltwater lock 7.7 km (4.8 miles) downstream of SH 73 in Jefferson	5b	Yes	
	County, per WQS App. C, upstream to the confluence with Hillebrandt Bayou (0704).			
0701_02	From the confluence with Hillebrandt Bayou upstream to confluences with North	5b	Yes	
	Fork Taylor Bayou and South Fork Bayou.			

November 19, 2015 Page 32 of 130

SegID: 07	102 Intracoastal Waterway Tidal From the confluence with Galveston Bay at Port Bolivar in Galveston County to t Sabine-Neches Canal in Jefferson County (including Taylor Bayou Tidal from the Intracoastal Waterway up to the saltwater lock 7.7 k*				
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
0702_01	From the confluence with Sabine-Neches Canal Tidal (0703) to eastern most boundary of East Bay	5c	No		
0702_02	Taylor Bayou tidal from the confluence with the Intracoastal Waterway Tidal to the saltwater barriers.	5c	No		
Parameter(5)	<u>Category</u>	<u>Carryforward</u>		
dioxin in edi	ble tissue				
0702_03	From the eastern most boundary of East Bay to Port Bolivar	5a	No		
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
PCBs in edible tissue					
0702_03	From the eastern most boundary of East Bay to Port Bolivar	5a	No		

SegID: 0702A Alligator Bayou and Main Canals A, B, C, and D All perennial canals in Jefferson County Drainage District No. 7 that eventually drain into the tidal portion of Taylor Bayou at the pump house gate, including Alligator Bayou.					
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
toxicity in sec	diment				
0702A_01	From Taylor Bayou Tidal (0702) to confluence with Main Canal D above SH 82.	5c	Yes		
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
toxicity in wa	toxicity in water				
0702A_03	Main Canal D from the confluence with Alligator Bayou at SH 82 upstream to about 0.35 km upstream of confluence with Canal A	5c	Yes		

SegID: 070	Sabine-Neches Canal Tidal From the confluence with Sabine Pass at the southern tip of Pleasure Island in Sabine Lake seawall at the northern tip of Pleasure Island in Jefferson County	·				
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>					
bacteria	bacteria					
0703_01	Entire water body	5c	No			

SegID: 0'	704 Hillebrandt Bayou From the confluence of Taylor Bayou in Jefferson County to a point 100 meters 124 in Jefferson County	s (110 yards) upstream	of SH			
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>			
bacteria						
0704_02	From the confluence with Willow Marsh Bayou (0704A) upstream to a point 100 meters (110 yards) upstream of SH 124 in Jefferson County	5c	No			
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>			
depressed di	depressed dissolved oxygen					
0704_01	From the confluence with Taylor Bayou Above Tidal (0701) upstream to confluence with Willow Marsh Bayou (0704A)	5b	Yes			

November 19, 2015 Page 33 of 130

SegID: 080	Cotton Bayou From the confluence of Cotton Lake southeast of Mont Belvieu in Chambers Co (NHD RC 12040203000496) approximately 1 mile north of IH 10 in Chambers		int			
Parameter(s)	Parameter(s) <u>Category Carryforward</u>					
bacteria	bacteria					
0801C_01	Entire Segment	5c	No			

SegID: 0803 Lake Livingston From Livingston Dam in Polk/San Jacinto County to a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County, up to normal pool elevation of 131 feet (impounds Trinity River)				
<u>Parameter</u> sulfate	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>	
Sulfate				
0803_01	Lowermost portion of reservoir, adjacent to dam	5b	No	
0803_02	Lower portion of reservoir, East Wolf Creek	5b	No	
0803_03	Lower portion of reservoir, East Willow Springs	5b	No	
0803_04	Middle portion of reservoir, East Pointblank	5b	No	
0803_05	Middle portion of reservoir, downstream of Kickapoo Creek	5b	No	
0803_06	Middle portion of reservoir, centering on US 190	5b	No	
0803_07	Upper portion of reservoir, west of Carlisle	5b	No	
0803 08	Cove off upper portion of reservoir, East Trinity	5b	No	
0803 09	West Carolina Creek cove, off upper portion of reservoir	5b	Yes	
0803 10	Upper portion of reservoir, centering on SH 19	5b	No	
0803 11	Riverine portion of reservoir, centering on SH 21	5b	No	
0803_12	Remainder of reservoir	5b	No	

SegID: 080	O3G Lake Madisonville From Lake Madisonville Dam in Madison County up to the normal pool elevation Town Branch)	of 285 feet (impour	nds
Parameter(s) Category Carryforward mercury in edible tissue			
0803G_01	Entire water body	5c	Yes

SegID: 08	SegID: 0804 Trinity River Above Lake Livingston From a point 1.8 km (1.1 miles) upstream of Boggy Creek in Houston/Leon County to a point immediately upstream of the confluence of the Cedar Creek Reservoir discharge canal in Henderson/Navarro County				
<u>Parameter(</u> .	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
dioxin in edi	ble tissue				
0804_07	From just above the confluence with Richland Creek in Henderson County, up to	5a	No		
	the upper end of the segment.				
Parameter(.	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
PCBs in edible tissue					
0804_07	From just above the confluence with Richland Creek in Henderson County, up to the upper end of the segment.	5a	No		

November 19, 2015 Page 34 of 130

SegID: 08	Catfish Creek Twenty mile stretch of Catfish Creek running upstream from US 287 in And Ranch Lake just upstream of SH 19 in Henderson Co.	erson Co., to Catfish Creel	k		
Parameter(Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed di	depressed dissolved oxygen				
0804G_01	Entire Segment	5b	No		

SegID: 0804	Upper Keechi Creek From confluence with segment 0804 Trinity River to the upper end of NHD streat (NHD RC 12030201001075)	ım Upper Keechi Cree	ek		
Parameter(s)	Parameter(s) <u>Category Carryforward</u> depressed dissolved oxygen				
0804H_01	From the confluence with segment 0804 Trinity River up to confluence with Twin Branch (NHD RC 12030201027099)	5b	Yes		

SegID:	1805 Upper Trinity River		
	From a point immediately upstream of the confluence of the Cedar Creek Reserv	~	
	Henderson/Navarro County to a point immediately upstream of the confluence of	f Elm Fork Trinity Ri	ver in
	Dallas County	<i>C</i> ,	
<u>Parameter</u>	<u>(1S)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	4a	No
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	4a	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
dioxin in e	lible tissue		
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	Yes
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	Yes
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	Yes
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	Yes
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	Yes
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in ed	ible tissue		
0805_01	From confluence of the Cedar Creek Reservoir discharge canal upstream to confluence of Smith Creek.	5a	Yes
0805_02	From confluence of Smith Creek upstream to confluence of Tenmile Creek.	5a	Yes
0805_03	From the confluence of Fivemile Creek upstream to the confluence of Cedar Creek.	5a	Yes
0805_04	From confluence of Cedar Creek upstream to confluence of Elm Fork Trinity River	5a	Yes
0805_06	From confluence of Tenmile Creek upstream to confluence of Fivemile Creek	5a	Yes

November 19, 2015 Page 35 of 130

SegID: 08	West Fork Trinity River below Lake Worth from a point immediately upstream of the confluence of Village Creek in Tarran Dam in Tarrant County	it County to Lake Wor	th			
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>			
dioxin in edible tissue						
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a	Yes			
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	No			
Parameter(s) Category Carryforward PCBs in edible tissue						
0806_01	From confluence of Village Creek upstream to confluence of Clear Fork Trinity River	5a	Yes			
0806_02	From confluence of Clear Fork Trinity River upstream to Lake Worth Dam	5a	No			

SegID: 08	SegID: 0806E Sycamore Creek Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth.					
<u>Parameter(s</u> bacteria)	<u>Category</u>	<u>Carryforward</u>			
0806E_01	Five mile stretch of Sycamore Creek running upstream from confluence with the W. Fork of Trinity River to confluence with Echo Lake Tributary in Fort Worth	5b	Yes			

	Lake Worth From Lake Worth Dam in Tarrant County to a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County, up to normal pool elevation of 594 feet (impounds West Fork Trinity River)					
Parameter(s)	<u>Category</u>	<u>Carryforward</u>				
aldrin in fish tissue						
0807_01 Entire reservoir	4b	No				
Parameter(s)	<u>Category</u>	<u>Carryforward</u>				
dieldrin in edible tissue						
0807_01 Entire reservoir	4b	No				
Parameter(s)	<u>Category</u>	<u>Carryforward</u>				
PCBs in edible tissue						
0807_01 Entire reservoir	4a	No				

November 19, 2015 Page 36 of 130

SegID: 0808 West Fork Trinity River Below Eagle Mountain Reservoir From a point 4.0 km (2.5 miles) downstream of Eagle Mountain Dam in Tarrant County to Eagle Mountain Dam in Tarrant County			
Parameter(s)	Category	<u>Carryforward</u>	
aldrin in fish tissue			
0808_01 Entire segment	4b	No	
Parameter(s)	Category	<u>Carryforward</u>	
dieldrin in edible tissue			
0808_01 Entire segment	4b	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue			
0808_01 Entire segment	5a	No	

SegID: 0809B	Ash Creek From the normal pool elevation of Eagle Mountain Reservoir up to the headwaters Parker County	at Upper Denton R	oad in
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>		
bacteria			
0809B_01 En	tire Segment	5c	No

SegID: 0810	West Fork Trinity River Below Bridgeport Reservoir From a point 0.6 km (0.4 miles) downstream of the confluence of Oates Branch Bridgeport Dam in Wise County	in Wise County to	
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>		
bacteria			
0810_01 Low	ver 25 miles of segment	5c	No

SegID: 08	10A Big Sandy Creek Fifteen mile stretch of Sycamore Creek running upstream from confluence with 1810, west of Alvord, Wise County	Waggoner Creek to F.	M
Parameter(s	Parameter(s) <u>Category Carryforward</u> hacteria		
0810A_01	Fifteen mile stretch of Big Sandy Creek running from confluence with Waggoner Creek to FM 1810 West of Alvord, Wise Co.	5b	Yes

SegID: 0810C Martin Branch The eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.				
<u>Parameter(s</u> bacteria		<u>Category</u>	<u>Carryforward</u>	
0810C_01	Eight mile stretch of Martin Branch running upstream from confluence with Center Creek to FM 730 south of Decatur, Wise County.	5b	No	

November 19, 2015 Page 37 of 130

SegID: 0812	West Fork Trinity River Above Bridgeport Reservoir From a point immediately upstream of the confluence of Bear Hollow in Jack Con County	unty to SH 79 in Arc	her	
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
depressed dissolved oxygen				
0812_01 L	ower 25 miles of segment	5c	Yes	

SegID: 08	Chambers Creek Above Richland-Chambers Reservoir From a point 4.0 km (2.5 miles) downstream of Tupelo Branch in Navarro Count North Fork Chambers Creek and South Fork Chambers Creek	ty to the confluence o	f
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride			
0814_01	From the lower end of the segment up to just above the confluence with Cummins	5c	No
	Creek.		
0814_02	From just above the confluence with Cummins Creek up to just above the	5c	No
	confluence with Waxahachie Creek.		
0814_03	From just above the confluence with Waxahachie Creek up to just above the	5c	No
	confluence with Mill Branch.		
0814_04	From just above the confluence with Mill Branch to the upper end of the segment.	5e	No

SegID:	O818 Cedar Creek Reservoir From Joe B. Hoggsett Dam in Henderson County up to normal pool elev Creek)	ration of 322 feet (impounds C	Cedar
<u>Paramete</u>	r(s)	<u>Category</u>	<u>Carryforward</u>
pН			
0818_01	Lowermost portion of the reservoir, adjacent to the dam.	5b	No
0818_02	Caney Creek cove	5b	Yes
0818_03	Clear Creek cove	5b	Yes
0818_04	Lower portion of reservoir east of Key Ranch Estates	5b	No
0818_05	Cove off lower portion of reservoir adjacent to Clearview Estates	5b	Yes
0818_06	Middle portion of reservoir downstream of Twin Creeks cove	5b	No
0818_07	Twin Creeks cove	5b	Yes
0818_08	Prairie Creek cove	5b	No
0818_09	Upper portion of reservoir adjacent to Lacy Fork cove	5b	No
0818_11	Upper portion of reservoir east of Tolosa	5b	No
0818_12	Uppermost portion of reservoir downstream of Kings Creek	5b	Yes

SegID: 0819	East Fork Trinity River From the confluence with the Trinity River in Kaufman County to Rockwall-Forn County	ney Dam in Kaufman		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
sulfate				
0819_01	Entire segment	5c	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
total dissolved solids				
0819_01	Entire segment	5c	No	

November 19, 2015 Page 38 of 130

SegID: 082	Rowlett Creek Perennial stream from the normal pool elevation of 435.5 feet of Lake Ray Hub crossing	bard to the Parker Road	i
Parameter(s) bacteria		<u>Category</u>	<u>Carryforward</u>
0820B_01	Entire water body	5c	No

SegID: 082	Wilson Creek From the confluence with Lake Lavon in Collin County up to West FM 455 (NH just east of Celina, Collin Co., TX.	D RC 120301060000	086),	
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			
bacteria				
0821C_01	Entire water body	5c	No	

SegID: 082	East Fork Trinity River above Lake Lavon A portion of the East Fork Trinity River extending from the confluence with Latthe upper end of the water body (NHD RC 12030106000074) in Collin County	· -	21) to	
Parameter(s)	Parameter(s) <u>Category Carryforward</u>			
bacteria				
0821D_01	Entire water body	5c	Yes	

SegID: 08	SegID: 0822A Cottonwood Branch A 6 mile stretch of Cottonwood Branch running upstream from confluence with Hackberry Creek, to Valley View Road in Dallas County.				
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
0822A_02	A 3. 5 mile stretch of Cottonwood Branch running upstream from approximately 0.5 miles downstream of N. Story Rd. to Valley View Rd, Dallas, Co.	4a	No		

SegID: 0822B	Grapevine Creek From the confluence with Elm Fork Trinity River in Dallas County upstream to it International Parkway at DFW Airport in Tarrant County	s headwaters west of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0822B_01 Enti	re water body	4a	No

SegID: 0826 Grapevine Lake From Grapevine Dam in Tarrant County up to normal pool elevation of 535 feet (impounds Denton Creek)				
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
pН				
0826_07 t	Jpper portion of reservoir east of Marshall Creek Park	5c	No	

November 19, 2015 Page 39 of 130

SegID: 08	Village Creek From the confluence with Lake Arlington in Tarrant County to the headwaters County	east of Joshua in Johns	on
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0828A_01	From Lake Arlington to the headwaters	5c	No

SegID: 0	Clear Fork Trinity River Below Benbrook Lake From the confluence with the West Fork Trinity River in Tarrant County to Ber County	nbrook Dam in Tarrant	
Parameter	<u></u>	<u>Category</u>	<u>Carryforward</u>
dioxin in ed	ble tissue		
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	5a	No
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	Yes
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	Yes
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edi	ple tissue		
0829_01	From the confluence with West Fork Trinity River to 1 mile upstream.	5a	Yes
0829_02	From 1 mile upstream of the confluence with West Fork Trinity River up to the confluence with Mary's Creek.	5a	Yes
0829_03	From the confluence with Mary's Creek up to Benbrook Dam in Tarrant County, TX.	5a	Yes

SegID: 083	SegID: 0831 Clear Fork Trinity River Below Lake Weatherford From a point 200 meters (220 yards) downstream of US 377 in Tarrant County to Weatherford Dam in Parker County			
Parameter(s) <u>Category Carryforward</u> depressed dissolved oxygen				
0831_04 0831_05	2 mi upstream of South Fork Trinity River confluence to Squaw Ck. Confluence From the confluence of Squaw Ck. to Lake Weatherford Dam	5e 5e	Yes Yes	

SegID: 08	Glear Fork Trinity River Above Lake Weatherford From a point 3.1 km (1.9 miles) upstream of FM 730 in Parker County, to the Creek approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County		and		
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed di	ssolved oxygen				
0833_03	From the confluence of McKnight Branch to the confluence of Strickland Ck. approximately 8 kilometers (5 miles) upstream of FM 51 in Parker County.	5b	Yes		
0833_04	From the confluence with Dobbs Branch to confluence with McKnight Branch	5b	Yes		
0833_05	From the confluence of Dobbs Ck. to the lower end of segment	5c	Yes		

November 19, 2015 Page 40 of 130

SegID: 083	Gedar Creek From the confluence with Richland Chambers Reservoir to the upper end of the 12030109012807)	e creek (NHD RC			
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed diss	depressed dissolved oxygen				
0836B_01	Entire segment.	5b	Yes		

SegID: 08	Walnut Creek From the confluence with Joe Pool Lake up to the headwaters at Spring Street in	ı Burleson.	
-	Parameter(s) <u>Category</u> <u>Carryforward</u>		
bacteria			
0838C_01	From the confluence with Joe Pool Lake up to the headwaters at Spring Street in Burleson.	5b	No

SegID:	O841 Lower West Fork Trinity River From a point immediately upstream of the confluence of the Elm Fork Trinity Ri point immediately upstream of the confluence of Village Creek in Tarrant Count	•	to a
Paramet	er(s)	<u>Category</u>	<u>Carryforward</u>
bacteria			
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	4a	No
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	4a	No
Paramet	er(s)	<u>Category</u>	Carryforward
dioxin in	edible tissue		
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	5a	Yes
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	5a	Yes
Paramet	er(s)	<u>Category</u>	Carryforward
PCBs in e	dible tissue		
0841_01	From confluence of the Elm Fork Trinity River to the confluence with Johnson Creek.	5a	Yes
0841_02	From the confluence with Johnson Creek upstream to the confluence of Village Creek.	5a	Yes

SegID: 0841A Mountain Creek Lake From Mountain Creek Lake Dam to the reservoir headwater at the confluence of Mountain and Fish Creeks, in Dallas County (impounds Mountain Creek)					
Parameter(s) <u>Category Carryforward</u>					
dioxin in edible tissue	dioxin in edible tissue				
0841A_01 Entire reservoir	4a	Yes			
Parameter(s)	<u>Category</u>	<u>Carryforward</u>			
PCBs in edible tissue					
0841A_01 Entire reservoir	4a	No			

November 19, 2015 Page 41 of 130

SegID: 0841F	SegID: 0841F Cottonwood Creek A 6.5 mile stretch of Cottonwood Creek running upstream from approx. 0.1 mi. upstream of Mountain Creek Reservoir in Dallas Co., to SH 360 in, Tarrant Co.			
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>	
0841F_01 En	tire Segment.	5a	No	

SegID: 0841G	Dalworth Creek A 2.2 mile stretch of Dalworth Creek running upstream from confluence with Le County Line Road in Grand Prairie, Dallas Co.	ower W. Fork Trinity	to
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0841G_01 Entir	e segment.	4a	No

SegID: 0841	H Delaware Creek An 8.5 mile stretch of Delaware Creek running upstream from confluence with L Finley Road in Irving.	ower W. Fork Trinit	y to		
Parameter(s)	Parameter(s) <u>Category Carryforward</u>				
bacteria					
0841H_01	Entire segment.	4a	No		

SegID: 0841	J Estelle Creek A 4 mile stretch of Estelle Creek running upstream from confluence with Bear Cre in Irving, Dallas County.	ek to Valley View	Lane
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
0841J_01	Entire segment.	4a	Yes

SegID: 08	841K	Fish Creek A 15 mile stretch of Fish Creek running upstream from the confluence with Mour Grand Prairie, Dallas Co., to the upper end of the creek (NHD RC 12030102000 Co.				
	Parameter(s) <u>Category</u> <u>Carryforward</u>					
bacteria						
0841K_01	of We From	South Belt Line Road (FM 1382) upstream to the upper end of the creek south est Bardin Road (NHD RC 12030102000107) in Arlington, Tarrant County. South Belt Line Road (FM 1382) upstream to the upper end of creek south of Bardin Road.	5b	No		

November 19, 2015 Page 42 of 130

SegID: 08	Johnson Creek Four mile stretch of Johnson Creek running upstream from confluence with the of I30 in Grand Prairie, Tarrant Co.	Arbor Creek to just up	ostream
Parameter(s	1	<u>Category</u>	<u>Carryforward</u>
bacteria			
0841L_01	From the confluence wit the Lower West Fork Trinity River, upstream to just south of Mayfield Road in Arlington, Tarrant, Co	4a	No

SegID: 0841M	Kee Branch Six mile stretch of Kee Branch running upstream from confluence with Rush Cr creek (NHD RC 12030102000165).	eek to upper end of the		
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
0841M_01 Entire	Segment.	4a	No	

SegID: 0841N	Kirby Creek Four mile stretch of Kirby Creek running upstream from confluence with Fish Creek, to just upstream of Great Southwest Parkway in Arlington, Tarrant Co.	reek in Grand Prairie,	Dallas
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0841N_01 Ent	ire segment	5b	Yes

SegID: 0841R	Rush Creek A 5 mile stretch of Rush Creek running upstream from confluence with Village C Kee Branch in Arlington, Tarrant Co.	reek to confluence v	vith
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
0841R_01 Ent	tire segment.	4a	No

SegID: 08	Village Creek A 7 mile stretch of Village Creek running upstream from confluence with West 303 approx. 0.75 mi. downstream of Lake Arlington.	Fork Trinity River to S	SH			
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria						
0841T_01	A 7 mile stretch of Village Creek running upstream from confluence with West Fork Trinity River to SH 303 approx. 0.75 mi. downstream of Lake Arlington.	4a	Yes			

SegID: 084	SegID: 0841U West Irving Creek A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.				
Parameter(s)		<u>Category</u>	Carryforward		
bacteria					
0841U_01	A 4 mile stretch of West Irving Branch running upstream from approx. 0.4 mi. downstream of Oakdale Rd. to just south of Sowers Road in Irving, Dallas Co.	4a	Yes		

November 19, 2015 Page 43 of 130

SegID: 0841V	Crockett Branch A 1 mile (1.5 KM) stretch of Crockett Branch extending upstream from the conf Creek to the upper end of the creek (NHD RC 12030102044745)	luence with Cottonwo	od
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
0841V_01 Enti	re Segment.	5c	No

SegID: 09	Cedar Bayou Tidal From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-C Chambers County to a point 2.2 km (1.4 miles) upstream of IH 10 in Chambers/H	,	
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5c	No
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5a	Yes
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edil	ole tissue		
0901_01	From the confluence with Galveston Bay 1.0 km (0.6 miles) downstream of Tri-City Beach Road to a point 2.2 km (1.4 miles) upstream of IH 10	5a	Yes

SegID: 10	San Jacinto River Tidal From a point 100 meters (110yards) downstream of IH 10 in Harris County County	nty to Lake Houston Dam in F	Harris
<u>Parameter(</u>		<u>Category</u>	<u>Carryforward</u>
chlordane in	edible tissue		
1001_01	From Lake Houston Dam to US Hwy 90	5c	No
1001_02	From US Hwy 90 to IH 10	5c	No
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	Carryforward
dieldrin in e	dible tissue		
1001_01	From Lake Houston Dam to US Hwy 90	5c	No
1001_02	From US Hwy 90 to IH 10	5c	No
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ible tissue		
1001_01	From Lake Houston Dam to US Hwy 90	5a	No
1001_02	From US Hwy 90 to IH 10	5a	No
Parameter(<u>(s)</u>	<u>Category</u>	Carryforward
heptachlor e	epoxide in edible tissue		
1001_01	From Lake Houston Dam to US Hwy 90	5c	No
1001_02	From US Hwy 90 to IH 10	5c	No
Parameter(<u>(s)</u>	<u>Category</u>	Carryforward
PCBs in edil	ble tissue		
1001_01	From Lake Houston Dam to US Hwy 90	5a	No
1001_02	From US Hwy 90 to IH 10	5a	No

November 19, 2015 Page 44 of 130

SegID: 1002	Lake Houston From Lake Houston Dam in Harris County to the confluence of Spring Creek on the Arm in Harris/Montgomery County and to the confluence of Caney Creek on the in Harris County, up to normal pool elevation of 4		
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
	om the confluence with Spring Creek to West Lake Houston Pkwy	5a	No
1002_06 Fro	m the confluence with Spring Creek to West Lake Houston Pkwy	5a	No

SegID: 1002C	Lake Isabell Small lake located at the southern end of Lake Houston Park northeast of the Car Fork of the San Jacinto River (1003) confluence in Harris County.	ey Creek (1010) and	East	
Parameter(s) <u>Category Carryforward</u> mercury in edible tissue				
1002C_01 Sm Cr	mall lake located at the southern end of Lake Houston Park northeast of the Caney reek (1010) and East Fork of the San Jacinto River (1003) confluence in Harris bunty.	5c	Yes	

SegID: 10	East Fork San Jacinto River From the confluence of Caney Creek in Harris County to US 190 in Walker County	nty				
	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria						
1003_01	From the Caney Creek confluence upstream to US 59	5a	No			
1003_02	From US Hwy 59 to a point 40 km (25 mi) upstream (just upstream of Clear Creek	5a	No			
	confluence)					
1003_03	From a point 40 km (25 mi) upstream (just upstream of Clear Creek confluence) to	5a	No			
	US 190 (upper segment boundary)					

SegID: 1004 West Fork San Jacinto River From the confluence of Spring Creek in Harris/Montgomery County to Conroe Dam in Montgomery County					
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1004_01	From the Spring Creek confluence upstream to the Stewart Creek confluence	5a	No		
1004_02	From the Stewart Creek confluence upstream to the Lake Conroe Dam	5a	No		

SegID: 1004	D Crystal Creek From the West Fork of the San Jacinto River confluence to the confluence of the Crystal Creek	e east and west forks o	of		
Parameter(s)					
bacteria					
_	From the Confluence with West Fork San Jacinto River upstream to confluence of the East and West Forks of Crystal Creek	5a	No		

November 19, 2015 Page 45 of 130

SegID: 10	O4E Stewarts Creek From headwaters northwest of old Montgomery Rd to confluence with West For	k of the San Jacinto R	iver		
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
bacteria					
1004E_02	From Airport Rd to confluence with West Fork San Jacinto River	4a	No		

SegID: 1	005 Houston Ship Channel/San Jacinto River Tidal		
	From the confluence with Galveston Bay at Morgan's Point in Harris/Chambers meters (110 yards) downstream of IH 10 in Harris County	County to a point 100	
		<i>C</i> :	
<u>Parameter</u>	<u>s)</u> edible tissue	<u>Category</u>	<u>Carryforward</u>
	euible ussue		
1005_01	Downstream I-10 to Lynchburg Ferry Road	5c	No
1005_02	Lynchburg Ferry Road to Goose Island	5c	No
1005_03	Goose Island to SH 146	5c	No
Parameter		<u>Category</u>	<u>Carryforward</u>
dieldrin in e	dible tissue		
1005 01	Downstream I-10 to Lynchburg Ferry Road	5c	No
1005_02	Lynchburg Ferry Road to Goose Island	5c	No
1005_03	Goose Island to SH 146	5c	No
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in ed	ble tissue		
1005_01	Downstream I-10 to Lynchburg Ferry Road	5a	No
1005_02	Lynchburg Ferry Road to Goose Island	5a	No
1005_03	Goose Island to SH 146	5a	No
1005_04	SH 146 to Morgans Point	5a	No
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
heptachlor	poxide in edible tissue		
1005_01	Downstream I-10 to Lynchburg Ferry Road	5c	No
1005_02	Lynchburg Ferry Road to Goose Island	5c	No
1005_03	Goose Island to SH 146	5c	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
PCBs in edi	ple tissue		
1005_01	Downstream I-10 to Lynchburg Ferry Road	5a	No
1005_02	Lynchburg Ferry Road to Goose Island	5a	No
1005_03	Goose Island to SH 146	5a	No
1005_04	SH 146 to Morgans Point	5a	No

November 19, 2015 Page 46 of 130

SegID:	1006 Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris County to a point imme Bayou in Harris County, including tidal portions of tributaries	ediately upstream of	Greens
Paramete	er(s)	<u>Category</u>	<u>Carryforward</u>
bacteria			
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5c	No
Paramete	er <u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
chlordane	in edible tissue		
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	No
Paramete	er(s)	<u>Category</u>	Carryforward
dieldrin ir	edible tissue		
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5c	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	No

November 19, 2015 Page 47 of 130

SegID: 1	Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris County to a point imme Bayou in Harris County, including tidal portions of tributaries	ediately upstream of	Greens
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward
dioxin in ed	ible tissue		
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No
Parameter	,	Category	Carryforward
	epoxide in edible tissue	<u></u>	2, 10
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	4b	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	4b	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	4b	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	4b	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	4b	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	4b	No
Parameter		<u>Category</u>	<u>Carryforward</u>
mercury in	water		
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes

November 19, 2015 Page 48 of 130

SegID: 1	Houston Ship Channel Tidal From the confluence with the San Jacinto River in Harris County to a point imme Bayou in Harris County, including tidal portions of tributaries	diately upstream of 0	Greens
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edi	ble tissue		
1006_01	Houston Ship Channel Tidal-From the Greens Bayou confluence to the Patrick Bayou confluence	5a	No
1006_02	Houston Ship Channel Tidal- From the Patrick Bayou confluence to the Houston Ship Channel/San Jacinto River Tidal (1005) confluence	5a	No
1006_03	Greens Bayou Tidal- From the Houston Ship Channel confluence to a point 0.7 km (0.4 miles) upstream of the Halls Bayou confluence	5a	No
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5a	No
1006_05	Goodyear Creek-From confluence with Greens Bayou Tidal to Granada St. in Harris County	5a	No
1006_06	Tucker Bayou- From the Houston Ship Channel confluence to a point 2.7 km (1.7 mi) upstream	5a	No
1006_07	Carpenters Bayou-From the Houston Ship Channel confluence to the lower boundary of 1006B (2.3 m/ 1.4 mi) upstream from the Houston Ship Channel confluence)	5a	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward
toxicity in s	ediment		
1006_04	Patrick Bayou Tidal - From the confluence with the Houston Ship Channel to 100 m (328 ft) upstream of the railroad bridge	5c	Yes

SegID: 10	Halls Bayou From the Greens Bayou confluence upstream to Frick Road in Harris County				
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1006D_01	From the Greens Bayou confluence upstream to US 59	4a	No		
1006D_02	From US 59 upstream to Frick Road	4a	No		

SegID: 100	6F Big Gulch Above Tidal From the confluence with Greens Bayou Tidal to Wallisville Road in Harris County				
<u>Parameter(s)</u> bacteria	Parameter(s) <u>Category Carryforward</u>				
1006F_01	Entire water body	4a	No		

SegID: 10	O6H Spring Gully Above Tidal From confluence with Greens Bayou to US 90 in Harris County		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1006H_01	Entire water body	4a	No

November 19, 2015 Page 49 of 130

SegID: 1006I Unnamed Tributary of Halls Bayou From the confluence with Halls Bayou to a point 0.13 miles upstream of Richland Drive in Harris County					
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1006I_01	Entire water body	4a	No		

SegID: 1006J Unnamed Tributary of Halls Bayou From the confluence with Halls Bayou (east of US 59 and south of Langley Road) to Mount Hoston Road in Harris County					
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1006J_01	From the Halls Bayou confluence (east of US 59 and south of Langley Road) to Mount Houston Road	4a	No		
	MOUIL HOUSION KOAU		_		

November 19, 2015 Page 50 of 130

SegID: 1	Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou in Harris County to a point upstream of US 59 in Harris County, including tidal portion of tributaries	100 meters (110 yar	ds)
<u>Parameter</u> bacteria	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
chlordane ir	edible tissue		
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	No
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	No
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	No
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	No
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	No
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	No
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	No
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	No
<u>Parameter</u> dieldrin in e		<u>Category</u>	<u>Carryforward</u>
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	No
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	No
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	No
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	No
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	No
.007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	No
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	No
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	No
<u>Parameter</u> dioxin in ed		<u>Category</u>	<u>Carryforward</u>
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No
.007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No
.007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No
007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No
007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No

November 19, 2015 Page 51 of 130

SegID: 1	Houston Ship Channel/Buffalo Bayou Tidal From a point immediately upstream of Greens Bayou in Harris County to a point upstream of US 59 in Harris County, including tidal portion of tributaries	100 meters (110 yar	ds)
<u>Parameter</u>		<u>Category</u>	<u>Carryforward</u>
heptachlor (epoxide in edible tissue		
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	4b	No
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	4b	No
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	4b	No
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	4b	No
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	4b	No
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	4b	No
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	4b	No
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	4b	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edi	ole tissue		
1007_01	Houston Ship Channel - From a point immediately upstream of Greens Bayou Tidal to immediately upstream of the 69th Street WWTP outfall	5a	No
1007_02	Sims Bayou Tidal - From the Houston Ship Channel confluence to a point 11 km (6.8 mi) upstream	5a	No
1007_03	Hunting Bayou Tidal - From the Houston Ship Channel confluence to IH-10	5a	No
1007_04	Brays Bayou Tidal - From the Houston Ship Channel confluence to downstream of IH-45	5a	No
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5a	No
1007_06	Berry Bayou - From the Houston Ship Channel confluence to a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence	5a	No
1007_07	Buffalo Bayou - From immediately upstream of 69th Street WWTP outfall to US 59	5a	No
1007_08	Little Vince Bayou Tidal - From the Vince Bayou confluence to SH 225	5a	No
Parameter coxicity in so		<u>Category</u>	<u>Carryforward</u>
1007_05	Vince Bayou Tidal - From the Houston Ship Channel confluence to SH 225	5c	Yes

SegID: 100	P7A Canal C-147 From the confluence with Sims Bayou to a point 0.71 km east of Beltway 8 in H	ouston	
Parameter(s		<u>Category</u>	<u>Carryforward</u>
1007A_01	From the confluence with Sims Bayou upstream to a point 0.71 km east of Beltway 8	5a	No

November 19, 2015 Page 52 of 130

SegID: 10	Brays Bayou Above Tidal From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Chan	nel up to SH 6		
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria				
1007B_01	From a point 11.5 km (7.1 mi) upstream of confluence with Houston Ship Channel	4a	No	
	up to SH 6			
1007B_02	From State Highway 6 upstream to Clodine Road	4a	No	

SegID: 10	From the Brays Bayou confluence upstream to Harris County line		
<u>Parameter(s</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1007C_01	From the Brays Bayou confluence to the Harris County Line	4a	No

SegID: 10	O7D Sims Bayou Above Tidal Perennial stream from 11.0 km upstream of confluence with Houston Ship Char Drive	nel upstream to Hirar	n Clark		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1007D_01	From Fort Bend Parkway to Hiram Clarke	4a	No		
1007D_02	From Hiram Clark to 11 miles upstream of the confluence with the Houston Ship	4a	No		
	Channel				
1007D_03	From 11 miles upstream of the Houston Ship Channel confluence to SH 35	4a	No		

SegID: 100	Willow Waterhole Bayou Above Tidal From the Brays Bayou confluence upstream to South Garden (in Missouri City)		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1007E_01	From the Brays Bayou confluence upstream to South Garden Street	4a	No

SegID: 100	SegID: 1007F Berry Bayou Above Tidal From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to the southern city limits of South Houston				
<u>Parameter(s</u> bacteria		<u>Category</u>	<u>Carryforward</u>		
1007F_01	From a point 2.4 km (1.5 mi) upstream of the Sims Bayou confluence to SH 3	4a	No		

November 19, 2015 Page 53 of 130

SegID: 10	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad trade	cks in Harris County			
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1007G_01	From Brays Bayou confluence to Atchison, Topeka and Santa Fe Railroad tracks	4a	No		

SegID: 100	Pine Gully Above Tidal From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	in Harris County			
<u>Parameter(s)</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	4a	No		
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed dissolved oxygen					
1007H_01	From the Sims Bayou confluence to 0.11 km (0.07 mi) east of Broadway Street	5e	No		

SegID: 100	7I Plum Creek Above Tidal From the Sims Bayou confluence to Telephone Road in Harris County				
<u>Parameter(s)</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	4a	No		
Parameter(s)		<u>Category</u>	Carryforward		
depressed dissolved oxygen					
1007I_01	From the Sims Bayou confluence to Telephone Road in Harris County	5c	No		

SegID: 10	SegID: 1007K Country Club Bayou Above Tidal From just downstream of South Lockwood Drive to the confluence with Brays Bayou to approximately 0.5 miles upstream of North Wayside Drive in Harris County			
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays	4a	No	
	Bayou			
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1007K_01	From just downstream of South Lockwood Drive to the confluence with Brays	5c	No	
	Bayou			

November 19, 2015 Page 54 of 130

SegID: 10	Unnamed Tributary of Brays Bayou From the Brays Bayou confluence near Fondren Road to a point 0.97 km (0.60 County	mi) upstream in Harris			
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1007L_01	From the Brays Bayou confluence near Fondren Road to a point (0.37 km) 0.60 miles upstream in Harris County	4a	No		

SegID: 1007M	Unnamed Tributary of Hunting Bayou From the confluence with Hunting Bayou to Mercury Road in Harris County		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1007M_01 E	intire water body	4a	No

SegID: 100	Unnamed Tributary of Sims Bayou From the confluence with Sims Bayou, south of Airport Road, east of SH 288	in Harris County	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1007N_01	Entire water body	4a	No

SegID: 1007O Unnamed Tributary of Buffalo Bayou From the confluence with Buffalo Bayou to IH-10 between Hirsch Road and Lockwood in Harris County					
Parameter(s) <u>Category</u> <u>Carryforward</u>					
bacteria	bacteria				
1007O_01 Entire water body	4a	No			
Parameter(s)	<u>Category</u>	<u>Carryforward</u>			
depressed dissolved oxygen					
1007O_01 Entire water body	5c	No			

SegID: 1007R Hunting Bayou Above Tidal From the confluence with Hunting Bayou Tidal at IH-10 to Maury Street on the north fork and Bain Street on the south fork					
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1007R_01	From Bain Street to Sayers Street (South Fork)	4a	No		
1007R_02	From just east of Elysian Street to Falls Street (North Fork)	4a	No		
1007R_03	From Falls Street to Loop 610	4a	No		
1007R_04	From Loop 610 East to IH 10	4a	No		
Parameter(s	ਪੁ ਹ	<u>Category</u>	Carryforward		
depressed dissolved oxygen					
1007R_01	From Bain Street to Sayers Street (South Fork)	5c	Yes		
1007R_04	From Loop 610 East to IH 10	5c	No		

November 19, 2015 Page 55 of 130

SegID: 10	Poor Farm Ditch From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Ro	oad bridge crossing			
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1007S_01	From the Brays Bayou confluence upstream 3.6 km (2.3 mi) to the Bissonnet Road bridge crossing	4a	No		

SegID: 1007T Bintliff Ditch From the Brays Bayou confluence upstream 5.8 km (3.6 mi) to the Fondren Road bridge crossing					
<u>Parameter(s</u> bacteria	Parameter(s) <u>Category Carryforward</u> bacteria				
1007T_01	From the Brays Bayou confluence to $0.57~\mathrm{km}$ ($0.35~\mathrm{mi}$) upstream of the Fondren Road bridge crossing	4a	No		

SegID: 10	Mimosa Ditch From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Ro	ck bridge crossing	
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1007U_01	From the Brays Bayou confluence upstream 2.9 km (1.8 mi) to the Chimney Rock bridge crossing	4a	No

SegID: 10	O7V Unnamed Tributary of Hunting Bayou From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence Collingsworth Street)	nce (0.3 km west of			
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
		-			
1007V_01	From the Hunting Bayou confluence to 1.7 km (1.1 mi) upstream of the confluence (0.3 km west of Collingsworth Street	5a	No		

SegID: 1	SegID: 1008 Spring Creek From the confluence with the West Fork San Jacinto River in Harris/Montgomery County to the confluence with Kickapoo Creek in Waller County				
<u>Parameter</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1008_02	Kickapoo Creek confluence to SH 249	4a	No		
1008_03	SH 249 to IH 45	4a	No		
1008_04	IH 45 to the confluence with Lake Houston	4a	No		
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward		
depressed dissolved oxygen					
1008_02	Kickapoo Creek confluence to SH 249	5c	No		

November 19, 2015 Page 56 of 130

SegID: 10	No. 2008 Mill Creek Perennial stream from the normal pool elevation of Neidigk Lake upstream to the Creek and Kickapoo Creek	ne confluence of Hurri	cane	
Parameter(s) Carryforward depressed dissolved oxygen				
1008A_01	From the normal pool elevation of Neidigk Lake upstream to the Hurricane Creek and Kickapoo Creek confluences	5c	No	

SegID: 10	Upper Panther Branch From the normal pool elevation of 125 feet of Lake Woodlands upstream to Ol	d Conroe Road			
Parameter (s	Parameter(s) Category Carryforward bacteria				
1008B_01 1008B_02	From the Lake Woodlands confluence upstream to the Bear Branch confluence From the Bear Branch confluence to Old Conroe Road	4a 4a	No No		

SegID: 10	OSC Lower Panther Branch From the Spring Creek confluence upstream to the dam impounding Lake V County	Voodlands in Montgomery		
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria				
1008C_01	From Spring Creek confluence upstream to Saw Dust Road	4a	No	
1008C_02	From Saw Dust Road to the Lake Woodlands Dam	4a	No	

SegID: 100	Bear Branch From the Upper Panther Branch confluence to south of FM 1488 in Montgomery	County			
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1008E_01	From Upper Panther Branch confluence to south of FM 1488	4a	No		

SegID: 100	Willow Creek From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1008H_01	From the Spring Creek confluence to a point 0.48 km (0.3 mi) north of Juergen Rd	4a	No

November 19, 2015 Page 57 of 130

SegID:	1009 Cypress Creek From the confluence with Spring Creek in Harris County to the Creek in Waller County	e confluence of Snake Creek and Mound	d		
<u>Paramete</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1009_01	Upper portion of segment to downstream of US 290	4a	No		
1009_02	US 290 to SH 249	4a	No		
1009_03	SH 249 to IH 45	4a	No		
1009_04	IH 45 to confluence with Spring Creek	4a	No		

SegID: 100	Faulkey Gully From Cypress Creek confluence with upstream 3.2 km (2.0 mi), which is approx Louetta Road	imately 1.0 km upstre	eam of		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1009C_01	From the Cypress Creek confluence to a point 11.7 km (7.2 mi) upstream	4a	No		

SegID: 100	Spring Gully From the Cypress Creek confluence upstream to near Spring Cypress Road		
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1009D_01	From the Cypress Creek confluence upstream to near Spring Cypress Road	4a	No

SegID: 1009E Little Cypress Creek From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream in Harris County				
Parameter(s) <u>Category Carryforward</u> bacteria				
1009E_01	From the Cypress Creek confluence to a point 11 km (6.8 mi) upstream	4a	No	

SegID:	SegID: 1010 Caney Creek From the confluence with the East Fork San Jacinto River in Harris County to SH 150 in Walker County				
<u>Parameter</u>	<u>^(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1010_02	FM 1097 to SH 105	4a	No		
1010_04	FM 2090 to lower segment boundary	4a	No		

November 19, 2015 Page 58 of 130

SegID:	Spring Branch From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 103	5		
	Parameter(s) Category Carryforward			
depressed dissolved oxygen				
1010C_01	From the Caney Creek confluence to a point 0.54 km (0.34 mi) upstream of SH 105	5c	No	

SegID: 10	Peach Creek From the confluence with Caney Creek in Montgomery County to SH 150 in W	alker County		
<u>Parameter(s</u> bacteria	Parameter(s) <u>Category Carryforward</u> bacteria			
1011_01 1011_02	Upper segment boundary to US Hwy 59 US Hwy 59 to confluence with Caney Creek	4a 4a	No No	

SegID: 1013 Buffalo Bayou Tidal From a point 100 meters (110 yards) upstream of US 59 in Harris County to a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County				
Parameter() bacteria	Parameter(s) Category Carryforward bacteria			
1013_01	From a point immediately upstream of US 59 to a point immediately upstream of Shepard Drive	4a	No	

SegID: 10	13A Little White Oak Bayou From the White Oak Bayou confluence to Yale Street in Harris County				
<u>Parameter(s</u>	Parameter(s) <u>Category Carryforward</u>				
bacteria					
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	4a	No		
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>		
depressed dis	depressed dissolved oxygen				
1013A_01	From the confluence of White Oak Bayou upstream to the RR Tracks north of IH 610	5c	No		

SegID: 1013C Unnamed Non-Tidal Tributary of Buffalo Bayou Tidal Located approximately 1.8 miles upstream of the Buffalo Bayou/White Oak Bayou confluence between IH-10 and Memorial Drive west of IH-45 in Harris County				
Parameter(s)	<u>Category</u>	<u>Carryforward</u>		
bacteria				
1013C_01 Entire Segment	4a	No		
<u>Parameter(s)</u>	<u>Category</u>	Carryforward		
depressed dissolved oxygen				
1013C_01 Entire Segment	5c	No		

November 19, 2015 Page 59 of 130

SegID: 1014 Buffalo Bayou Above Tidal From a point 400 meters (440 yards) upstream of Shepherd Drive in Harris County to SH 6 in Harris County			
Parameter(s) <u>Category Carryforward</u> bacteria			
1014_01	From a point immediately upstream of Shepherd Drive upstream to SH 6	4a	No

SegID: 10	Perennial stream from the confluence with South Mayde Creek upstream to the tributary 1.24 km north of Longenbaugh Road	confluence with an un	named	
Parameter(s bacteria	Parameter(s) <u>Category Carryforward</u> bacteria			
1014A_01	Confluence with South Mayde Creek to a point upstream of an unnamed tributary north of Langenbaugh Road	4a	No	

SegID: 10	Buffalo Bayou/Barker Reservoir Perennial stream from SH 6 in Harris County upstream to the confluence with W in Fort Bend County	illow Fork Buffalo B	ayou		
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
1014B_01	From SH 6 to the confluence with Willow Fork Buffalo Bayou	4a	No		

SegID: 10	Horsepen Creek From the Langham Creek confluence upstream to a point 0.1 km (0.06 mi) west	of Barker Cypress Ro	ad	
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			
bacteria				
1014C_01	From the Langham Creek confluence upstream to where channelization begins, 0.62 km (0.39 mi) north of FM 529	4a	No	

SegID: 10	14E Langham Creek From the Dinner Creek confluence upstream to FM 529		
Parameter(s	<u>)</u>	<u>Category</u>	Carryforward
bacteria			
1014E_01	From the Bear Creek confluence upstream to the Dinner Creek confluence	4a	No

November 19, 2015 Page 60 of 130

SegID: 10	14H South Mayde Creek Perennial stream in the Addicks Reservoir flood pool area from the confluence w to the confluence with an unnamed tributary 1.05 km south of Clay Road	rith Buffalo Bayou up	ostream		
	Parameter(s) <u>Category Carryforward</u>				
bacteria					
1014H_01	Perennial stream in the Addicks Reservoir flood pool area from the confluence with Buffalo Bayou upstream to the confluence with an unnamed tributary 1.3 km west	4a	No		
1014H_02	of Barker-Cypress Road Perennial stream from the confluence with an unnamed tributary 1.3 km west of Barker-Cypress Road upstream to an unnamed tributary 1.05 km south of Clay Road	4a	No		

SegID: 10	Turkey Creek From the South Mayde Creek confluence upstream to a point 1.1 km (0.68 mi) Harris County	directly east of FM 529	9 in		
-	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1014K_01	From the South Mayde Creek confluence upstream to 0.17 km (0.1 mi) south of	4a	No		
	Clay Road				
1014K_02	From 0.17 km (0.1 mi) south of Clay Road upstream to FM 529 1.1 km (0.68 mi)	4a	No		
	directly east of N. Eldridge Pkwy				

SegID: 101	4L Mason Creek From the Buffalo Bayou confluence upstream to Mason Road upstream to 0.32 km Drive	n (0.2 mi) east of Ka	ityland		
<u>Parameter(s)</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1014L_01	From the Buffalo Bayou confluence upstream to Mason Road	4a	No		

November 19, 2015 Page 61 of 130

SegID: 10	Newman Branch (Neimans Bayou) From the Buffalo Bayou Above Tidal confluence to 0.1 km (0.06 mi) upstream of County	f Hammerly Blvd in	Harris		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	4a	No		
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed dis	depressed dissolved oxygen				
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5b	No		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
impaired fish	community				
1014M_01	From the Buffalo Bayou confluence to 0.1 km (0.06 mi) upstream of Hammerly Blvd	5c	Yes		
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
impaired macrobenthic community					
1014M_01	From the Buffalo Bayou confluence to $0.1\ \mathrm{km}\ (0.06\ \mathrm{mi})$ upstream of Hammerly Blvd	5c	Yes		

SegID: 10	14N Rummel Creek From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream	of IH-10 in Harris Cou	inty
<u>Parameter(s</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1014N_01	From the Buffalo Bayou Above Tidal confluence to 1.2 km (0.75 mi) upstream of IH-10	4a	No

SegID: 1014O Spring Branch From Buffalo Bayou Above Tidal confluence to 1.4 km (0.87 mi) upstream of Long Point Road in Harris County				
Parameter(s) bacteria		<u>Category</u>	<u>Carryforward</u>	
1014O_01 Entire	water body	4a	No	

SegID: 10	Mound Creek From the confluence with Lake Creek to a point 0.69 km east of FM 149 near	Conroe			
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1015A_01	Perennial stream from the confluence with Lake Creek upstream to the confluence with an unnamed tributary approximately 0.75 km downstream of Rabon-Chapel Road	5c	No		

November 19, 2015 Page 62 of 130

SegID:	SegID: 1016 Greens Bayou Above Tidal From a point 0.7 km (0.4 miles) above the confluence of Halls Bayou in Harris County to a point 100 meters (110 yards) above FM 1960 in Harris County				
<u>Paramete</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1016_01	Upper segment boundary (FM 1960) to IH 45	4a	No		
1016_02	IH 45 to US 59	4a	No		
1016_03	From US 59 to the downstream boundary $0.7~\mathrm{km}$ ($0.4~\mathrm{miles}$) upstream of the Halls Bayou confluence	4a	No		

SegID: 10	16A Garners Bayou From the confluence with Greens Bayou upstream to a point 0.89 km northeast near Humble	of Will Clayton Parkw	vay	
Parameter(s) Category Carryforward bacteria				
1016A_02 1016A_03	From the Williams Gully confluence upstream to 1.5km north of Atascocita Road From the Greens Bayou confluence to the Williams Gully confluence	4a 4a	No No	

SegID: 10	Unnamed Tributary of Greens Bayou From confluence with Greens Bayou to Hirsch Road in Harris County				
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1016B_01	Entire water body	4a	No		

SegID: 101	6C Unnamed Tributary of Greens Bayou From the confluence with Greens Bayou, east of Aldine Westfield Road, to the County	Hardy Toll Road in Ha	urris
Parameter(s) <u>Category Carryforward</u> bacteria			
1016C_01	Entire water body	4a	No

SegID: 1016D Unnamed Tributary of Greens Bayou From the confluence with Greens Bayou, west of El Dorado Country Clul in Harris County	b to Lee Road, west of US H	wy 59		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>		
bacteria				
1016D_01 Entire water body	4a	No		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen				
1016D_01 Entire water body	5c	No		

November 19, 2015 Page 63 of 130

SegID: 10	SegID: 1017 Whiteoak Bayou Above Tidal From a point immediately upstream of the confluence of Little White Oak Bayou in Harris County to a point 3.0 km (1.9 miles) upstream of FM 1960 in Harris County		
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1017_01	Huffmeister Rd to the confluence with Vogel Creek	4a	No
1017_02	Vogel Creek to the Cole Creek confluence	4a	No
1017_03	Cole Creek confluence to the Brickhouse Gully confluence	4a	No
1017_04	From Brickhouse Gully confluence to a point immediately upstream of the confluence of Little White Oak Bayou in Harris Co. (lower segment boundary).	4a	No

SegID: 1017A	Brickhouse Gully/Bayou Perennial stream from the confluence with Whiteoak Bayou up to Gessner Road		
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1017A01	e water body	4a	No

SegID: 10	Cole Creek Perennial stream from the confluence with White Oak Bayou up to south of Beltv	way 8	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1017B_02	From Flintlock Street to confluence with White Oak Bayou	4a	No

SegID: 101	SegID: 1017C Vogel Creek From the White Oak Bayou Above Tidal confluence to a point 3.2 km (2.0 mi) upstream of the White Oak Bayou confluence to just south of State Hwy 249 in Harris County			
Parameter(s) Category Carryforward bacteria				
1017C_01	From the White Oak Bayou confluence to a point 3.2 km (2.0 mi) upstream	4a	No	

SegID: 1017D	Unnamed Tributary of Whiteoak Bayou From the confluence with White Oak Bayou downstream of TC Jester, to Hempst Hwy 290 in Harris County	ead Hwy, north of U	S	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1017D_01 Entire	e water body	4a	No	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1017D_01 Entire	water body	5c	Yes	

November 19, 2015 Page 64 of 130

SegID: 10	Unnamed Tributary of White Oak Bayou From the confluence with White Oak, near W 11th Street, to just upstream of V 610 W in Harris County	V 26th Street, south of	Loop	
Parameter(Parameter(s) <u>Category Carryforward</u>			
bacteria				
1017E_01	Entire water body	4a	No	

SegID: 10	Rolling Fork Creek From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi)	upstream	
<u>Parameter(s</u>	2	<u>Category</u>	<u>Carryforward</u>
bacteria			
1017F_01	From the White Oak Bayou Above Tidal confluence to a point 3.9 km (2.4 mi)	5a	No
	upstream		

SegID:	1101 Clear Creek Tidal From the Clear Lake confluence at a point 3.2 km (2.0 miles) downstream of El Galveston/Harris County to a point 100 m (110 yards) upstream of FM528 in G		y			
Paramet	Parameter(s) <u>Category</u> <u>Carryforward</u>					
bacteria						
1101_02	Chigger Creek confluence to IH 45	4a	No			
1101_03	IH 45 to Cow Bayou confluence	4a	No			
1101_04	Cow Bayou confluence to confluence with Clear Lake	4a	No			
Paramet	Parameter(s) <u>Category</u> <u>Carryforward</u>					
dioxin in	dible tissue					
1101_01	Upper segment boundary to Chigger Creek confluence	5a	No			
1101_02	Chigger Creek confluence to IH 45	5a	No			
1101_03	IH 45 to Cow Bayou confluence	5a	No			
1101_04	Cow Bayou confluence to confluence with Clear Lake	5a	No			
Paramet	er(s)	<u>Category</u>	<u>Carryforward</u>			
PCBs in 6	PCBs in edible tissue					
1101_01	Upper segment boundary to Chigger Creek confluence	5a	No			
1101_02	Chigger Creek confluence to IH 45	5a	No			
1101_03	IH 45 to Cow Bayou confluence	5a	No			
1101_04	Cow Bayou confluence to confluence with Clear Lake	5a	No			

SegID: 110	SegID: 1101A Magnolia Creek From the Clear Creek Tidal confluence upstream to 0.8 km (0.5 mi) upstream of the confluence with the second unnamed tributary			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1101A_01	From the Clear Creek Tidal confluence upstream 7.7 km (4.8 mi)	4a	No	

November 19, 2015 Page 65 of 130

SegID: 11	O1B Chigger Creek From the confluence with Clear Creek Tidal to the Brazos River Authority Canal County	near CR 143 in Galv	veston		
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
bacteria					
1101B_01	From the headwaters to FM 528	4a	No		

SegID: 11	O1C Cow Bayou From the Clear Creek Tidal confluence to SH 3 in Galveston County		
Parameter(<u>Category</u>	<u>Carryforward</u>
bacteria			
1101C_01	From the Clear Creek Tidal confluence to SH3	4a	No

SegID: 11	Robinson Bayou From confluence with Clear Creek 0.33 mile upstream of Webster Street in Gal	veston County	
Parameter(s bacteria	2	<u>Category</u>	<u>Carryforward</u>
1101D_01	From Clear Creek Tidal confluence to 0.05 km (0.03 mi) upstream of Hewitt Street	4a	No

SegID:	1102 Clear Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 528 in Galveston. Bend County	/Harris County to Rouen Road	in Fort
<u>Paramet</u>	<u>er(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1102_02	SH 288 to Hickory Slough confluence	4a	No
1102_03	Hickory Slough confluence to Turkey Creek confluence	4a	No
1102_04	Turkey Creek confluence to Mary's Creek confluence	4a	No
Paramet	er(s)	<u>Category</u>	Carryforward
PCBs in e	dible tissue		
1102_01	Upper segment boundary (Rouen Road) to SH 288	5a	No
1102_02	SH 288 to Hickory Slough confluence	5a	No
1102_03	Hickory Slough confluence to Turkey Creek confluence	5a	No
1102_04	Turkey Creek confluence to Mary's Creek confluence	5a	No
1102_05	Mary's Creek confluence to lower segment boundary	5a	No

SegID: 11	O2A Cowart Creek From the Clear Creek Above Tidal confluence in Galveston County to SH 35	in Brazoria County	
Parameter(s bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
1102A_01 1102A_02	Sunset Drive to SH 35 Confluence with Clear Creek to Sunset Drive	4a 4a	No No

November 19, 2015 Page 66 of 130

SegID: 110	SegID: 1102B Mary's Creek/ North Fork Mary's Creek Perennial stream from the confl. With Clear Creek to confl. With N. and S. Fork Mary's Creek near FM 1128, approx. 5 km SW Pearland. Includes perennial portion of N. Fork Mary's Creek to confl. with unnamed trib approx. 3.2 km upstrm of FM 1128				
Parameter(s bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
1102B_01	From the Clear Creek Above Tidal confluence upstream to the N. and S. Fork Mary's Creek near FM 1128	4a	No		

SegID: 11	Hickory Slough From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upst	ream of Mykawa Road	1		
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1102C_01	From the Clear Creek Above Tidal confluence to a point 0.69 km (0.43 mi) upstream of Mykawa Road	4a	No		

SegID: 11	SegID: 1102D Turkey Creek From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd				
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1102D_01	From the Clear Creek Above Tidal confluence to a point 0.98 km (0.61 mi) upstream of Scarsdale Blvd	4a	Yes		

SegID: 1102F Mary's Creek Bypass From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)					
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1102F_01	From the Mary's Creek confluence NE of FM 518 to a point 0.96 km (0.60 mi) upstream to the Mary's Creek confluence (NW of County Road 126)	5a	No		

SegID: 1102G Unnamed Tributary of Mary's Creek From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary					
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
1102G_01	From the Mary's Creek confluence 1.3 km (0.84 mi) west of FM 1128 to a point 1.2 km (0.75 mi) upstream to the confluence of an unnamed tributary	4a	Yes		

November 19, 2015 Page 67 of 130

SegID:	1103 Dickinson Bayou Tidal From the Dickinson Bay confluence 2.1 km (1.3 miles) downstream of SH 146 point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County		
<u>Paramete</u> bacteria	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	4a	No
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	4a	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	4a	No
Paramete	<u>r(s)</u>	<u>Category</u>	Carryforward
depressed	dissolved oxygen		
1103 02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5b	No
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5b	Yes
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5b	No
Paramete	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in e	dible tissue		
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	No
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	No
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No
Paramete	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in e	lible tissue		
1103_01	From the Dickinson Bay confluence (downstream of State Hwy 146) upstream to the Gum Bayou confluence	5a	No
1103_02	From the Gum Bayou confluence upstream to the Benson Bayou confluence	5a	No
1103_03	From the Benson Bayou confluence upstream to the Bordens Gully confluence	5a	No
1103_04	From the Bordens Gully confluence upstream to a point 4.0 km (2.5 mi) downstream of FM 517	5a	No

SegID: 1103A Bensons Bayou From the Dickinson Bayou confluence to point 0.6 km (0.37 mi) upstream of FM 646 in Galveston County				
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
1103A_01	From the Dickinson Bayou Tidal confluence to point 0.6 km (0.37 mi) upstream of FM 646	4a	No	

SegID: 1103B Bordens Gully From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646 in Galveston County				
Parameter(bacteria	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
1103B_01	From the Dickinson Bayou Tidal confluence to a point 1.4 km (0.87 mi) upstream of FM 646	4a	No	

November 19, 2015 Page 68 of 130

SegID: 11	SegID: 1103C Geisler Bayou From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646 in Galveston County					
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>			
bacteria	bacteria					
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	4a	No			
Parameter(<u>s)</u>	<u>Category</u>	<u>Carryforward</u>			
depressed dissolved oxygen						
1103C_01	From the Dickinson Bayou Tidal confluence to a point 1.37 km (0.85 mi) upstream of FM 646	5c	No			

SegID: 11	Gum Bayou From the Dickinson Bayou Tidal confluence to State Hwy 96 in Galveston County		
Parameter(s		<u>Category</u>	<u>Carryforward</u>
1103D_01	From Dickinson Bayou Tidal confluence to State Hwy 96	5a	No

SegID: 11	O3E Cedar Creek From the Dickinson Bayou Tidal confluence to a point 0.63 km (0.39 mi) upstre County	am FM 517 in Galvest	ton	
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>			
Dacteria				
1103E_01	From the Dickinson Bayou Tidal confluence to a point $0.63~\mathrm{km}$ ($0.39~\mathrm{mi}$) upstream FM 517	5a	No	

SegID:	Dickinson Bayou Above Tidal From a point 4.0 km (2.5 miles) downstream of FM 517 in Galveston County County	to FM 528 in Galveston	
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1104_02	From FM 517 upstream to FM 528	4a	No

SegID: 1	SegID: 1105 Bastrop Bayou Tidal From the confluence with Bastrop Bay 1.1 kilometers (0.7 mile) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County				
<u>Parameter</u> bacteria	Parameter(s) Category Carryforward bacteria				
1105_01	From the confluence with Bastrop Bay 1.1 kilometers (0.7 miles) downstream of the Intracoastal Waterway in Brazoria County to a point 8.6 km (5.3 miles) upstream of Business 288 at Lake Jackson in Brazoria County	5c	No		

November 19, 2015 Page 69 of 130

SegID: 11	Prom a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH	35 in Brazoria County			
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1105A_01	From a point 2.6 km (1.6 mi) downstream of County Road 171 upstream to SH 35	5c	No		

SegID: 11	Austin Bayou Tidal From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing in Bra	zoria County			
-	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1105B_01	From the Bastrop Bayou Tidal confluence to the FM 2004 bridge crossing	5c	No		

SegID: 11	Austin Bayou Above Tidal From FM 2004 upstream (Austin Bayou Tidal upper boundary) to 0.3 km (0.19 n Brazoria County	mi) upstream of SH 28	88 in		
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1105C_01	From FM 2004 upstream to 0.3 km (0.19 mi) upstream of SH 288	5c	No		

SegID: 1105E Brushy Bayou From the confluence with Austin Bayou Above Tidal (1105C) upstream to end of canal approximately 0.4 miles upstream of FM 210 crossing east of the City of Angleton in Brazoria County.					
Parameter(s) <u>Category</u> <u>Carryforward</u>					
bacteria					
1105E_01 Entire water body	5c	No			
<u>Parameter(s)</u> depressed dissolved oxygen					
1105E_01 Entire water body	5c	No			

November 19, 2015 Page 70 of 130

SegID: 1	Chocolate Bayou Tidal From the Chocolate Bay confluence 1.4 km (0.9 miles) downstream of FM 2004 miles) downstream of SH 35 in Brazoria County	to a point 4.2 km (2.0	5	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 $$	5c	No	
Parameter	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			
dioxin in ed	ble tissue			
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35	5a	No	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue				
1107_01	From the Chocolate Bay confluence 1.4 km (0.9 mi) downstream of FM 2004 to a point 4.2 km (2.6 mi) downstream of SH 35 $$	5a	No	

SegID: 110	Chocolate Bayou Above Tidal From a point 4.2 km (2.6 miles) downstream of SH 35 in Brazoria County to SH	6 in Brazoria County	
<u>Parameter(s</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1108_01	From a point 4.2 km (2.6 mi) downstream of SH 35 to SH 6	5c	No

SegID: 11	Oyster Creek Tidal From the Intercoastal Waterway confluence to a point 100 meters (110 yards) up Brazoria County	ostream of FM 2004 in	1		
Parameter(s	Parameter(s) Category Carryforward				
Dacteria					
1109_01	From the Intracoastal Waterway confluence to a point 100 m (110 yds) upstream of FM 2004	5c	No		

SegID: 11	SegID: 1110 Oyster Creek Above Tidal From a point 100 meters (110 yards) upstream of FM 2004 in Brazoria County to the Brazos River Authority diversion dam 1.8 km (1.1 miles) upstream of SH 6 in Fort Bend County		
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1110_01	From the lower segment boundary immediately upstream of FM 2004 to the Styles	5c	No
_	Bayou confluence		
Parameter(<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed di	issolved oxygen		
1110_01	From the lower segment boundary immediately upstream of FM 2004 to the Styles	5b	Yes
	Bayou confluence		
1110_03	From an unnamed tributary [2.9 km (1.8 mi) downstream of FM 1462] upstream to	5b	No
	the Brazos River Diversion Dam		

November 19, 2015 Page 71 of 130

SegID: 1	113 Armand Bayou Tidal From the Clear Lake confluence (at NASA Road 1 bridge) in Harris County to a downstream of Genoa-Red Bluff Road in Pasadena in Harris County (includes M		
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	No
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5c	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
depressed d	lissolved oxygen		
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5b	Yes
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi)	5b	Yes
	downstream of Genoa-Red Bluff Road		
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in ed	lible tissue		
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	5c	No
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	No
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5c	No
Parameter	<u>(s)</u>	Category	Carryforward
PCBs in ed	ible tissue		
1113_01	From the Clear Lake confluence at Nasa Road 1 to the Horsepen Bayou confluence	5c	No
1113_02	From the Horsepen Bayou confluence to the Big Island Slough confluence	5c	No
1113_03	From the Big Island Slough confluence upstream to a point 0.8 km (0.5 mi) downstream of Genoa-Red Bluff Road	5c	No

SegID: 11	13A Armand Bayou Above Tidal From the upper segment boundary of Armand Bayou Tidal, 0.8 km (0.5 miles) do Bluff Road), upstream to Beltway 8 in Harris County	ownstream of Genoa-	Red			
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>					
bacteria						
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5c	No			
Parameter(s	<u>:)</u>	<u>Category</u>	Carryforward			
depressed dis	ssolved oxygen					
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No			
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>			
impaired fish	community					
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No			
Parameter(s	<u></u>	<u>Category</u>	<u>Carryforward</u>			
impaired macrobenthic community						
1113A_01	From the upper segment boundary of Armand Bayou Tidal (point 0.8 km (0.5 miles) downstream of Genoa-Red Bluff Road) upstream to Beltway 8	5b	No			

November 19, 2015 Page 72 of 130

SegID: 11	Horsepen Bayou Tidal From the Armand Bayou confluence to the SH3			
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
1113B_01	From the Armand Bayou confluence to the SH3	5c	No	

SegID:	Unnamed Tributary to Horsepen Bayou From the Horsepen Bayou confluence to Reseda Road		
Paramete	<u>*(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1113C_01	From the Horsepen Bayou confluence to Reseda Drive	5c	No

SegID: 11	Willow Springs Bayou From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an u	unnamed tributary			
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1113D_01	From the Armand Bayou confluence to a point 2.8 km (1.8 mi) upstream to an unnamed tributary	5c	No		

SegID: 11	Big Island Slough From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of	of Spenser Hwy	
Parameter(s	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
1113E_01	From the Armand Bayou confluence upstream to a point 2.4 km (1.5 mi) north of Spencer Hwy	5c	No

SegID: 1202H Allen's Creek From the confluence with the Brazos River, two miles northeast of Wallis, to the headwaters one mile north of IH 10 in Austin County.				
Parameter(s) <u>Category Carryforward</u> bacteria			<u>Carryforward</u>	
1202H_01	Entire water body	5b	No	

SegID: 1202J Big Creek Big Creek - from the confluence of the Brazos River upstream to the confluence of Cottonwood Creek and Coon Creek					
<u>Parameter(s</u> bacteria		<u>Category</u>	<u>Carryforward</u>		
1202J_01	Big Creek from the confluence of the Brazos River upstream to the confluence of an unnamed tributary 2.1 km downstream of FM 2977 south of Rosenberg	5c	No		

November 19, 2015 Page 73 of 130

SegID: 12	Mill Creek From confluence of East and West Mill Creeks downstream to confluence with I	3razos River			
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1202K_01	Portion of Mill Creek from confluence with Brazos River upstream to confluence with East/West Forks Mill Creek in Austin County.	5c	No		

SegID: 1204A Camp Creek From its confluence with the Brazos River downstream of Lake Granbury, upstream to its headwaters, 0.9 miles north of US Hwy 67 in Johnson County.				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1204A_01 entir	e water body	5b	Yes	

SegID: 12	O8 Brazos River Above Possum Kingdom Lake From a point immediately upstream of the confluence of Cove Creek at Salem B confluence of the Double Mountain Fork Brazos River and the Salt Fork Brazos				
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1208_01	Portion of segment from confluence with Possum Kingdom Reservoir headwaters upstream to confluence with Spring Branch in Young County.	5c	Yes		
1208_02	Portion of segment from confluence with Spring Branch upstream to confluence with Fish Creek	5c	Yes		
1208_04	From confluence with Boggy Creek upstream to confluence with Millers Creek	5c	Yes		
1208_05	From confluence with Millers Creek upstream to confluence with Lake Creek	5c	No		

SegID:	1209 Navasota River Below Lake Limestone From the confluence with the Brazos River in Grimes County to Sterling C. Ro Leon/Robertson County	bertson Dam in	
Paramet	er <u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1209_03	Portion of Navasota River from confluence with Sandy Branch upstream to	5c	Yes
	confluence with Shepherd Branch in Madison County.		
1209_05	Portion of Navasota River from confluence with Camp Creek upstream to Lake	5c	No
	Limestone Dam in Robertson County.		

SegID: 120	Country Club Lake From the Country Club Branch Dam up to normal pool elevation in Bryan in Braz	os County			
	Parameter(s) Category Carryforward toxicity in sediment				
1209A_01	Entire reservoir	5c	Yes		

November 19, 2015 Page 74 of 130

SegID: 1209B	Fin Feather Lake From Fin Feather Dam up to normal pool elevation in northwest Bryan in Brazos	County	
Parameter(s) Category Carryforward toxicity in sediment			<u>Carryforward</u>
1209B_01 Entire	reservoir	5c	Yes

SegID: 12	209C Carters Creek Perennial stream from the confluence with the Navasota River southeast o upstream to the confluence of an unnamed tributary 0.5 km upstream of FI	~	County		
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1209C_01	Entire water body	4a	No		

SegID: 1209D	Country Club Branch From the confluence with Country Club Lake in Bryan in Brazos County to the d Bryan	am at Fin Feather Lal	ke in
Parameter(s) bacteria		<u>Category</u>	<u>Carryforward</u>
1209D_01 Enti	ire water body	4a	Yes

SegID: 1209E	Wickson Creek Perennial stream from the confluence with an unnamed first order tributary (approx of Reliance Road crossing) upstream to the confluence with an unnamed first order 15 meters upstream of Dilly Shaw Road	, ,	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1209E_01 E1	ntire water body	5b	Yes

SegID: 12	Duck Creek From the confluence with the Navasota river in Robertson County to Twin Oal County	k Reservoir dam in Rob	pertson
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5b	No
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	5b	Yes
Parameter(s	1	<u>Category</u>	<u>Carryforward</u>
depressed dis	solved oxygen		
1209H_01	Portion of Duck Creek from confluence with Navasota River upstream to confluence with Mineral Creek in Robertson County.	5c	No
1209H_02	Portion of Duck Creek from confluence with Mineral Creek in Robertson County upstream to headwaters in Limestone County.	5c	No

November 19, 2015 Page 75 of 130

SegID: 120	Gibbons Creek From confluence with Navasota River in Grimes County to SH 90 in Grimes County	y		
	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
1209I_01	Portion of Gibbons Creek from confluence with Navasota River upstream to confluence with Dry Creek in Grimes County.	5b	No	

SegID: 1209J Shepherd Creek From the confluence with the Navasota River in Madison County to a point 0.7 miles upstream of FM 1452 in Madison County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1209J_01	Entire water body	5b	Yes	

SegID: 120	O9K Steele Creek From confluence with Navasota River in Robertson County to a point 2.4 miles to Limestone County	upstream of FM 147 in	n		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1209K_02	Portion of Steele Creek from confluence with Willow Creek upstream to headwaters in Limestone County.	5b	No		

SegID: 12	O9L Burton Creek Burton Creek - from the confluence of Carters Creek in College Station upstrean northeast of Finfeather lake in Bryan	n to the headwater 0.7	km		
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1209L_01	Burton Creek from the confluence of Carters Creek in College Station upstream to the headwater 0.7 km northeast of Finfeather Lake in Bryan	4a	Yes		

SegID: 1210A	Navasota River above Lake Mexia From the confluence with the headwaters of Lake Mexia in Limestone County to upstream of SH 31 in Hill County	a point 1.25 miles	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1210A_01 Er	ntire water body	5c	Yes

November 19, 2015 Page 76 of 130

SegID:	211A Davidson Creek Intermittent stream with perennial pools from the confluence with Yegua Cree Caldwell in Burleson County	k to 0.2 km above SH 2	1 near	
<u>Paramete</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	5b	Yes	
Paramete	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1211A_02	Portion of Davidson Creek from confluence with unnamed tributary (NHD RC 12070102001903) upstream to headwaters in Milam County.	5c	Yes	

SegID: 12	SegID: 1212 Somerville Lake From Somerville Dam in Burleson/Washington County up to normal pool elevation of 238 feet (impounds Yegua Creek)				
Parameter	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
pН					
1212_01	Eastern end of reservoir near dam	5c	Yes		
1212_03	Middle of reservoir near Birch Creek State Park	5c	Yes		
1212_04	Western end of reservoir near upper segment boundary	5c	Yes		

SegID: 12	12A Middle Yegua Creek From the confluence with East Yegua and Yegua Creeks in Lee County to the L County line	ee County/Williamson	1
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
1212A_02	From confluence with West Yegua Creek upstream to headwaters of water body in Williamson County.	5b	Yes

SegID: 12	12B East Yegua Creek From the confluence with Middle Yegua and Yegua Creeks southeast of Dime upstream portion of the stream, south of Alcoa Lake in Milam County	Box in Lee County to the	he		
<u>Parameter(s</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1212B_01	Portion of East Yegua Creek from confluence with Middle Yegua Creek in Burleson County upstream to confluence with Allen Creek in Lee County.	5c	Yes		

SegID: 12	SegID: 1213 Little River From the confluence with the Brazos River in Milam County to the confluence of the Leon River and the Lampasas River in Bell County				
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
1213_04	From confluence with Boggy Creek upstream to its confluence with Leon and Lampasas Rivers	5c	No		

November 19, 2015 Page 77 of 130

SegID: 12	SegID: 1213A Big Elm Creek From the confluence with Little River in Milam county, 4.5 km northeast of the City of Cameron , upstream to its headwaters in McLennan County, 0.7 km west of Moody.				
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
1213A_01	Portion of Big Elm Creek from the confluence with the Little River upstream to confluence with Little Elm Creek.	5c	No		

SegID: 12	San Gabriel River From the confluence with the Little River in Milam County to Granger Lake	Dam in Williamson Cou	nty		
<u>Parameter(</u> chloride	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
chioride					
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	5c	No		
1214_02	From confluence with Alligator Creek upstream to Lake Granger	5c	No		
<u>Parameter(</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
sulfate					
1214_01	From confluence with Little River upstream to confl. with Alligator Creek	5c	No		
1214_02	From confluence with Alligator Creek upstream to Lake Granger	5c	No		

SegID: 1217D North Rocky Creek From its confluence with South Rocky Creek, upstream to its headwaters 7 miles west of US Hwy 183 in Burnet County				
Parameter(s) <u>Category Carryforward</u> depressed dissolved oxygen				
•	re water body	5c	Yes	

SegID: 1218 Nolan Creek/ South Nolan Creek From the confluence with the Leon River in Bell County to a point 100 meters (110 yards) upstream to the most upstream crossing of US 190 and Loop 172 in Bell County				
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria				
1218_02	Portion of South Nolan Creek from confluence with North Nolan / Nolan Creek fork upstream to confluence with Liberty Ditch in city of Killeen in Bell County.	5b	No	

SegID: 121	SegID: 1218C Little Nolan Creek From the confluence with Nolan Creek/South Nolan Creek upstream to headwaters in the city of Killeen, Bell County.					
Parameter(s) <u>Category</u> <u>Carryforward</u>			<u>Carryforward</u>			
bacteria	bacteria					
1218C_01	Entire water body	5b	Yes			

November 19, 2015 Page 78 of 130

SegID: 12.	SegID: 1221 Leon River Below Proctor Lake From a point 100 meters (110 yards) upstream of FM 236 in Coryell County to Proctor Dam in Comanche County				
Parameter(s) Category Carryforward bacteria					
1221_03 1221_06	From confluence with Stillhouse Creek, upstream to confluence with Plum Creek From confluence with South Leon Creek upstream to confluence with Walnut Creek	5c 5c	No No		

SegID: 12	Resley Creek From the confluence of the Leon River east of Gustine in Comanche County to t portion of the stream north of Gustine in Comanche County	he upstream perennial			
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche	5b	No		
1221A_02	County Line Portion of Resley Creek from confluence with unnamed tributary (NHD RC 12070201007823), upstream to headwaters in Erath County.	5b	Yes		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed dis	depressed dissolved oxygen				
1221A_01	Portion of Resley Creek from confluence with Leon River upstream to conf. with unnamed tributary (NHD RC 12070201007823), approx. 1.0 mile N. of Comanche County Line	5b	Yes		

SegID: 12	221D Indian Creek Perennial stream from the confluence of the Leon River to the headwaters				
Parameter(<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1221D_01	From confluence with Leon River, upstream to confluence with Armstrong Creek	5b	No		
1221D_02	From confluence with Armstrong Creek upstream to headwaters of water body	5b	No		
	(includes the Appendix D portion of the WQS)				

SegID: 1221F	Walnut Creek From its confluence with Leon River upstream to its headwaters 2.4 miles west of	Dublin in Erath Cou	unty
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria			
1221F_01 entir	e water body	5e	No

SegID: 1222A Duncan Creek From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream west of Comanche in Comanche County					
Parameter(s)	Parameter(s) <u>Category Carryforward</u>				
bacteria					
1222A_01 Entire	creek	5b	No		

November 19, 2015 Page 79 of 130

SegID: 122	SegID: 1222B Rush-Copperas Creek From the confluence of Proctor Lake northeast of Comanche in Comanche County to the upstream perennial portion of the stream northwest of Comanche in Comanche County				
<u>Parameter(s)</u> bacteria	Parameter(s) <u>Category Carryforward</u> bacteria				
1222B_01	Entire water body	5b	Yes		

SegID: 12	Sabana River From the confluence of Proctor Lake northeast of Comanche in Comanche Cour portion of the stream northwest of Rising Star in Eastland County	nty to the upstream per	rennial
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
1222C_01	Portion of Sabana River from confluence with Lake Belton in Comanche County upstream to confluence with Elm Creek in Eastland County.	5c	Yes

SegID: 1222E	Sweetwater Creek From its confluence with Copperas Creek, upstream to its headwaters, 6.3 miles w Comanche County	vest of Comanche in	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1222E_01 enti	ire water body	5b	Yes

SegID: 1223 Leon River Below Leon Reservoir From a point immediately upstream of the confluence of Mill Branch in Comanche County to Leon Dam in Eastland County				
Parameter(s)	<u>Category</u>	<u>Carryforward</u>		
bacteria				
1223_01 Entire Segment	5b	No		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>		
depressed dissolved oxygen				
1223_01 Entire Segment	5c	Yes		

SegID: 1223A	Armstrong Creek From its confluence with the Leon River downstream of Leon Reservoir, upstreat County 6.2 miles east of State Hwy 16.	ım to its headwaters ir	ı Erath
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1223A01 enti	re water body	5b	Yes

November 19, 2015 Page 80 of 130

SegID: 1	North Bosque River From a point 0.51 kilometers (0.32 miles) downstream of Caldwell Crossing in I immediately upstream of the confluence of Indian Creek in Erath County	McLennan County to	a point
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
excessive al	gal growth		
1226_02	Portion of North Bosque River from confluence with Neils Creek upstream to confluence with Meridian Creek in Bosque County.	4a	Yes
1226_03	Portion of North Bosque River from confluence with Meridian Creek upstream to confluence with Duffau Creek in Bosque County.	4a	Yes
1226_04	Portion of North Bosque River from confluence with Duffau Creek in Bosque County upstream to a point immediately upstream of Indian Creek confluence (end of segment) in Erath County.	4a	Yes

SegID: 12	226A Duffau Creek From the confluence with the North Bosque River west of Iredell in Bosque Coheadwaters, 0.4km west of US67 in Erath County.	ounty upstream to its		
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
1226A_01	Entire water body	5c	No	

SegID: 122	Green Creek From the confluence of the North Bosque River south of Clairette in Erath Content to the Advantage of Stephenville in Erath County	ounty upstream to its		
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			
depressed dissolved oxygen				
1226B_01	Entire water body	5c	Yes	

SegID: 122	6E Indian Creek From the confluence with the North Bosque River in Erath County to the headwate Stephenville in Erath County	ers 3.5 miles east of	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1226E_01	Entire water body	5b	No

SegID: 1226F Sims Creek From the confluence with the North Bosque River in Erath County to the headwaters 6 miles southeast of Stephenville in Erath County				
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>	
1226F_01 En	tire water body	5b	No	

November 19, 2015 Page 81 of 130

SegID: 1226H	Alarm Creek From its confluence with the North Bosque River, upstream to its headwaters 3 Erath County	miles west of Stephen	ville in	
<u>Parameter(s)</u> bacteria				
1226H_01 enti	ire water body	5b	No	

SegID: 1226K	Little Duffau Creek From its confluence with Duffau Creek, upstream to its headwaters 2.4 miles sour County	th west of US 67 in E	rath
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1226K_01 ent	ire water body	5b	No

SegID: 1226M Little Green Creek From its confluence with Green Creek, upstream to its confluence with the North and South Forks of Little Green Creek, 2.4 miles south of SH 6 in Erath County.				
Parameter(s) Category Carryforward bacteria				
1226M_01 er	ntire water body	5b	No	

SegID: 1	Nolan River From a point immediately upstream of the confluence of Rock Creek in Hill Cou Johnson County	nty to Cleburne Dam	in
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
sulfate			
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolv	ed solids		
1227_01	Portion of Nolan River from confluence with Whitney Lake upstream to confluence with Mustang Creek in Hill County.	5b	No
1227_02	Portion of Nolan River from confluence with Mustang Creek in Hill County upstream to confluence with Lake Pat Cleburne Dam in Johnson County.	5b	No

SegID: 1232A California Creek From the confluence of Paint Creek southeast of Haskell in Haskell County to the headwaters southwest of Stamford in Jones County				
Parameter(s) <u>Category Carryforward</u> bacteria				
1232A_01	Portion of California Creek from confluence with Paint Creek in Haskell County upstream to confluence with Thompson Creek in Jones County.	5b	Yes	

November 19, 2015 Page 82 of 130

SegID: 1240 White River Lake From White River Dam in Crosby County up to the normal pool elevation of 2372.2 feet (impounds White River)				
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
1240_01 Entire segment	5b	No		
Parameter(s) Category Carryforward total dissolved solids				
1240_01 Entire segment	5b	No		

SegID: 124	1 Double Mountain Fork Brazos River From the confluence with the Salt Fork Brazos River in Stonewall County to the Fork Double Mountain Fork Brazos River in Kent County	confluence of the No.	rth		
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1241_01	25 miles near Hwy 83	5b	Yes		

SegID: 1241B Lake Alan Henry Impounded Double Mountain Fork Brazos Rive, 20.0 miles south east of Post in Garza and Kent Counties.				
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
mercury in edible tissue				
1241B_01 entire water body	5c	No		

SegID: 12	42B Cottonwood Branch Intermittent stream with perennial pools from the confluence with Still Creek up confluence with an unnamed tributary	stream 0.95 km to the	
Parameter(s	<u>v)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1242B_01	Portion of Cottonwood Branch from confluence with Still Creek upstream to	5b	Yes
	unnamed tributary (NHD RC 12070101000835) in Brazos County.		
1242B_02	Portion of Cottonwood Branch from confluence with unnamed tributary (NHD RC	5b	Yes
	12070101000835) upstream to headwaters in Brazos County.		_

SegID: 12	A2C Still Creek Perennial stream from the confluence with Thompson's Creek upstream to the confluence	onfluence with Cotton	wood
<u>Parameter(.</u>	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1242C_01	Portion of Still Creek from confluence with Thompsons Creek in Brazos County	5b	Yes
1242C 02	upstream to confluence with unnamed tributary (NHD RC 12070101006127). Portion of Still Creek from confluence with unnamed tributary (NHD RC	5b	Yes
_	12070101006127) upstream to headwaters in Brazos County.		

November 19, 2015 Page 83 of 130

SegID: 1242D Thompsons Creek Thompsons Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Thompson's Branch, north of FM 1687				
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1242D_01	Thompsons Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Still Creek in Brazos County.	5b	No	
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	5b	Yes	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dis	solved oxygen			
1242D_02	Thompsons Creek an Appendix D intermittent stream with perennial pools section from the confluence of Still Creek upstream to the confluence of Thompson's Branch, north of FM 1687	5b	Yes	

SegID: 1242F Pond Creek Perennial stream from the confluence with the Brazos River in Milam County up to the confluence with Live Oak Creek in Falls County				
Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria				
1242F_01	From the Brazos confluence upstream to Live Oak Creek confluence	5b	Yes	

SegID: 1242I	Campbells Creek From the confluence with the Little Brazos River upstream to the headwaters, Antonio Road	one mile west of Old San	1
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1242I_01 Enti	ire water body	5b	No

SegID: 1242J Deer Creek Deer Creek - perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott				
Parameter(s) <u>Category Carryforward</u> bacteria				
1242J_01	Deer Creek an Appendix D perennial stream from the confluence of the Brazos River upstream to the confluence of Dog Branch northwest of Lott	5c	No	

SegID: 1242K Mud Creek From confluence with the Little Brazos River, upstream to the confluence with Touchstone Branch and Wolf Den Branch, in Robertson County			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1242K_01 Entire	e water body	5b	No

November 19, 2015 Page 84 of 130

SegID: 12	42L Pin Oak Creek From the confluence with the Little Brazos River in Robertson County upstre miles south of Franklin	am to the headwaters, 2.0	17
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1242L_01	Entire water body	5b	No

SegID: 124	Spring Creek From the confluence with the Little Brazos River in Robertson County, upstrea miles north of FM 391	m to the headwaters, 1	5
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1242M_01	Entire water body	5b	No

SegID: 1242O	Walnut Creek From the confluence with the Little Brazos River in Robertson County, upstream to south of White Rock	to the headwaters, or	ne mile
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1242O_01 Ent	tire water body	5b	No

SegID: 124	From the confluence with Little Brazos River in Falls County upstream to the conf creeks near Mart in the northeast corner of Falls County	luence with unname	bd
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1242P_01	Downstream portion of water body	5b	Yes

SegID: 12	Brushy Creek From the confluence with the San Gabriel River in Milam County to the confluin Williamson County	ence of South Brushy	Creek
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1244_03	From the confluence of Cottonwood Creek upstream to the confluence of Lake	5c	No
	Creek		
1244_04	From the confluence of Lake Creek upstream to the confluence of South Brushy	5c	No
	Creek		

November 19, 2015 Page 85 of 130

SegID: 1	Upper Oyster Creek From Steep Bank Creek/Brazos River confluence in Fort Bend County to p confluence at Brazos River in Fort Bend County (includes portions of Stee and Jones Creek)	• •			
Parameter	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1245_01	From the confluence with the Brazos River upstream to Dam #3	4a	No		
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	No		
Parameter	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed dissolved oxygen					
1245_02	From Dam #3 upstream to Harmon St. crossing in Sugar Land	4a	No		

SegID: 124	From its confluence with Steep Bank Creek in Fort Colony, upstream to its headw Fort Bend County	vaters in Pecan Grove	e in
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1245C_01	Entire water body	5c	Yes

SegID: 12	45D Unnamed Tributary of Bullhead Bayou Tributary to Bullhead Bayou in Fort Bend County				
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1245D_01	Entire water body	5c	Yes		

SegID: 1245	From the confluence with Steep Bank Creek upstream to its headwaters 0.5km east Bend county	et of Pecan Grove in	Fort	
Parameter(s)	Parameter(s) <u>Category Carryforward</u>			
bacteria				
1245F_01	Entire water body	5b	Yes	

SegID: 1245I	SegID: 1245I Steep Bank Creek From confluence with Oyster Creek (Flat Bank Creek portion) upstream to end of water body, 0.2 km east of US 59 in city of First Colony, Fort Bend County.			
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>	
~~~~~~	intire water body	5b	No	

November 19, 2015 Page 86 of 130

SegID: 124	<b>Wasp Creek</b> From the confluence with Tonk Creek in Crawford in McLennan County, upstreactory Coryell County, 0.15 mile east of FM 185	am to the headwaters	in
Parameter(s) bacteria		<u>Category</u>	<u>Carryforward</u>
1246E_01	Entire water body	5b	No

SegID: 124	47A Willis Creek From the confluence with the headwaters of Granger Lake in Williamson Count County	ty to CR 313 in Willian	mson	
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1247A_01	Entire water body	5b	No	

SegID: 1	248 San Gabriel/North Fork San Gabriel River From point 1.9 km (1.2 miles) downstream of SH 95 in Williamson County Williamson County	o North San Gabriel Dam	n in	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
chloride				
1248_01	Entire segment	5c	No	
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward	
total dissolved solids				
1248_01	Entire segment	5b	No	

SegID: 12486	C Mankins Branch Perennial stream from the confluence with the San Gabriel River in Williamson C CR 105 and 104 in Williamson County	ounty to the intersec	ction of
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1248C_01 1	Entire water body	5b	No

**November 19, 2015** Page 87 of 130

SegID: 12	Upper North Bosque River From a point immediately above the confluence of Indian Creek in Erath County North Fork and South Fork of the Bosque River in Erath County	to the confluence of	the		
Parameter(	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	5b	No		
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5b	No		
Parameter(	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed di	ssolved oxygen				
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	5c	No		
Parameter(	<u>s).</u>	<u>Category</u>	<u>Carryforward</u>		
excessive alg	excessive algal growth				
1255_01	Portion of Upper North Bosque River from confluence with Indian Creek upstream to confluence with Dry Branch in Erath County.	4a	Yes		
1255_02	Portion of Upper North Bosque River from confluence with Dry Branch upstream to confluence with North/South Forks North Bosque River in Erath County.	4a	Yes		

SegID: 125	Goose Branch From the confluence with the south fork of the North Bosque River 2.5 miles (4.0 upstream to the headwaters 0.5 miles (0.8 km) north of FM 8 in Erath County	km) west of Stepher	nville,	
Parameter(s)	Parameter(s) <u>Category Carryforward</u>			
bacteria				
1255A_01	Entire water body	5b	Yes	

SegID: 1255B  North Fork Upper North Bosque River From the confluence with the South Fork of the Upper North Bosque River in Stephenville, upstream to the headwaters, 2.0 miles north of FM 219				
Parameter(s) Category Carryforwar			Carryforward	
	e water body	5b	No	

SegID: 1255C Scarborough Creek From the confluence with the North Fork of the upper North Bosque River, upstream to the headwaters 0.1 miles (0.2 km) southeast of FM 219 in Erath County				
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria				
1255C_01 Entire	water body	5b	Yes	

November 19, 2015 Page 88 of 130

SegID: 125	South Fork North Bosque River From the confluence with the North Fork of the upper North Bosque River in headwaters 3 miles (4.8 km) north of FM 219 in Erath County	Stephenville, upstream t	o the		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1255D_01	Entire water body	5b	No		

SegID: 12	55E Unnamed Tributary of Goose Branch From the confluence with Goose Branch in Erath County to its headwaters, 0.2 intersection of FM 8 and Farm Road 1219	miles southeast of the			
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1255E_01	Entire water body	5b	Yes		

SegID: 1255F Unnamed Tributary of Scarborough Creek From the confluence with Scarborough Creek, 1.0 mile west of SH 108 in Era headwaters, 0.3 mile north of FM 219	th County, upstream to t	he
Parameter(s) bacteria	<u>Category</u>	<u>Carryforward</u>
1255F_01 Entire water body	5b	No

SegID: 1255G	Woodhollow Branch From the confluence with the South Fork of the North Bosque River, 6 miles no upstream to the headwaters, 1.5 miles north of FM 219 in Erath County	orthwest of Stephenville	e,
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1255G_01 Enti	re water body	5b	Yes

SegID: 1255	I Dry Branch From its confluence with the Upper North Bosque River, upstream to its headward 106 in Erath County	ters 2.3 miles east of §	БН	
Parameter(s)	Parameter(s) <u>Category Carryforward</u>			
bacteria				
1255I_01 6	entire water body	5b	No	

SegID: 1301	San Bernard River Tidal  From the confluence with the Intracoastal Waterway in Brazoria County to a poin upstream of SH 35 in Brazoria County	t 3.2 km (2.0 miles)	
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1301_01 E	ntire Segment	5c	No

November 19, 2015 Page 89 of 130

SegID: 1	San Bernard River Above Tidal From a point 3.2 km (2.0 miles) upstream of SH 35 in Brazoria County to the Ulm in Austin County	county road southeast o	f New
<u>Parameter</u>	<u></u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1302_01	From the confluence with the Intracoastal Waterway in Brazoria County to confluence with Peach Creek	5b	No
1302_02	From the confluence with Peach Creek to the unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51	5b	Yes
1302_03	From the confluence with unnamed tributary at NHD RC 12090401001535 at N-96.03, W29.51 to the confluence with Coushatta Creek	5b	No

SegID: 1302	2A Gum Tree Branch From the confluence with West Bernard Creek near Wharton CR 252 to the head miles upstream near RR 102	lwaters approximately	7 15	
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			
bacteria				
1302A_01	Entire Water Body	5b	Yes	

SegID: 13	West Bernard Creek From the confluence with the San Bernard River Above Tidal downstream of U headwaters approximately 40 miles upstream near FM 1093	S highway 59 to the		
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1302B_02	From the confluence with Clarks Branch to the upper end of segment	5b	Yes	
Parameter(s	<u>s)</u>	<u>Category</u>	Carryforward	
depressed dissolved oxygen				
1302B_01	From the confluence with the San Bernard River Above Tidal to the confluence with Clarks Branch	5c	Yes	

SegID: 130	Caney Creek Tidal From the confluence with the Intracoastal Waterway in Matagorda County to a pupstream of the confluence of Linville Bayou in Matagorda County	point 1.9 km (1.2 miles	
Parameter(s) bacteria		<u>Category</u>	<u>Carryforward</u>
1304_01	From the downstream end of segment to the confluence with Dead Slough	5c	No

SegID: 1304A  Linnville Bayou  Intermittent stream with perennial pools from a point 1.1 km above the confluence with Caney Creek in Matagorda County up to a point 0.1 km above SH 35 in Brazoria/Matagorda Counties					
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>		
1304A_01 Entire	Water Body	5b	Yes		

November 19, 2015 Page 90 of 130

SegID: 1305  Caney Creek Above Tidal  From a point 1.9 km (1.2 miles) upstream of the confluence of Linnville Bayou in Matagorda County to the confluence of Water Hole Creek in Matagorda County				
Parameter(	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1305_02	From the confluence with Hardeman Slough to the confluence with Snead Slough	5b	No	
Parameter(	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1305_03	From the confluence with Snead Slough in Matagorda Co. to the upper end of segment at the confluence with Water Hole Creek in Matagorda Co.	5c	Yes	

SegID: 140	Colorado River Below La Grange From a point 2.1 km (1.3 miles) downstream of the Missouri-Pacific Railroad in M point 100 meters (110 yards) downstream of SH 71 at La Grange in Fayette Count		a
Parameter(s,	<u> </u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1402_02	From the confluence of Blue Creek in Matagorda County upstream to the confluence of Pierce Canal west of Wharton in Wharton County	5c	No

SegID: 14	O2C  Buckners Creek  Perennial stream from the confluence with the Colorado River upstream to the southeast of the City of Rosanky in Bastrop County	headwaters at Pattersor	Road		
	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed di	depressed dissolved oxygen				
1402C_01	Perennial stream from the confluence with the Colorado River upstream to the confluence with Chandler Branch 1.6 km upstream of FM 154 in Fayette County	5c	No		

SegID: 140	O2H Skull Creek From the confluence with the Colorado River west of Eagle Lake in Colorado C perennial portion southwest of Columbus	ounty to the upstream		
Parameter(s)	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1402H_01	Entire water body	5b	No	

SegID: 1403	Lake Austin From Tom Miller Dam in Travis County to Mansfield Dam in Travis County, up 492.8 feet (impounds Colorado River)	to normal pool elevat	tion of	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1403_03 Q	uinlan Park upstream to Mansfield Dam	5c	Yes	

**November 19, 2015** Page 91 of 130

SegID: 1	1403A Bull Creek From the confluence of Lake Austin in northwest Austin in Travis County t of the stream north of Austin in Travis County	o the upstream perennial p	ortion		
<u>Parameter</u>	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed d	dissolved oxygen				
1403A_04	From Spicewood Springs Rd. crossing near Yaupon Dr. upstream to the Spicewood	5c	No		
	Springs Dr. crossing near Oak Grove cemetery				
1403A_05		5c	Yes		
	to the end of segment				

SegID: 1403J	Spicewood Tributary to Shoal Creek From the confluence of an unnamed tributary west of the MoPac Expressway in not County upstream to the head waters north of Williamsburg Circle in Travis County	th Austin in Travis		
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
1403J_01 En	tire water body	5a	No	

SegID: 1403	Taylor Slough South From the confluence of Lake Austin in Travis County to the headwaters near Sout Texas Department of Aging and Disability Services campus in Austin in Travis C		the		
Parameter(s)	<del> </del>				
bacteria					
1403K_01	Entire water body	5a	Yes		

SegID: 1407A Clear Creek From the confluence with Inks Lake in Burnet County west of Burnet west of FM 2341 near Potato Hill northwest of Burnet	upstream to a point 2 miles (3.2	km)	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
aluminum in water			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
nickel in water			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
рН			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	
<u>Parameter(s)</u> <u>Carryforward</u>			
sulfate			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
total dissolved solids			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	
Parameter(s)	<u>Category</u>	Carryforward	
zinc in water			
1407A_01 From the confluence with Inks Lake upstream to FM 2341	5c	No	

November 19, 2015 Page 92 of 130

SegID:	E. V. Spence Reservoir  From Robert Lee Dam in Coke County to a point immediately upstream of the Creek in Coke County, up to the normal pool elevation of 1898 feet (impounds)		lver		
<u>Paramete</u>	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>		
chloride					
1411_01	Main pool from the dam upstream to the Rough Creek arm	5c	No		
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	5c	No		
Paramete	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
sulfate					
1411_01	Main pool from the dam upstream to the Rough Creek arm	4a	No		
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No		
Paramete	<u>*(s)</u>	<u>Category</u>	Carryforward		
total dissol	ved solids				
1411_01	Main pool from the dam upstream to the Rough Creek arm	4a	No		
1411_02	From the Rough Creek arm upstream to the confluence of Little Silver Creek	4a	No		

SegID: 14	Colorado River Below Lake J. B. Thomas  From a point immediately upstream of the confluence of Little Silver Creek in C River Dam in Scurry County	oke County to Colora	do
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
1412_02	From the confluence of Beals Creek upstream to the dam below Barber Reservoir pump station	5c	Yes

SegID: 141	2B Beals Creek From the confluence of the Colorado River south of Colorado City in Mitchell Mustang Draw and Sulphur Springs Draw in Howard County	County to the confluen	ce of
Parameter(s) bacteria	<u>.</u>	<u>Category</u>	<u>Carryforward</u>
1412B_03	From the confluence of Gutherie Draw upstream to the confluence of Mustang Draw and Sulphur Springs Draw	5b	Yes

SegID: 1413  Lake J. B. Thomas  From Colorado River Dam in Scurry County up to normal pool elevation of River)	f 2258 feet (impounds Colo	orado
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
chloride		
1413_01 Entire water body	5b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
sulfate		
1413_01 Entire water body	5b	No
<u>Parameter(s)</u>	<u>Category</u>	Carryforward
total dissolved solids		
1413_01 Entire water body	5b	No

November 19, 2015 Page 93 of 130

SegID: 14	San Saba River  From the confluence with the Colorado River in San Saba County to the confluence and the Middle Valley Prong in Schleicher County	uence of the North Valle	еу
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
1416_01	From the confluence with the Colorado River in San Saba County upstream to the US 190	5c	No

SegID: 14	16A Brady Creek From the confluence of the San Saba River southwest of San Saba in San Saba Cowest of Brady in McCulloch County	unty to Brady Lake	Dam	
	Parameter(s) <u>Category</u> <u>Carryforward</u>			
depressed dissolved oxygen				
1416A_03	From FM 714 upstream to Brady Lake dam	5c	Yes	

SegID:	1421 Concho River From a point 2 km (1.2 miles) above the confluence of Fuzzy Creek in Concho C on the North Concho River in Tom Green County and to Nasworthy Dam on the Tom Green County	, ,	
<u>Paramete</u>	r(s)	<u>Category</u>	<u>Carryforward</u>
bacteria			
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	5c	No
Paramete	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed	dissolved oxygen		
1421_08	North Concho River, from the confluence with the South Concho River upstream to O.C. Fisher dam	5c	No

SegID: 1425  O. C. Fisher Lake From San Angelo Dam in Tom Green County up to normal pool elevation of 1 Concho River)	908 feet (impounds No	rth
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
chloride		
1425_01 Entire water body	5c	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids		
1425_01 Entire water body	5c	No

**November 19, 2015** Page 94 of 130

SegID:	1426 Colorado River Below E. V. Spence Reservoir From a point 3.7 km (2.3 miles) below the confluence of Must. Dam in Coke County	ang Creek in Runnels County to Robert	Lee
<u>Paramet</u>	<u>er(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride			
1426_01	Lower end of segment to Country Club Lake	4a	No
1426_02	Country Club Lake to Coke County line	4a	No
1426_03	Coke County line to SH 208	4a	No
1426_04	SH 208 to dam	4a	No
Paramet	er(s)	<u>Category</u>	<u>Carryforward</u>
total disso	lved solids		
1426_01	Lower end of segment to Country Club Lake	4a	No
1426_02	Country Club Lake to Coke County line	4a	No
1426_03	Coke County line to SH 208	4a	No
1426_04	SH 208 to dam	4a	No

SegID: 1427 Onion Creek From the confluence with the Colorado River in Travis County to the most upstream crossing of FM 165 in Blanco County				
Parameter(s) Category Carryforward sulfate			<u>Carryforward</u>	
1427_03 1427_04	From FM 967 upstream to Jackson Branch confluence From Jackson Branch confluence to end of segment	5c 5c	No No	

SegID: 14	Slaughter Creek Intermittent stream with perennial pools from the confluence with Onion Creek Austin	to above US 290 west	of	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
impaired macrobenthic community				
1427A_01	Entire water body	5b	Yes	

SegID: 14	SegID: 1428B Walnut Creek From the confluence of the Colorado River in east Austin in Travis County to the upstream perennial portion of the stream in north Austin in Travis County			
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>	
1428B_05	From MoPac/Loop 1 upstream to Union Pacific Railroad tracks south of McNeil Drive	5a	Yes	

SegID: 142	RSC Gilleland Creek  Perennial stream and intermittent stream with perennial pools from the confluence up to the spring source (Ward Spring) northwest of Pflugerville, in Travis County	with the Colorado	River			
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria	bacteria					
1428C_03	From Old Highway 20 to Cameron Road	4a	No			

November 19, 2015 Page 95 of 130

SegID: 1429C Waller Creek From the confluence of Town Lake in central Austin in Travis County to the upstream portion of the stream in north Austin in Travis County						
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>			
bacteria	bacteria					
1429C_01	From the confluence with Town Lake to East MLK Blvd.	5a	No			
1429C_02	From East MLK Blvd. to East 41st Street	5a	No			
1429C_03	Upper portion of creek	5a	No			
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>			
impaired macrobenthic community						
1429C_01	From the confluence with Town Lake to East MLK Blvd.	5c	Yes			

SegID: 14	Mid Pecan Bayou  From a point immediately upstream of the confluence of Mackinally Creek in Br immediately upstream of Willis Creek in Brown County	own County to a point	
Parameter(s		<u>Category</u>	<u>Carryforward</u>
bacteria			
1431_01	Entire water body	5b	No

SegID: 1432	2 Upper Pecan Bayou From a point immediately upstream of the confluence of Willis Creek in Brown C Dam in Brown County	County to Lake Brow	nwood
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
1432_01	Entire water body	5c	No

SegID: 15	SegID: 1501 Tres Palacios Creek Tidal  From the confluence with Tres Palacios Bay in Matagorda County to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County				
Parameter(	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	5c	No		
Parameter(	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
depressed di	issolved oxygen				
1501_01	From the confluence with Willow Dam Creek at Tres Palacios Bay/Turtle Bay upstream to a point 1.6 km (1.0 mile) upstream of the confluence of Wilson Creek in Matagorda County	5b	No		

November 19, 2015 Page 96 of 130

SegID: 160	Lavaca River Above Tidal From a point 8.6 km (5.3 miles) downstream of US 59 in Jackson County to the Branch west of Hallettsville in Lavaca County	c confluence of Campb	ell
<u>Parameter(s</u> bacteria	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
1602_03	Lower portion of segment from confluence with NHD RC 12100101002463 south of Edna in Jackson County upstream to confluence with Beard Branch	5c	No

SegID: 1602B Rocky Creek Perennial stream from the confluence with the Lavaca River up to 1.0 km above FM 533 west of Shiner					
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1602B_01	From the confluence of Lavaca River upstream to confluence of Ponton Creek	5c	No		

SegID: 16	Lavaca River Above Campbell Branch From the confluence of Campbell Branch in Hallettsville to approximately 3.4 m Lavaca Co.	i upstream of SH 95	in		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed di	ssolved oxygen				
1602C_01	From confluence of Campbell Branch in Hallettsville upstream to the confluence of	5b	Yes		
	West Prong Lavaca River				
1602C_02	From confluence of West Prong Lavaca River to the headwaters approximately 6.5	5b	Yes		
	km upstream of TX Hwy 95 in the City of Moulton				

SegID: 1803.	A Elm Creek From the confluence of Sandies Creek east of Smiley in Gonzales County to the up of the stream southwest of Smiley in Gonzales County	stream perennial po	ortion	
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1803A_01	Entire water body	5b	Yes	

**November 19, 2015** Page 97 of 130

SegID: 18	O3B Sandies Creek From the confluence of the Guadalupe River west of Cuero in DeWitt County to portion of the stream northwest of Smiley in Gonzales County	o the upstream perenni	al			
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria						
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No			
1803B_02	From the confluence with Elm Creek to upper end of water body	5b	No			
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
depressed dis	ssolved oxygen					
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	No			
1803B_02	From the confluence with Elm Creek to upper end of water body	5b	Yes			
Parameter(s	<u>:)</u>	<u>Category</u>	Carryforward			
impaired fish	community					
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes			
Parameter(s	Parameter(s) <u>Category</u> <u>Carryforward</u>					
impaired ma	impaired macrobenthic community					
1803B_01	From the confluence with the Guadalupe River to the confluence with Elm Ck.	5b	Yes			

SegID: 1803C Peach Creek From the confluence of the Guadalupe River southeast of Gonzales in Gonzales County to the upstream perennial portion of the stream northeast of Waelder in Gonzales County				
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1803C_01	Lower 25 miles of water body	5b	No	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with	5b	Yes	
	Elm Cr. In Fayette Co.			
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1803C_01	Lower 25 miles of water body	5b	Yes	
1803C_03	From approx. 1.2 mi. downstream of FM 1680 in Gonzales Co. to confluence with Elm Cr. In Fayette Co.	5b	Yes	

SegID: 1804A Geronimo Creek From the confluence of the Guadalupe River south of Seguin in Guadalupe County to the upstream perennial portion north of Seguin in Guadalupe County				
<u>Parameter(s)</u>		<u>Category</u>	Carryforward	
bacteria				
1804A_01 Entire	water body	5c	No	

**November 19, 2015** Page 98 of 130

SegID:	1805 Canyon Lake From Canyon Dam in Comal County to a point 2.7 km (1.7 miles) dow Comal County, up to normal pool elevation of 909 feet (impounds Guar		d in	
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
mercury in	n edible tissue			
1805_01	Cove around Jacob's Creek Park	5c	No	
1805_02	North end of Crane's Mill Park peninsula to south end of Canyon Park	5c	No	
1805_03	Upper end of segment	5c	No	
1805_04	Lower end of reservoir from dam upstream to Canyon Park	5c	No	

SegID: 1806I	Quinlan Creek From the confluence of the Guadalupe River in Kerrville in Kerr County to the ups of the stream north of Kerrville in Kerr County	tream perennial por	rtion		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>		
bacteria	bacteria				
1806D_01 I	Entire water body	5a	No		

SegID: 18	From the confluence of the Guadalupe River in Kerrville in Kerr County to the u of the stream north of Kerrville in Kerr County	upstream perennial por	rtion		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
1806E_01	From the confluence with segment 1806 of the Guadalupe River in Kerrville, Kerr County Texas up to the upper end of the segment (NHD RC 12100201000572)	5a	No		

SegID: 18	Plum Creek From the confluence with the San Marcos River in Caldwell County to FM 277	0 in Hays County	
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1810_01	Confluence with San Marcos River to approx. 2.5 mi. upstream of the confluence with Clear Fork Plum Creek	4b	No
1810_02	From approx. 2.5 mi. upstream of confluence with Clear Fork Plum Ck to approx.	4b	No
1810_03	0.5 mi upstream of SH21 From approx. 0.5 mi. upstream of SH 21 to upper end of segment	4b	No

SegID: 1811A	Dry Comal Creek From the confluence of the Comal River in New Braunfels in Comal County to portion of the stream southwest of New Braunfels in Comal County	the upstream perennial		
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			
bacteria				
1811A_01 Low	er 25 miles of water body	5c	No	

**November 19, 2015** Page 99 of 130

SegID: 1901 Lower San Antonio River  From the confluence with the Guadalupe River in Refugio/Victoria County to a point 600 meters (660 yards) downstream of FM 791 at Mays crossing near Falls City in Karnes County					
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria	bacteria				
1901_02	25 miles upstream of Manahuilla Creek	4a	No		
1901_03	From 25 miles upstream of Manahuilla Cr to 9 mi downstream of Escondido Cr	4a	No		
1901_04	9 miles downstream of Escondido Creek	4a	No		
Parameter	Parameter(s) <u>Category</u> <u>Carryforwan</u>				
impaired fish community					
1901_02	25 miles upstream of Manahuilla Creek	5c	Yes		

SegID: 1901A Escondido Creek From the confluence with segment 1901 up to the upper end of the water body (NHD RC 12100303002847).					
	Parameter(s) Category Carryforward				
bacteria 1901A 01	From the confluence with segment 1901 up to the confluence with Nichols Creek in	5c	No		
	Kennedy.				

SegID: 1901B Cabeza Creek From the confluence with segment 1901, west of Goliad, Goliad County, up to the upper end of the water body (NHD RC 12100303000882)					
Parameter(s) Category Carryforward			<u>Carryforward</u>		
	segment.	5c	No		

SegID: 1	SegID: 1902 Lower Cibolo Creek From the confluence with the San Antonio River in Karnes County to a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County				
<u>Parameter</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
1902_01	Lower 5 miles of segment	5b	No		
1902_02	From 5 miles upstream of confluence with the San Antonio River to FM 541	5b	No		
1902_03	From FM 541 to confluence with Clifton Branch	5c	Yes		

November 19, 2015 Page 100 of 130

SegID:	902C Clifton Branch From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 mile 424 north of Stockdale	es upstream of Wilson	CR	
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	5c	No	
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
depressed dissolved oxygen				
1902C_01	From the confluence of Lower Cibolo Creek upstream to the headwater 0.6 miles upstream of Wilson CR 424 north of Stockdale	5c	No	

SegID: 190	Medina River Below Medina Diversion Lake From the confluence with the San Antonio River in Bexar County to Medina Div County	version Dam in Medin	a
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
1903_02	From 5 mi upstream of San Antonio River to 1.5 mi upstream of Leon Creek	5c	No

SegID: 190	SegID: 1905 Medina River Above Medina Lake From the confluence of Red Bluff Creek in Bandera County to the confluence of the North Prong Medina River and the West Prong Medina River in Bandera County				
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>				
impaired fish community					
1905_01	From lower end of segment to RR 470, upstream of Bandera	5c	No		

SegID: 19	Lower Leon Creek From the confluence with the Medina River in Bexar County to a point 100 med SH 16 northwest of San Antonio in Bexar County	ters (110 yards) upstrea	am of
Parameter(	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
depressed di	ssolved oxygen		
1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	5a	Yes
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	ole tissue		
1906_03	From confluence with Indian Creek to Hwy 353 (New Laredo Hwy)	5a	Yes
1906_04	From Hwy 353 (New Laredo Hwy) upstream approximately 2 miles to a point southeast of Pearsall Park	5a	Yes
1906_05	From a point southeast of Pearsall Park upstream to US 90 on the westside of San Antonio	5a	Yes
1906_06	From US 90 on the westside of San Antonio upstream to a point 100 meters upstream of SH 16 northwest of San Antonio	5a	Yes

November 19, 2015 Page 101 of 130

SegID: 19	Upper Cibolo Creek From the Missouri-Pacific Railroad Bridge west of Bracken in Comal County upstream of the confluence of Champee Springs in Kendall County	to a point 1.5 km (0.9 m	niles)
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	5c	Yes
Parameter(	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
chloride			
1908_01	From confluence. with Balcones Ck. to approx. 2 mi. upstream of Hwy 87 in Boerne	5c	No
1908_02	From approx. 2 mi. upstream of Hwy 87 in Boerne to upper end of segment	5c	No
1908_03	Lower 43 miles of segment	5c	No

SegID: 19	Salado Creek From the confluence with the San Antonio River in Bexar County to the confluence County	nce of Beitel Creek in	ı Bexar	
Parameter(	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
bacteria				
1910_03	From the confluence with Pershing Creek up to the confluence with Walzem Creek.	4a	No	
1910_04	From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	No	
Parameter(	<u>s)</u>	<u>Category</u>	Carryforward	
depressed di	ssolved oxygen			
1910_04	From the confluence with Walzem Creek up to the confluence with Beitel Creek	4a	Yes	
Parameter(	Parameter(s) <u>Category</u> <u>Carryforward</u>			
impaired macrobenthic community				
1910_02	From the confluence with Rosillo Creek up to the confluence with Pershing Creek.	5c	Yes	

SegID: 1910A	Walzem Creek From the confluence with Salado Creek to approximately 1.5 miles upstream of Antonio	Walzem Road in San			
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			<u>Carryforward</u>		
bacteria	bacteria				
1910A_01 L	ower 1.5 miles of segment	4a	No		

SegID: 1910D Menger Creek From the confluence with segment 1910 to the upper end of the water body,	NHD RC 121003010001	47.
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria		
1910D_01 Entire water body	5c	Yes
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
1910D_01 Entire water body	5c	No

November 19, 2015 Page 102 of 130

SegID: 1	911 Upper San Antonio River From a point 600 meters (660 yards) downstream of FM 791 at Mays Crossing in County to a point 100 meters (110 yards) upstream of Hildebrand Avenue at San	•	
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
1911_02	From the confluence with Olmos Creek up to just upstream of the confluence with Picosa Creek .	4a	No
1911_03	From just upstream of the confluence with Picosa Creek up to just upstream of the confluence with Lodi Branch in Floresville, Wilson County, Texas.	4a	No
1911_07	From just upstream of the confluence with Salado Creek up to just upstream of the confluence with Sixmile Creek.	4a	No
1911_08	From just upstream of the confluence with Sixmile Creek to just upstream of the confluence with San Pedro Creek.	4a	No
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	4a	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
impaired fis	h community		
1911_09	From just upstream of the confluence with San Pedro Creek up to the upper end of the segment.	5c	Yes

SegID: 19	Apache Creek From the confluence with San Pedro Creek up to the upper end of the segment a RC 12100301001439).	t State Highway 421 (	NHD		
	Parameter(s) <u>Category Carryforward</u>				
bacteria					
1911B_01	From the confluence with San Pedro Creek up to just upstream of the confluence with Zarzamora Creek.	5a	No		

SegID: 19	SegID: 1911C Alazan Creek From the confluence with Apache Creek up to 0.4 KM (0.25 Mi.) upstream of St. Cloud Road (NHD RC 12100301000163) in San Antonio, Bexar County, Texas.			
Parameter(s) <u>Category Carryforward</u>				
bacteria				
1911C_01	From the confluence with Apache Creek up to the confluence with Martinez Creek.	5a	No	
1911C_02	From just upstream of the confluence with Martinez Creek to the upper end of the	5c	No	
	segment.			

SegID: 19	San Pedro Creek From the confluence with segment 1911 to the upper end of the water body, NHI	O RC 1210030100086	67		
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>					
bacteria					
1911D_01	From the confluence with segment 1911 up to the confluence with Apache Creek.	5a	No		
1911D_02	From the confluence with Apache Creek to the upper end of the segment, NHD RC 12100301000867	5a	No		

November 19, 2015 Page 103 of 130

SegID: 19	P11E Sixmile Creek From the confluence with 1911 to the upper end of the water body at NHD Re	C 12100301000061		
	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
1911E_01	Entire water body	5c	No	

SegID: 19	Picosa Creek From the confluence with segment 1911 to the upper end of the water body, NI	HD RC 1210030300300	01937.		
Parameter(	Parameter(s) <u>Category Carryforward</u>				
depressed dissolved oxygen					
1911H_01	From the confluence with 1911 up to the confluence with Mariana Creek	5c	No		

SegID: 19	Martinez Creek  Martinez Creek from the confluence of Alazan Creek in central San Antonio ups Vance Jackson Rd in north San Antonio	stream to the terminus	at		
-	Parameter(s) <u>Category</u> <u>Carryforward</u>				
bacteria					
1911I_01	Martinez Creek from the confluence of Alazan Creek in central San Antonio upstream to the concrete channel portion at San Francisco St in north San Antonio	5c	No		

SegID: 19	SegID: 1913 Mid Cibolo Creek From a point 100 meters (110 yards) downstream of IH 10 in Bexar/Guadalupe County to the Missouri-Pacific Railroad bridge west of Bracken in Comal County				
	Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed di	ssolved oxygen				
1913_02	From the confluence with unnamed tributary approximately 0.3 miles upstream of Weir Road, Bexar county, Texas up to 100 meters upstream of the Cibolo Creek Municipal WWTP.	4b	Yes		

SegID: 2001	Mission River Tidal  From the confluence with Mission Bay in Refugio County to a point 7.4 kilometers of US 77 in Refugio County	(4.6 miles) downst	ream
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
2001_01	Entire Water Body	5a	No

SegID: 200	Aransas River Tidal From the confluence with Copano Bay in Aransas/Refugio County to a poin upstream of US 77 in Refugio/San Patricio County	t 1.6 kilometers (1.0 mile)	
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria			
2003_01	Entire Water Body	5a	No

November 19, 2015 Page 104 of 130

SegID: 20	SegID: 2004 Aransas River Above Tidal From a point 1.6 kilometers (1.0 mile) upstream of US 77 in Refugio/San Patricio County to the confluence of Poesta Creek and Aransas Creek in Bee County				
<u>Parameter(s</u>	Parameter(s) Category Carryforward				
Dacteria					
2004_02	From the confluence with Papalote Creek to the upstream end of segment at the confluence with Aransas Creek and Poesta Creek	5c	No		

SegID: 2004A	Aransas Creek From confluence with the Aransas River to the headwaters of the stream about 10 Highway 59.	0 km upstream of US	
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
2004A_01 Enti	re 20 miles of segment	5b	Yes

SegID: 20	Poesta Creek From the confluence with the Aransas River to the headwaters of the stream abo 673.	ut 7.5 km upstream of	`FM		
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
bacteria					
2004B_02	From the confluence with Talpacate Creek to the headwaters of the stream approximately 7.5 km upstream of FM 673	5c	No		

SegID: 2	Nucces River Below Lake Corpus Christi From Calallen Dam 1.7 km (1.1 miles) upstream of US 77/IH 37 in Nucces/San Patricio County to Wesley E. Seale Dam in Jim Wells/San Patricio County			
Parameter(s) <u>Category</u> <u>Carryforward</u>				
total dissolv	ed solids			
2102_01	From the downstream end of segment to the confluence with Javelin Creek	5c	No	
2102_02	From the confluence with Javelin Creek to the upstream end of segment at Lake	5c	No	
	Corpus Christi			

SegID: 2103  Lake Corpus Christi  From Wesley E. Seale Dam in Jim Wells/San Patricio County to a point 100 meters (110 yards) upstream of US 59 in Live Oak County, up to normal pool elevation of 94 feet (impounds Nueces River)				
<u>Parameter</u> (	<u></u>	<u>Category</u>	<u>Carryforward</u>	
total dissolv	ed solids			
2103_01	Mid-lake near dam	5b	No	
2103_02	Area approx. 4 mi. SE of FM 3162 and FM 534 intersection near western shore	5b	No	
2103_03	Western arm of lake near Lagarto Creek inlet	5b	No	
2103_04	Upper portion of lake on opposite shore from Hideaway Hill	5b	No	
2103_05	Upper arm of reservoir in more riverine section surrounding FM 534	5b	No	
2103_06	Uppermost riverine part of reservoir upstream of FM 534 to upper end of segment to just upstream of US Highway 59.	5b	No	

November 19, 2015 Page 105 of 130

SegID: 21	Nueces River Above Holland Dam From Holland Dam in LaSalle County to a point 100 meters (110 yards) upstreaction. County	am of FM 1025 in Zava	ıla		
Parameter(	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed dissolved oxygen					
2105_02	From the confluence with Sauz Macho Creek to the confluence of Line Oak Slough	5c	No		

SegID: 21	Nueces/Lower Frio River From a point 100 meters (110 yards) upstream of US 59 in Live Oak County to Oak County	o Choke Canyon Dam ii	n Live
<u>Parameter(s</u>	2	<u>Category</u>	<u>Carryforward</u>
bacteria			
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5c	No
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
total dissolved solids			
2106_01	The Nueces river from the downstream end of segment to the confluence with the Frio River	5b	No
2106_02	The Frio River from the confluence with the Nueces River to Choke Canyon Dam	5b	No

SegID: 21	107 Atascosa River From the confluence with the Frio River in Live Oak County to the confluence of River and the North Prong Atascosa River in Atascosa County	of the West Prong Ata	scosa
Parameter(	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2107_01	From the downstream end of the segment at the confluence with the Frio River to the confluence with Borrego Creek	5b	No
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No
Parameter(	(8)	<u>Category</u>	<u>Carryforward</u>
depressed di	ssolved oxygen		
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	No
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	No
Parameter(	(s)	<u>Category</u>	Carryforward
impaired fis	h community		
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes
Parameter(	Parameter(s)		<u>Carryforward</u>
impaired macrobenthic community			
2107_02	From the confluence with Borrego Creek to the confluence with Galvan Creek	5b	Yes
2107_03	From the confluence with Galvan Creek to the confluence with Palo Alto Creek	5b	Yes

November 19, 2015 Page 106 of 130

SegID: 21	San Miguel Creek From a point immediately upstream of the confluence of Mustang Branch in Moconfluence of San Francisco Perez Creek and Chacon Creek in Frio County	Mullen County to the	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2108_01	From the downstream end of the segment to the confluence of Liveoak Creek	5b	No

SegID: 21	Leona River From the confluence with the Frio River in Frio County to US 83 in Uvalde Co	unty			
-	Parameter(s) <u>Category Carryforward</u>				
bacteria					
2109_01	From the downstream end of segment to the confluence of Yoledigo Creek	5b	No		
2109_02	From the confluence of Yoledigo Creek to the confluence of Camp Lake Slough	5b	No		
2109_03	From the confluence of Camp Lake Slough to the upper end of segment	5b	No		

SegID: 2113 Upper Frio River From a point 100 meters (110 yards) upstream of US 90 in Uvalde County to the confluence of the West Frio River and the East Frio River in Real County					
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
impaired fish	impaired fish community				
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes		
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>				
impaired macrobenthic community					
2113_01	From the downstream end of the segment to the confluence with Bear Creek	5c	Yes		

SegID: 21	Hondo Creek From the confluence with the Frio River in Frio County to FM 470 in Bandera C	County			
<u>Parameter(</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
chloride					
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	5c	No		
2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	5c	No		
Parameter(	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
total dissolve	total dissolved solids				
2114_01	From the downstream end of the segment to the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676.	5c	No		
2114_02	From the confluence with and unnamed tributary with NHD RC 12110107000245 at point N-99.12, W29.38 just upstream of FM 2676 to the upstream end of the segment.	5c	No		

November 19, 2015 Page 107 of 130

SegID: 21	SegID: 2117 Frio River Above Choke Canyon Reservoir From a point 4.2 km (2.6 miles) downstream of SH 16 in McMullen County to a point 100 meters (110 yards) upstream of US 90 in Uvalde County			
<u>Parameter(s</u> bacteria	2	<u>Category</u>	<u>Carryforward</u>	
2117_01 2117_02	From the downstream end of segment to the confluence with Esperanza Creek From the confluence with Esperanza Creek to the confluence with Ruiz Creek	5c 5c	No No	

SegID: 2	201 Arroyo Colorado Tidal From confluence with Laguna Madre in Cameron/Willacy County to a point 100	meters (110 yards)			
	downstream of Cemetery Road south of Port Harlingen in Cameron County	ineters (110 yaras)			
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
2201_01	From the downstream end of the segment to the confluence with San Vincente Drainage Ditch	5c	No		
2201_02	From the confluence with San Vincente Drainage Ditch to the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31	5c	No		
2201_03	From the confluence with an unnamed drainage ditch with NHD RC 12110108005353 at point N-97.53, W 26.31 to the confluence with Harding Ranch Ditch tributary	5c	No		
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5c	No		
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No		
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
DDE in edib	ole tissue				
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No		
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward		
depressed d	issolved oxygen				
2201_04	From the confluence with Harding Ranch Ditch tributary to just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186	5a	Yes		
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	Yes		
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
mercury in	edible tissue				
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5c	No		
Parameter	Parameter(s)		Carryforward		
PCBs in edi	PCBs in edible tissue				
2201_05	From just upstream of the City of Hondo Wastewater Discharge at point N-97.58359, W26.247186 to the upstream end of the segment	5a	No		

November 19, 2015 Page 108 of 130

SegID: 2201B Unnamed Drainage Ditch Tributary (B) in Cameron County Drainage District #3  From the confluence with the Arroyo Colorado in Cameron County in the Rio Hondo turning basin at -97.6,  26.196 decimal degrees to a point 17.6 km upstream at the FM 510 crossing.					
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria	bacteria				
2201B_01	Entire Water Body	5b	Yes		

SegID: 2202 Arroyo Colorado Above Tidal From a point 100 meters (110 yards) downstream of Cemetery Road south of Port Harlingen in Cameron County to FM 2062 in Hidalgo County				
<u>Parameter()</u> bacteria	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>	
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	5b	No	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	5b	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5b	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5b	No	
Parameter() DDE in edib	<del></del>	<u>Category</u>	<u>Carryforward</u>	
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	4a	No	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	4a	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	4a	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	4a	No	
Parameter() mercury in 6		<u>Category</u>	<u>Carryforward</u>	
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	5c	No	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	5c	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5c	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5c	No	
Parameter() PCBs in edil	<del></del>	<u>Category</u>	<u>Carryforward</u>	
		_		
2202_01	From the downstream end of segment to the confluence with Little Creek just upstream of State Loop 499.	5a	No	
2202_02	From the confluence with Little Creek to the confluence with La Feria Main Canal just upstream of Dukes Highway.	5a	No	
2202_03	From the confluence with La Feria Main Canal just upstream of Dukes Highway to the confluence with La Cruz Resaca just downstream of FM 907	5a	No	
2202_04	From the confluence with La Cruz Resaca to the upper end of segment at FM 2062	5a	No	

November 19, 2015 Page 109 of 130

SegID: 2202.	A Donna Reservoir Off-channel irrigation reservoir pumped from Rio Grande near the City of Donna	ı in Hidalgo County		
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
PCBs in edible tissue				
2202A_01	Entire reservoir	4a	No	

SegID: 2203  Petronila Creek Tidal  From the confluence of Chiltipin Creek in Kleberg County to a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ranch in Kleberg County				
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
2203_01 E	ntire segment	5c	No	

SegID:	Petronila Creek Above Tidal From a point 1 km (0.6 miles) upstream of private road crossing near Laureles Ra the confluence of Agua Dulce and Banquete Creeks in Nueces County	anch in Kleberg Cour	nty to
<u>Paramete</u> chloride	er(s)	<u>Category</u>	<u>Carryforward</u>
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No
Paramete	er(s)	<u>Category</u>	Carryforward
sulfate			
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No
Paramete	<u>er(s)</u>	<u>Category</u>	<u>Carryforward</u>
total disso	lved solids		
2204_01	From downstream end of segment to the confluence with 2204A, unnamed drainage ditch tributary to Petronila Creek at N-97.7, W27.65 approximately 32.5 km (20.2 mi) upstream	4a	No
2204_02	From the confluence with 2204A, unnamed drainage ditch tributary of Petronila Creek at N-97.7, W27.65 to the upstream end of segment at the confluence with Agua Dulce and Banquete Creeks approximately 31.6 km (19.6 mi) upstream	4a	No

SegID: 23	Rio Grande Below Falcon Reservoir From a point 10.8 km (6.7 miles) downstream of the International Bridge in Car in Starr County	neron County to Falco	n Dam
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2302_07	From the Arroyo Los Olmos confluence upstream to the Falcon Dam	5c	No

November 19, 2015 Page 110 of 130

SegID: 23	Arroyo Los Olmos From Rio Grande confluence at Rio Grande City to El Sauz in Starr County		
<u>Parameter(</u> .	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
2302A_01	From the Rio Grande confluence near Rio Grande City upstream to a point 39.4 km	5b	Yes
	(24.5 mi) near El Sauz		

SegID: 2.	Rio Grande Below Amistad Reservoir From the confluence of the Arroyo Salado (Mexico) in Zapata County to Amista	d Dam in Val Verde	County
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2304_01	From the Arroyo Salado confluence upstream to the San Idelfonso Creek confluence	5c	No
2304_02	From the San Idelfonso Creek confluence upstream to International Bridge #2	5c	No
2304_03	From the International Bridge #2 upstream to the City of Laredo water treatment plant intake	5c	No
2304_07	From El Indio upstream to downstream of US Hwy 277 (Eagle Pass)	5c	No
2304_09	From the Las Moras Creek confluence upstream to the San Felipe Creek confluence	5e	No

SegID: 2305  International Amistad Reservoir  From Amistad Dam in Val Verde County to a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon on the Rio Grande Arm in Val Verde County and to a point 0.7 km (0.4 miles) downstream of the confluence of Painted Canyon on the Pecos Arm i				
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward	
chloride				
2305_01	Rio Grande Arm	5c	No	
2305_02	Devils River arm	5c	No	
2305_03	Area around International Boundary Buoy I (dam)	5c	No	
2305_04	Remainder of reservoir	5c	No	
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward	
total dissolv	ed solids			
2305_01	Rio Grande Arm	5c	No	
2305_02	Devils River arm	5c	No	
2305_03	Area around International Boundary Buoy I (dam)	5c	No	
2305_04	Remainder of reservoir	5c	No	

November 19, 2015 Page 111 of 130

SegID: 2306  Rio Grande Above Amistad Reservoir  From a point 1.8 km (1.1 miles) downstream of the confluence of Ramsey Canyon in Val Verde County to the confluence of the Rio Conchos (Mexico) in Presidio County				
Paramete chloride	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>	
cnioriae				
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5b	No	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5b	No	
2306_03	From FM 2627 upstream to Boquillas Canyon	5b	No	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5b	No	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5b	No	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5b	No	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5b	No	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5b	No	
<u>Paramete</u>	<u>r(s)</u>	<u>Category</u>	<u>Carryforward</u>	
sulfate				
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5b	No	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5b	No	
2306 03	From FM 2627 upstream to Boquillas Canyon	5b	No	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5b	No	
2306_05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5b	No	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5b	No	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5b	No	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5b	No	
Paramete total disso		<u>Category</u>	<u>Carryforward</u>	
2306_01	From the lower segment boundary at Ramsey Canyon upstream to the confluence of Panther Gulch	5b	No	
2306_02	From the confluence of Panther Gulch upstream to FM 2627	5b	No	
2306_03	From FM 2627 upstream to Boquillas Canyon	5b	No	
2306_04	From Boquillas Canyon upstream to Mariscal Canyon	5b	No	
2306 05	From Mariscal Canyon to a point upstream of the IBWC gage at Johnson Ranch	5b	No	
2306_06	From a point upstream of the IBWC gage at Johnson Ranch to the mouth of Santa Elena Canyon at the Terlingua Creek confluence	5b	No	
2306_07	From the mouth of Santa Elena Canyon at the Terlingua Creek confluence upstream to the Alamito Creek confluence	5b	No	
2306_08	From Alamito Creek confluence upstream to the Rio Conchos confluence	5b	No	

November 19, 2015 Page 112 of 130

SegID: 2	Rio Grande Below Riverside Diversion Dam From the confluence of the Rio Conchos (Mexico) in Presidio County to Riversion Paso County	de Diversion Dam in	El
Parameter	<u></u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5c	Yes
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5c	No
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5c	No
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	Carryforward
chloride			
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5b	No
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5b	No
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5b	No
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5b	No
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5b	No
Parameter	<u>(s)</u>	<u>Category</u>	Carryforward
total dissolv	ed solids		
2307_01	From immediately upstream of the Rio Conchos confluence to a point 40.2 km (25 mi) upstream	5b	No
2307_02	From a point 40.2 km (25 mi) upstream of the Rio Conchos confluence to Little Box Canyon	5b	No
2307_03	From Little Box Canyon upstream to the Alamo Grade Structure	5b	No
2307_04	From the Alamo Grade Structure upstream to the Guadalupe Bridge	5b	No
2307_05	From the Guadalupe Bridge to downstream of the Riverside Diversion Dam	5b	No

SegID: 23	SegID: 2308 Rio Grande Below International Dam From the Riverside Diversion Dam in El Paso County to International Dam in El Paso County			
	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
2308_01	From the Riverside Diversion Dam to the International Dam in El Paso County	5c	No	

SegID: 23	Upper Pecos River From a point immediately upstream of the confluence of Independence Creek in C Red Bluff Dam in Loving/Reeves County	rockett/Terrell Cou	nty to	
Parameter(s) <u>Category</u> <u>Carryforward</u>				
depressed dissolved oxygen				
2311_03	From US Hwy 67 upstream to the Ward Two Irrigation Turnout	5b	No	

SegID: 231	SegID: 2313  San Felipe Creek From the confluence with the Rio Grande in Val Verde County to a point 4.0 km (2.5 miles) upstream of US 90 in Val Verde County			
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>	
2313_01	From the Rio Grande confluence to the San Felipe Springs upstream of US Hwy 90	5c	No	

November 19, 2015 Page 113 of 130

SegID: 23	Rio Grande Above International Dam From International Dam in El Paso County to the New Mexico State Line in El F	aso County	
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2314_01	From the International Dam upstream to the Anthony Drain confluence	5c	No

SegID: 24	Sabine Pass From the end of jetties at the Gulf of Mexico to SH 82		
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	5c	No
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	le tissue		
2411_01	From the end of jetties at the Gulf of Mexico to SH 82	5a	Yes

SegID: 24	12 Sabine Lake Sabine Lake		
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	le tissue		
2412_01	Entire segment	5a	Yes

SegID: 2	Upper Galveston Bay From the Lower Galveston Bay confluence to SH 146		
<u>Parameter</u>	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ble tissue		
2421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point	5a	No
2421_02	Western portion of the bay	5a	No
2421_03	Eastern portion of the bay	5a	No
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edi	ole tissue		
2421_01	Red Bluff to Five Mile Cut to Houston Point to Morgans Point	5a	No
2421_02	Western portion of the bay	5a	No
2421_03	Eastern portion of the bay	5a	No

November 19, 2015 Page 114 of 130

SegID: 2421A	Clear Lake Channel Clear Lake Channel		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tiss	ue		
2421A_01 From	n Lower Galveston Bay confluence to SH 146	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tiss	ie		
2421A_01 From	n Lower Galveston Bay confluence to SH 146	5a	No

SegID: 2421OW Upper Galveston Bay (Oyster Waters) Upper Galveston Bay (Oyster Waters)		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria (oyster waters)		
2421OW_0: Entire western portion of the bay	4a	Yes

SegID: 24	422 Trinity Bay Trinity Bay		
Parameter(	<u>(s)</u>	<u>Category</u>	Carryforward
dioxin in edi	ible tissue		
2422_01	Upper half of bay	5a	No
2422_02	Lower half of bay	5a	No
Parameter(	<u>(s)</u>	<u>Category</u>	Carryforward
PCBs in edil	ble tissue		
2422_01	Upper half of bay	5a	No
2422_02	Lower half of bay	5a	No

SegID: 2422B Double Bayou West Fork From the Trinity Bay confluence to Belton Road in Chambers County		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria		
2422B_01 From the Trinity Bay confluence to Belton Road	5c	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
depressed dissolved oxygen		
2422B_01 From the Trinity Bay confluence to Belton Road	5b	No
Parameter(s)	Category	Carryforward
dioxin in edible tissue		
2422B_01 From the Trinity Bay confluence to Belton Road	5a	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2422B_01 From the Trinity Bay confluence to Belton Road	5a	No

November 19, 2015 Page 115 of 130

SegID: 2422D Double Bayou East Fork From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65		
Parameter(s)	<u>Category</u>	Carryforward
bacteria		
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5c	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	No
Parameter(s)	<u>Category</u>	Carryforward
PCBs in edible tissue		
2422D_01 From the Trinity Bay confluence to a point 2.6 km (1.6 mi) upstream of SH 65	5a	No

SegID: 2422OW	Trinity Bay (Oyster Waters) Trinity Bay (Oyster Waters)		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
bacteria (oyster wate	rs)		
2422OW_0: Upper	portion of the bay	4a	Yes

SegID: 24	East Bay East Bay			
Parameter(s) <u>Category Carryforward</u>				
		_		
2423_01	Area adjacent to the ICWW (Segment 0702)	5a	No	
2423_02	Remainder of segment	5a	No	
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue				
2423_01	Area adjacent to the ICWW (Segment 0702)	5a	No	
2423_02	Remainder of segment	5a	No	

SegID: 2423A Oyster Bayou From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH (	65 in Chambers County	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
bacteria		
From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5c	No
Parameter(s)	<u>Category</u>	Carryforward
dioxin in edible tissue		
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2423A_01 From the East Bay confluence to a point 2.2 km (1.4 mi) upstream from SH 65	5a	No

November 19, 2015 Page 116 of 130

SegID: 2	423OW East Bay (Oyster Waters) East Bay (Oyster Waters)			
<u>Parameter</u>	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria (oyster waters)				
2423OW_0	East end of bay adjacent to the ICWW and East Bay Bayou	4a	Yes	

SegID: 24	West Bay West Bay		
<u>Parameter(s</u>		<u>Category</u>	<u>Carryforward</u>
dioxin in edib	le tissue		
2424_01	Main portion of water body	5a	No
2424_02	Area adjacent to Lower Galveston Island	5a	No
Parameter(s	<u>)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	e tissue		
2424_01	Main portion of water body	5a	No
2424_02	Area adjacent to Lower Galveston Island	5a	No

SegID: 2424A Highland Bayou From Jones Bay confluence to Avenue Q 0.8 km (0.5 mi) north of SH 6 between Arcadia and Alta Loma in Galveston County			
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2424A_02	From Bayou Lane upstream to Lake Road	5c	No
2424A_03	From Lake Road upstream to FM 519	5c	No
2424A_04	From FM 519 upstream to FM 2004	5c	No
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5c	No
Parameter(s	<u>s)</u>	<u>Category</u>	Carryforward
depressed di	ssolved oxygen		
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5b	No
Parameter(s	Parameter(s)		<u>Carryforward</u>
dioxin in edi	ble tissue		
2424A_01	From the Jones Bay confluence upstream to Bayou Lane	5a	No
2424A_02	From Bayou Lane upstream to Lake Road	5a	No
2424A_03	From Lake Road upstream to FM 519	5a	No
2424A_04	From FM 519 upstream to FM 2004	5a	No
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5a	No
Parameter(s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	ole tissue		
2424A_01	From the Jones Bay confluence upstream to Bayou Lane	5a	No
2424A_02	From Bayou Lane upstream to Lake Road	5a	No
2424A_03	From Lake Road upstream to FM 519	5a	No
2424A_04	From FM 519 upstream to FM 2004	5a	No
2424A_05	From FM 2004 to the headwaters just west of FM 1764	5a	No

November 19, 2015 Page 117 of 130

SegID: 24	24B Lake Madeline Located between Jones Street, Stewart Street and Pine Street, north of the sea	wall on Galveston Island		
<u>Parameter(s</u>	Parameter(s) <u>Category</u> <u>Carryforward</u>			
depressed di	depressed dissolved oxygen			
2424B_01	Between Jones Street, Stewart Street and Pine Street, north of the seawall on Galveston Island	5c	No	

SegID: 2424C	Marchand Bayou From Highland Bayou confluence to 0.72 km (0.45 mi) north of IH 45 in Galvest	on County			
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria					
2424C_01 Fro	om Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5a	No		
Parameter(s) <u>Category</u> <u>Carryforward</u>					
depressed dissolved oxygen					
2424C_01 Fro	om Highland Bayou confluence 0.72 km (0.45 mi) north of IH-45	5c	No		

SegID: 24	24D Offatts Bayou  Located on the east end of Galveston Island, running parallel with the south West Bay near Teichman Point	nern terminus of IH 45, and	joins		
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>		
dioxin in edil	dioxin in edible tissue				
2424D_01	Upper area bordered by SH 342 and 71st Street	5a	No		
2424D_02	Middle area bordered by 71st Street and Walsh Street	5a	No		
2424D_03	Lower area bordered by Walsh Street and Techmann Point	5a	No		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
PCBs in edib	PCBs in edible tissue				
2424D_01	Upper area bordered by SH 342 and 71st Street	5a	No		
2424D_02	Middle area bordered by 71st Street and Walsh Street	5a	No		
2424D_03	Lower area bordered by Walsh Street and Techmann Point	5a	No		

SegID: 242	24G Highland Bayou Diversion Canal From the confluence with an unnamed tributary adjacent to Jones Bay upstream confluence	to the Highland Bayo	u
Parameter(s)	<u>)</u>	<u>Category</u>	Carryforward
bacteria			
2424G_01	From the confluence with an unnamed tributary adjacent to Jones Bay upstream to the Highland Bayou confluence	5c	No

November 19, 2015 Page 118 of 130

SegID: 242	West Bay (Oyster Waters) West Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyst	er waters)		
2424OW_02	Area adjacent to Lower Galveston Bay and Galveston Island	4a	Yes

SegID: 2425 Clear Lake Clear Lake		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2425_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2425_01 Entire segment	5a	No

SegID: 24	25A Taylor Lake From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluf	f Road in Galveston Co	ounty	
Parameter(s	<u> </u>	<u>Category</u>	<u>Carryforward</u>	
dioxin in edil	dioxin in edible tissue			
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	5a	No	
Parameter(s	<u>:)</u>	<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue				
2425A_01	From the Clear Lake confluence to the Taylor Bayou confluence near Red Bluff Road	5a	No	

SegID: 242	Jarbo Bayou From Clear Lake confluence with Clear Lake to 1.1 km (0.67 mi) upstream of	FM 518 in Galveston C	County		
<u>Parameter(s</u>	<u>)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	5a	No		
Parameter(s	Parameter(s) <u>Category Carryforward</u>				
dioxin in edib	ole tissue				
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	5a	No		
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	No		
Parameter(s	2	<u>Category</u>	Carryforward		
PCBs in edible tissue					
2425B_01	From the Clear Lake confluence upstream to Lawrence Road	5a	No		
2425B_02	From Lawrence Road to the headwaters 1.1 km (0.67 mi) upstream of FM 518	5a	No		

November 19, 2015 Page 119 of 130

SegID: 24	SegID: 2425D Taylor Bayou From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146			
<u>Parameter(s</u>	<u>·)</u>	<u>Category</u>	<u>Carryforward</u>	
dioxin in edil	ple tissue			
2425D_01	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	5a	No	
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue				
2425D_01	From the Taylor Lake confluence to a point 4.6 km (2.8 mi) upstream of State Hwy 146	5a	No	

SegID: 2426 Tabbs Bay Tabbs Bay		
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2426_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2426_01 Entire segment	5a	No

SegID: 24	Goose Creek Tidal From the Tabbs Bay confluence upstream to the East Fork of Goose Creek conf	luence	
Parameter(s	<u>)</u>	<u>Category</u>	Carryforward
dioxin in edib	le tissue		
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	5a	No
Parameter(s	1	<u>Category</u>	<u>Carryforward</u>
PCBs in edib	e tissue		
2426C_01	From the Tabbs Bay confluence upstream to the East Fork of Goose Creek confluence	5a	No

November 19, 2015 Page 120 of 130

SegID: 2427 San Jacinto Bay San Jacinto Bay			
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
chlordane in edible tissue			
2427_01 Entire segment	4b	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
dieldrin in edible tissue			
2427_01 Entire segment	4b	No	
Parameter(s)	<u>Category</u>	Carryforward	
dioxin in edible tissue			
2427_01 Entire segment	5a	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
heptachlor epoxide in edible tissue			
2427_01 Entire segment	4b	No	
Parameter(s)	<u>Category</u>	<u>Carryforward</u>	
PCBs in edible tissue			
2427_01 Entire segment	5a	No	

SegID: 2428 Black Duck Bay Black Duck Bay		
Parameter(s)	<u>Category</u>	Carryforward
dioxin in edible tissue		
2428_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	Carryforward
PCBs in edible tissue		
2428_01 Entire segment	5a	No

November 19, 2015 Page 121 of 130

SegID: 2429 Scott Bay Scott Bay		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
chlordane in edible tissue		
2429_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dieldrin in edible tissue		
2429_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2429_01 Entire segment	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
heptachlor epoxide in edible tissue		
2429_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2429_01 Entire segment	5a	No

SegID: 2430 Burnett Bay Burnett Bay		
Parameter(s)	<u>Category</u>	Carryforward
chlordane in edible tissue		
2430_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dieldrin in edible tissue		
2430_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2430_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	Carryforward
heptachlor epoxide in edible tissue		
2430_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2430_01 Entire segment	5a	No

November 19, 2015 Page 122 of 130

SegID: 2430A Crystal Bay Crystal Bay, a side bay of Burnett Bay, located between Burnett and Scott (Segment the San Jacinto Monument and Houston Ship Channel (Segment 1005)	t 2429) Bays adjace	ent to?
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
chlordane in edible tissue		
2430A_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dieldrin in edible tissue		
2430A_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	Carryforward
dioxin in edible tissue		
2430A_01 Entire segment	5a	No
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>
heptachlor epoxide in edible tissue		
2430A_01 Entire segment	4b	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2430A_01 Entire segment	5a	No

SegID: 2431 Moses Lake Moses Lake		
Parameter(s)	<u>Category</u>	Carryforward
dioxin in edible tissue		
2431_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2431_01 Entire segment	5a	No

SegID: 2431A Moses Bayou From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3 in Galveston (	County	
Parameter(s)	<u>Category</u>	Carryforward
bacteria		
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5c	No
Parameter(s)	<u>Category</u>	Carryforward
dioxin in edible tissue		
From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	No
Parameter(s)	<u>Category</u>	Carryforward
PCBs in edible tissue		
2431A_01 From Moses Lake confluence to 2.2 km (1.4 mi) upstream of SH 3	5a	No

November 19, 2015 Page 123 of 130

SegID: 24	Unnamed Tributary to the Southern Arm of Moses Lake (West) From the confluence with the southern arm (west) of Moses Lake to a point 0.4 Highway 3 near La Marque	5 miles upstream of Sta	ate		
<u>Parameter(s</u> bacteria	Parameter(s) <u>Category Carryforward</u>				
2431C_01	From the confluence with the southern arm (west) of Moses Lake to a point 0.45 miles upstream of State Highway 3 near La Marque	5c	No		

SegID: 2432 Chocolate Bay Chocolate Bay		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2432_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue		
2432_01 Entire segment	5a	No

SegID: 2432C Halls Bayou Tidal From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstrea	m			
<u>Parameter(s)</u>	<u>Category</u>	<u>Carryforward</u>		
bacteria				
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5c	No		
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
dioxin in edible tissue				
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5a	No		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>		
PCBs in edible tissue				
2432C_01 From the Chocolate Bay confluence upstream to a point 31.5 km (19.6 mi) upstream	5a	No		

SegID: 2432OW	Chocolate Bay (Oyster Waters) Chocolate Bay (Oyster Waters)			
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters)				
2432OW_0 Entire	segment	4a	Yes	

SegID: 2433OW	Bastrop Bay/Oyster Lake (Oyster Waters) Bastrop Bay/Oyster Lake (Oyster Waters)			
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (oyster waters)				
2433OW_02 Oyster	Lake	4a	Yes	

November 19, 2015 Page 124 of 130

SegID: 2434OW	Christmas Bay (Oyster Waters) Christmas Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters)				
2434OW_0: Area a	ljacent to West Bay	4a	Yes	

SegID: 2435OW	Drum Bay (Oyster Waters) Drum Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyster wate	ers)		
2435OW_0: Area	adjacent to Christmas Bay	4a	Yes

SegID: 2436 Barbours Cut Barbours Cut		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2436_01 Entire segment	5a	No
Parameter(s)	<u>Category</u>	Carryforward
PCBs in edible tissue		
2436_01 Entire segment	5a	No

SegID: 2437	Texas City Ship Channel Texas City Ship Channel		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
dioxin in edible tiss	ue		
2437_01 Enti	re segment	5a	No
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissu	ie –		
2437_01 Enti	re segment	5a	No

SegID: 2438 Bayport Channel Bayport Channel		
Parameter(s)	<u>Category</u>	<u>Carryforward</u>
dioxin in edible tissue		
2438_01 Entire segment	5a	No
<u>Parameter(s)</u>	<u>Category</u>	Carryforward
PCBs in edible tissue		
2438_01 Entire segment	5a	No

November 19, 2015 Page 125 of 130

SegID: 24	39 Lower Galveston Bay Lower Galveston Bay		
Parameter(s	_	<u>Category</u>	<u>Carryforward</u>
dioxin in edi	ole tissue		
2439_01	Area adjacent to the Texas City Ship Channel and Moses Lake	5a	No
2439_02	Main portion of the bay	5a	No
Parameter(s	1	<u>Category</u>	<u>Carryforward</u>
PCBs in edible tissue			
2439_01	Area adjacent to the Texas City Ship Channel and Moses Lake	5a	No
2439_02	Main portion of the bay	5a	No

SegID: 2439	Lower Galveston Bay (Oyster Waters)  Lower Galveston Bay (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyste	r waters)		
2439OW_0	Area adjacent to the Texas City Ship Channel and Moses Lake	4a	Yes

SegID: 2441OW	East Matagorda Bay (Oyster Waters) East Matagorda Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
bacteria (oyster waters)				
2441OW_0 Caney	y Creek arm	5a	Yes	

SegID: 2452OV	Tres Palacios Bay/Turtle Bay (Oyster Waters) Tres Palacios Bay/Turtle Bay (Oyster Waters)		
<u>Parameter(s)</u> bacteria (oyster w	aters)	<u>Category</u>	<u>Carryforward</u>
` •	rtle Bay and Tres Palacios Creek Arm	5a	Yes

Seg	gID: 2452TP	Tres Palacios (Recreational Beaches) Tres Palacios (Recreational Beaches)		
<u>Pa</u>	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>			Carryforward
bac	eteria			
245	52TP_01 Pal	lacios Pavilion (Beach ID TX784742)	5c	No

November 19, 2015 Page 126 of 130

SegID: 24	From the Lavaca Bayou confluence to a point 13.7 km (8.5 mi) upstream of FM	616 in Jackson County	/		
Parameter(s	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
depressed dissolved oxygen					
2453A_01	From the Lavaca Bay confluence to a point 13.7 km (8.5 mi) upstream of FM 616	5b	Yes		

SegID: 24:	Arenosa Creek From Garcitas Creek confluence upstream to J-2 Ranch Road		
Parameter(s		<u>Category</u>	<u>Carryforward</u>
bacteria			
2453C_01	From Garcitas Creek confluence upstream to J-2 Ranch Road	5b	Yes

SegID: 2453D	Lavaca Bay Ship Channel Area Lavaca Bay Ship Channel Area			
Parameter(s)		<u>Category</u>	<u>Carryforward</u>	
depressed dissolved or	xygen			
2453D_01 Entire	segment	5c	Yes	
Parameter(s)		<u>Category</u>	Carryforward	
mercury in edible tissue				
2453D_01 Entire	segment	4b	Yes	

SegID: 245	Lavaca Bay/Chocolate Bay (Oyster Waters)  Lavaca Bay/Chocolate Bay (Oyster Waters)		
	Parameter(s) Category Carryforward bacteria (oyster waters)		
2453OW_0; 2453OW_0;	North-northeastern portion of the bay near Point Comfort Chocolate Bay area	5a 5a	Yes Yes

SegID: 2455OW	Keller Bay (Oyster Waters) Keller Bay (Oyster Waters)			
Parameter(s)		<u>Category</u>	Carryforward	
bacteria (oyster waters)				
2455OW_0: Upper	arm	5a	Yes	

November 19, 2015 Page 127 of 130

SegID: 2456 Carancahua Bay Carancahua Bay		
<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>		
bacteria		
2456_02 Upper half of bay	5c	No

SegID: 2456	West Carancahua Creek Tidal From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upst County	tream of FM 616 in Jac	ckson	
Parameter(s) Category Carryforward  depressed dissolved oxygen				
uepresseu uisso	oven oxygen			
_	From the Carancahua Bay confluence to Jackson CR 440, 10.1 km (6.3 mi) upstream of FM 616 in Jackson County	5c	Yes	

SegID: 2456OW	Carancahua Bay (Oyster Waters) Carancahua Bay (Oyster Waters)			
Parameter(s) Categor			<u>Carryforward</u>	
bacteria (oyster waters)				
2456OW_02 Upper	portion of bay	5a	Yes	

SegID: 2462OW	San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters) San Antonio Bay/Hynes Bay/Guadalupe Bay (Oyster Waters)			
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria (oyster waters)				
2462OW_0: Guada	lupe Bay	5a	Yes	

SegID: 247	2OW Copano Bay/Port Bay/Mission Bay (Oyster Waters) Copano Bay/Port Bay/Mission Bay (Oyster Waters)				
Parameter(s)	<u>Parameter(s)</u> <u>Category</u> <u>Carryforward</u>				
bacteria (oyste	bacteria (oyster waters)				
2472OW_0	Mission Bay, Aransas River arm, Port Bay, and eastern shoreline	5c	Yes		

SegID: 248	Corpus Christi Bay (Recreational Beaches) Corpus Christi Bay (Recreational Beaches)		
Parameter(s	1	<u>Category</u>	Carryforward
bacteria			
2481CB_03	Cole Park (Beach ID TX259473)	5a	No
2481CB_04	Ropes Park (Beach ID TX821303)	5a	No
2481CB_06	Poenisch Park (Beach ID TX682648)	5a	No

November 19, 2015 Page 128 of 130

SegID: 2482OW	Nueces Bay (Oyster Waters) Nueces Bay (Oyster Waters)		
<u>Parameter(s)</u>		<u>Category</u>	<u>Carryforward</u>
zinc in edible tissue			
2482OW_0 Entir	e segment	4a	Yes

SegID: 248	5 Oso Bay Oso Bay		
<u>Parameter(s)</u> bacteria		<u>Category</u>	<u>Carryforward</u>
2485_03	Lower portion of bay (Ocean Drive to State Park Road 22)	4a	No
Parameter(s) depressed diss		<u>Category</u>	<u>Carryforward</u>
2485_02	Middle bay (State Park Road 22 to Holly Road)	5b	Yes

SegID: 2485A	A Oso Creek From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) of Corpus Christi in Nueces County	upstream of SH 44,	west	
Parameter(s)	Parameter(s) <u>Category</u> <u>Carryforward</u>			
bacteria				
_	From the Oso Bay confluence in southern Corpus Christi to a point 4.8 km (3 mi) upstream of SH 44, west of Corpus Christi	5a	No	

SegID: 24	491 Laguna Madre Laguna Madre		
Parameter(	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>
bacteria			
2491_02	Area adjacent to the Arroyo Colorado confluence	5c	Yes
Parameter(	<u>(s)</u>	<u>Category</u>	Carryforward
depressed di	issolved oxygen		
2491_01	Upper portion of bay north of the Arroyo Colorado confluence	5b	Yes
2491_02	Area adjacent to the Arroyo Colorado confluence	5b	Yes

SegID: 249	Laguna Madre (Oyster Waters)  Laguna Madre (Oyster Waters)		
Parameter(s)		<u>Category</u>	<u>Carryforward</u>
bacteria (oyst	er waters)		
2491OW_02	Area adjacent to the Arroyo Colorado confluence	5c	Yes

November 19, 2015 Page 129 of 130

SegID: 249	San Fernando Creek From the Gayo Del Grullo confluence in Kleberg County to the Lake Alice Dam	in Jim Wells County			
Parameter(s) bacteria	<u>Parameter(s)</u> bacteria <u>Category</u> <u>Carryforward</u>				
2492A_01	From the Cayo Del Grullo confluence to the Lake Alice Dam	5a	Yes		

SegID: 24	94 Brownsville Ship Channel From the Laguna Madre confluence upstream to the Port of Brownsville		
Parameter(s	2	<u>Category</u>	<u>Carryforward</u>
bacteria			
2494_01	From the Laguna Madre confluence upstream to the Port of Brownsville	5c	No

SegID: 24	94A Port Isabel Fishing Harbor From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Por	t Isabel in Cameron Co	ounty
Parameter (s	<u>s)</u>	<u>Category</u>	<u>Carryforward</u>
2494A_01	From the Laguna Madre confluence to 0.4 km (0.25 mi) south of SH 100 in Port Isabel	5c	Yes

SegID: 2	Gulf of Mexico  From the Gulf shoreline to the limit of Texas' jurisdiction between Grande	n Sabine Pass and the mouth of the R	tio		
Parameter	<u></u>	<u>Category</u>	<u>Carryforward</u>		
bacteria					
2501_01	Sabine Pass to Sea Rim Park area	5c	No		
2501_02	Jefferson-Chambers County line area	5c	No		
Parameter	<u>(s)</u>	<u>Category</u>	<u>Carryforward</u>		
mercury in	mercury in edible tissue				
2501_01	Sabine Pass to Sea Rim Park area	5c	No		
2501_02	Jefferson-Chambers County line area	5c	No		
2501_03	Bolivar Point to San Luis Pass area	5c	No		
2501_04	Freeport Area	5c	No		
2501_05	Area between Freeport and Port Aransas	5c	No		
2501_06	Port Aransas Area	5c	No		
2501_07	Area between Port Aransas and Port Mansfield	5c	No		
2501_08	Port Mansfield area	5c	No		
2501_09	Area between Port Mansfield and Port Isabel	5c	No		
2501_10	Port Isabel area	5c	No		

November 19, 2015 Page 130 of 130